




VOL. 3

CONSTRUCTION CATALOG



TRACK RESERVE
— TRACK ASSETS. KEEP READY. —

SITERUNNER

3 Shelf Jobsite Cart - Keep Your Jobs Moving

**A JOBSITE CART THAT HOLDS YOU WHEN
NEED IT FOLDS WHEN YOU DON'T**

Versatile Palm Grip

Optimized control and maneuverability. Doubles as hanging notch for tool belt, jacket, hard hat etc.

Tradesmen Work Shelf

Shelf geometry optimized for tradesmen end use applications

Lift Handle

Enables lifting over small objects on the jobsite

T-Lock

For secure storage between jobs

Tool Strap


Looped webbing for convenient tool storage and quick access

Holds up to 300 lbs 136kg

100 lb. capacity per shelf
(300 lb. total)

Carry Handle

Durable handle supports easy transport



Item No.

F3SCBL

Description

SITERUNNER 3 Shelf Jobsite Cart



CRESCENT

MILLER®

H500

ARC FLASH SERIES

MILLER®



FALL PROTECTION WITH ARC FLASH SAFETY



Table of Contents

Air Cooling Equipment.....	59	Drilling & Fastening Tools.....	23	Hand Protection.....	85
Fans		Crimpers		Gloves	
Adhesive Products.....	47	Drill Presses		Glove Parts & Accessories	
Adhesive Product Accessories		Drills		Hand Pads & Warmers	
Adhesives & Glues		Impact Drivers		Hand Tool Organizers & Belts.....	15
Batteries.....	37	Screw Guns		Tool Bags	
Battery Chargers.....	38	Screwdrivers		Head/Face Protection.....	70
Bonded Abrasives.....	54	Wrenches		Faceshields & Visors	
Resin Bonded Abrasives		Ear Protection.....	77	Hard Hats & Caps	
Brushing & Sweeping Products.....	62	Earmuffs		Hard Hat & Cap Parts & Accessories	
Brushes & Brooms		Earplug Parts & Accessories		Welding Helmets	
Carts & Trucks.....	58	Earplugs		Welding Helmet Parts & Accessories	
Hand Trucks		Eye Protection.....	81	Welder Caps & Doo Rags	
Car Waxes, Polishes & Protectants.....	44	Safety Glasses		Heat Stress Protection.....	105
Chisels, Punches & Pins.....	15	Safety Glass Parts & Accessories		Activity Drinks	
Pins		Safety Goggles		Freezer Pops	
Coolers & Chests.....	59	Safety Goggles Protection Parts & Accessories		Hydration Packs	
Files.....	10	Fall Protection.....	93	Bandanas	
Half Round Files		Harnesses		Sweat Bands	
Clamps & Vises.....	8	Fall Protection.....	94	Hex, Torx & Spline Keys.....	16
Clamps & Spreaders		Fall Protection Parts & Accessories		Hex Key Sets	
Vises		Fall Protection.....	95	Insect Products.....	45
Cleaning Products.....	61	Ladder Safety Systems		Insect Killers	
Dishwashing Cleaners		Fall Protection.....	96	Inspection Mirrors & Magnifiers.....	20
Floor & Carpet Cleaners		Ladder Safety System Parts & Accessories		Knives & Multi-Purpose Tools.....	10
Glass Cleaners		Fall Protection.....	96	Knives	
Cleaning Products.....	38	Lanyards		Knife Blades	
Cleaners & Degreasers		Rescue Systems		Lawn & Garden Tools.....	17
Clothing Protection.....	99	Filler Metals.....	49	Shovels & Spades	
Coats & Jackets		Welding Stick Electrodes		Sprayers	
Coveralls & Overalls		Finishing Tools.....	28	Water Hose Parts & Accessories	
Pants & Shorts		Grinders		Water Hoses	
Rainwear		Fire, Gas & Water Protection.....	116	Leak Detectors & Penetrants.....	43
Shirts		Detectors		Penetrants	
Sleeves & Bibs		Fire Extinguishers		Levels.....	19
Coated Abrasives.....	53	First Aid Safety.....	112	Locking Devices.....	116
Coated Disc Abrasives		Eye Wash and Showers		Lock Boxes	
Coated Flap Disc Abrasives		First Aid Kits		Lockouts & Hasps	
Cordless Tool Batteries & Chargers.....	33	Antiseptics		Padlocks & Cables	
Batteries, Cordless Tool		Pain Relievers		Lubricants & Penetrants.....	39
Cordless Tool Batteries & Chargers.....	35	Sunscreens		Anti-Seize Compounds	
Battery Chargers		Ointments		Corrosion Inhibitors	
Covering Products.....	58	Foot Protection.....	103	Cutting Fluids & Pastes	
Tarps		Boots & Shoes		Grease	
Cutting Tools.....	29	Footwear Covers		Grease Guns	
Band Saws		Gas Cutting & Welding.....	48	Multi-Purpose Lubricants	
Chop & Cut-Off Saws		Outfits		Oils	
Circular Saws		Tips & Nozzles		Silicone Lubricants	
Cut-Out Tools		Hammer Drilling & Demolition Tools.....	37	Markers.....	20
Dust Collectors		Demolition Hammers		Multi-Purpose Power Tools.....	35
Miter Saws		Hammer Drills		Combo Kits Cordless	
Cutting Tools.....	31	Rotary Hammers		Multi-Purpose Tools Cordless	
Reciprocating Saws		Hammers, Sledges, Mallets & Axes.....	9	Non Woven Abrasives.....	56
		Hammers		Non Woven Pad Abrasives	

Paint & Paint Supplies	43	Tape Products	46
Coatings		Duct Tapes	
Paint Brushes		Electrical Tapes	
Personal Hygiene	60	Masking Tapes	
Hand Cleaners		Strapping Tapes	
Pipe Threading Equipment	7	Tig Welding	49
Threaders Powered Accessories		Tig Torch Parts & Accessories	
Pliers & Cutters	7	Tool Storage.	11
Bolt & Chain Cutters		Tool Boxes	
Needle Nose Pliers		Tool Chests	
Specialty Pliers		Tool Storage.	13
Tongue & Groove Pliers		Tool Storage Parts & Accessories	
Prying Tools.	15	Torch & Weed Burners.	53
Bars		Traffic Safety	119
Putty Knives & Scrapers	17	Safety Cones	
Scrapers & Putty Knives		Safety Fences	
Respiratory Protection	62	Safety Flags & Pennants	
Cartridge Respirator Parts & Accessories		Safety Guards & Protectors	
Cartridge Respirators		Safety Hats	
Disposable Respirators		Safety Signs	
Escape Respirators		Safety Tags	
Powered Air & Supplied Air System Parts & Accessories		Safety Tapes	
Safety Storage.	118	Safety Vests	
Safety Cans		Vacuum Parts & Accessories.	62
Safety Storage Cabinets		Vacuums	62
Sealing Products	45	Welding & Cutting Accessories	50
Sealants		Anti-Spatter & Chemicals	
Threadlockers		Centering Heads	
Shears, Scissors & Snips	16	Cutting & Burning Guides	
Snips		Cylinder & Caps	
Soapstone Holders	23	Rod Holders	
Soapstones	23	Spark Lighter & Flints	
Sockets, Ratchets, Adaptors & Extensions.	10	Welding Blankets, Curtains, & Rolls	
Socket Sets		Welding Cables & Power Cables	
Soldering & Brazing.	53	Welding Hose & Compressed Gas Fittings	
Soldering/Brazing Kits		Welding Hoses	
Soldering/Brazing Torches		Wiping Products	59
Specialty Products	44	Towels & Wipers	
De-Icers		Wire Brush Abrasives.	56
Spill Control Safety	122	End Brushes	
Sorbents		Scratch Brushes	
Sorbent Kits		Wheel Brushes	
Squares	19	Work Lights	38
Stands & Ramps	58	Wrenches.	6
Staplers & Riveters	16	Adjustable Wrenches	
Riveters		Pipe Wrenches	
Staplers		Structural Wrenches	
Strapping Products	58	Torque Wrenches	
Cable Ties			
Tape Measures.	18		
Tape Products	46		
Duct Tapes			

APEX®

ASSEMBLY & FABRICATION TOOLS

Honeywell



The Safety Company

WRENCHES

Adjustable Wrenches



Adjustable Wrenches

Features:

- Hardened and tempered.
- Precision machined jaws and knurled adjusting worm.
- Plated to resist rust.

SKU	Opening Size	Overall Length
103-01-008	1-1/8 in	8 in
103-01-010	1-5/16 in	10 in
103-01-012	1-1/2 in	12 in
103-01-015	1-3/4 in	15 in
103-01-018	2-1/16 in	18 in

Pipe Wrenches



Adjustable Pipe Wrenches

Features:

- Hardened and tempered.
- Malleable handles with heavy duty enamel finish.
- Accurately machined jaws and adjustment nut.

Head Angle: 15°

SKU	Pipe Cap.	Overall Length
103-01-318	2-1/2 in	18 in
103-01-324	3 in	24 in



Aluminum Straight Pipe Wrenches

Features:

- Nearly 40% lighter than comparable cast-iron models.
- Jaws and all other parts identical to Ridgid heavy duty wrenches.

SKU	Pipe Cap.	Overall Length
632-31095	2 in	14 in
632-31100	2-1/2 in	18 in
632-31105	3 in	24 in
632-31110	5 in	36 in
632-31115	6 in	48 in



Heavy-Duty Straight Pipe Wrenches

Features:

- Instant grip/release.
- Heat-treated replaceable jaw.
- Easy spin nonstick adjustment nut.
- Fully floating forged hook jaw.
- Replaceable hook and heel jaws.

SKU	Pipe Cap.	Overall Length
632-31025	2-1/2 in	18 in
632-31030	3 in	24 in

Structural Wrenches



Spud Wrenches

Features:

- Drop-forged.
- High-leverage.
- Extra-heavy-duty head area gives maximum strength and durability.
- Handle features an extra-deep offset.
- Allows use on a range of bolt-hole sizes without binding.

SKU	Opening Size	Overall Length
409-3222	1-1/8 in	16.625 in
409-3213	1-7/16 in	17.375 in
409-3214	1-5/8 in	18 in

Torque Wrenches



C Series Micrometer Torque Wrenches

Features:

- Calibrated to +/- 3% in clockwise direction and +/- 6% in counter-clockwise direction.
- Manufactured to meet precision and accurate torque applications.
- Meets normal industrial torque applications, general industry, heavy equipment, and maintenance.

Torque: 120 ft-lb - 600 ft-lb

Overall Length: 41-9/16 in

Torque Setting: Adjustable

SKU	Drive Size
577-6020AB	3/4 in

PLIERS & CUTTERS

Bolt & Chain Cutters



Bolt Cutters

Features:

- Slip resistant handles.
- Internal cam mechanism provides greater torque.
- Hardened steel jaw and blades for a clean cut.

Cut Type: Center Cut

SKU	Cutting Cap.	Hardness	Overall Length
103-39-018	5/16 in	42 HRC	18 in
103-39-024	3/8 in	42 HRC	24 in

Needle Nose Pliers



Solid Joint Long Nose Pliers

Features:

- Hardened and tempered.
- Comfort grip handle and broached jaws.

Jaw Width: Tapered

SKU	Jaw Length	Jaw Thickness	Overall Length	Point Thickness
103-10-206	2 in	5/16 in	6 in	1/8 in
103-10-208	2-3/4 in	3/4 in	8 in	27/64 in

Specialty Pliers



MIG Welding Pliers

Features:

- Strong, sharp welding pliers is a must tool for mig welding operations.
- Multipurpose tool with 8 functions resulting in more efficient time and production.
- Durable carbon steel construction paired with an easy to use spring operated handle.

Jaw Shape: Double-Edged

SKU	Overall Length	Wire Diam
900-YS-50	21 cm	0.8 mm - 1.5 mm



Ironworker's

Side-Cutting Square Nose Pliers

Features:

- Twists and cuts soft annealed rebar tie wire.
- High-leverage design, rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs (213-9ST, D213-9ST, D2000-9ST).
- Spring-loaded action for self opening.
- Hook bend handle, left-hand option available (D201-7CSTLFT).
- Heavy-duty cutting knives designed to cut ACSR, screws, nails, and most hardened wire (D2000-7CST, D2000-9ST).

Jaw Shape: Square Nose

SKU	Overall Length
409-D201-7CST	9.19 in
409-213-9ST	9.29 in

Tongue & Groove Pliers



Tongue and Groove Pliers

Features:

- CHANNELLOCK BLUE® grips for comfort.
- Undercut tongue and groove design won't slip.
- Patented reinforcing edge minimizes stress breakage.
- PermaLock® fastener eliminates nut and bolt failure.
- Choose from a variety of Straight, Smooth, or V-Jaw styles.

SKU	Overall Length	Jaw Opening	No. of Adjustments
140-420-BULK	9.50 in	1.50 in	5
140-430-BULK	10 in	2 in	7
140-440-BULK	12 in	2.25 in	7
140-480-BULK	20.25 in	5.50 in	12

PIPE THREADING EQUIPMENT

Threaders Powered Accessories



Oilers

Features:

- An ergonomic 2-finger trigger design that reduces user fatigue.
- Twist and lock drip pan that easily locks in place.
- Die cast heavy duty body with swivel nozzle with no exposed parts for longer life.

SKU	Container Size
632-10883	1 gal

RIDGID

Power Threading Die Heads for 2 in Threading Machines

Features:

- All die heads are through-head oiling.
- No 500A Die Head replaces the No 500 Mono Die Heads.
- Individual machine die heads do not include dies.

Pipe Cap.: 1/8 in - 2 in

SKU	For Model
632-97065	1215, 1233, 535, 535A, 300 Compact Machines and 300 Power Drive

CLAMPS & VISES

Clamps & Spreaders



Drop Forged C-Clamps

Features:

- Extra throat depth.
- Non-slip clamping on all shapes.
- Steel spindles are copper plated for spatter protection.
- Swivel pads adjust freely to bear evenly on clamped part.

SKU	Opening Size	Overall Length	Throat Depth	Pressure
102-404C	3-1/4 in	4 in	3-1/4 in	6200 lb
102-406C	6-1/16 in	6 in	4-1/8 in	6900 lb
102-408C	8-1/4 in	8 in	5 in	6600 lb
102-410C	12-1/4 in	10 in	6 in	8000 lb



Locking C-Clamps

Features:

- Easy to lock.
- Easy to release.

Throat Depth: 2.625 in

Body Material: Alloy Steel

SKU	Opening Size	Overall Length
100-AB-11RI	3-3/4 in	11 in

IRWIN
WISE GRIP

Locking C-Clamps with Swivel Pads

Features:

- Wide-opening jaws provide greater versatility.
- Swivel pads hold tapered work, awkward fabricating jobs, and delicate projects.
- Turn screw to adjust pressure and fit.
- Constructed of high-grade heat-treated alloy steel.
- Guarded release trigger quickly unlocks and protects from accidental release.

SKU	Overall Length	Throat Depth
586-11SP	11 in	2-5/8 in



The Original™ Locking C-Clamps with Regular Tips

Features:

- Wide-opening jaws provide greater versatility in clamping a variety of shapes.
- Turn screw to adjust pressure and fit.
- Constructed of high-grade heat-treated alloy steel.
- Classic trigger release designed to provide maximum locking force.

SKU	Overall Length	Throat Depth
586-11R	11 in	4 in

Vises

RIDGID

TRISTAND® Portable Chain Vises

Features:

- Benders are located at the rear of the base and three tool hangers are provided.
- Integrated ground lug provides a conductive surface to connect the weld ground.
- Leg chain retains legs even when subjected to rugged use during operation and transport.
- Rugged tool tray offers prolonged stability before requiring a leg adjustment.

SKU	Pipe Cap.	Material
632-36273	1/8 in - 6 in	Ductile Iron Work Surface; Hardened Steel Jaws and Tubular Legs

HAMMERS, SLEDGES, MALLET & AXES

Hammers



Chipping Hammers

Features:

- Hammer heads are hardened to precisely controlled temperatures for durability and strength.
- Wide-blade design removes slag faster and adds to the life of the tool.
- Drop forged, heat-treated, hardened head withstands more grinds.
- Well balanced handle grip for comfort and ease-of-use.

Handle Material: Steel

Head Material: Forged Steel

Head Length: 6 in

SKU	Overall Length	Handle Type
900-CH-200	11 in	Spring



Welding Chipping Hammers

Features:

- Molded on Shock Reduction Grip™ reduces shock up to 50%.
- Forged in one piece.
- Ergonomically correct.
- Made in the USA.

Material: Steel

Head Length: 7-1/2 in

SKU	Overall Length	Handle Type
268-E3-WC	11 in	Straight



Tinner's Hammers

Features:

- Precision-balanced hammer helps make accuracy easy.
- Forged one-piece tool steel stands up to the most demanding tasks.
- Tight-mold, permanently bonded Shock Reduction Grip®.
- Made in the USA.

Handle Material: Steel

SKU	Head Weight	Overall Length
268-T3-18	18 oz	12.5 in

TRUE TEMPER



Toughstrike American Hickory Engineer Hammers

Features:

- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Wedge/ring connection for trusted head retention.
- Used for heavy hammering, light demolition work, and driving spikes/wedges.

Handle Type: Wood

SKU	Head Weight	Handle Length
027-20184600	4 lb	15 in



Toughstrike Fiberglass Engineer Hammers

Features:

- Fiberglass handle for increased handle strength.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Epoxy connection for trusted head retention.
- Used for heavy hammering, light demolition work, and driving spikes/wedges.

Grip Style: Comfort Grip

SKU	Head Weight	Handle Length
027-20184500	4 lb	15 in



TOUGHSTRIKE™ American Hickory Sledge Hammers

Features:

- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Wedge/ring connection for trusted head retention.

Handle Type: Straight

SKU	Head Weight	Handle Length
027-20185000	8 lb	36 in
027-20185400	12 lb	36 in

FILES

Half Round Files



Bastard Files

Features:

- Double-cut flat side.
- Handy for filing down sharp edges.

Tool Shape: Taper to Point

Style: American

SKU	Tooth Pattern	Cut Type	Length
100-14HRBF	Flat - Double Cut	Bastard Cut	14 in



Half-Round File

Features:

- Rounded on one side, flat on opposite.
- Backs of all half-round bastard files are double-cut.
- Tool Shape: Straight

Style: American Pattern

SKU	Tooth Pattern	Cut Type	Length
183-05094N	Curved - Double Cut; Flat - Double Cut	Bastard Cut	12 in

SOCKETS, RATCHETS, ADAPTORS & EXTENSIONS

Socket Sets



SHOCKWAVE Impact Duty™ PACKOUT™ Socket Sets

Features:

- SHOCKWAVE Impact Duty™ Socket Set features the boldest, longest-lasting markings and extreme impact durability in high torque applications.
- Non-slip hex geometry to prevent socket and fastener rounding.

Measuring System: SAE

SKU	Includes
495-49-66-6800	1/4 in; 9/32 in; 5/16 in; 11/32 in; 3/8 in; 7/16 in 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1/4 in hex to 3/8 in square Socket Adapter; 3 in extension; 3/8 in Universal Joint; PACKOUT™ Organizer
495-49-66-6802	3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in; 1-1/16 in; 1-1/8 in; 1-1/4 in; 1-1/2 in; PACKOUT™ Organizer

KNIVES & MULTI-PURPOSE TOOLS

Knives



Retractable Blade Utility Knives

Features:

- Features a multi-stop button and retractable blade to help minimize injuries in the workplace.
- Used with Anchor Brand replacement blades AB-11-100.

SKU	Blade Style	Overall Length
102-AB-99	Retractable	7 in



Self-Retracting Safety Knives

Features:

- Self-retracting spring action returns blade safely into the housing when not in use.
- Interlocking nose reduces blade wobble.
- Ergonomic grip fits comfortably in the hand.
- Two blade positions - 2mm extension for box cutting and full extension for general use.
- Tool-free entry.

SKU	Overall Length
586-2088600	6 in

STANLEY



Classic 99® Retractable Utility Knives

Features:

- Pro-grade, carbon alloy steel blade is built for durability and long-term reliability.
- Interlocking nose tightly holds knife edge in place.
- Choose between 3 different positions for best use.
- Storage space for up to 10 additional blades in handle.

SKU	Overall Length
680-10-099	6 in

STANLEY



Self-Retracting Utility Knives

Features:

- Spring-loaded blade retracts into knife automatically when pressure on slide button is released.
- Knife can't be left around or put in a pocket with the blade exposed.
- INTERLOCK® nose secures blade safely between knife halves.

SKU	Blade Style	Overall Length
680-10-189C	Self-Retracting	5-7/8 in

Knife Blades

STANLEY



Heavy Duty Utility Blades

Features:

- Fits most standard utility knives.
- Precision honed edge.
- 0.025 in Blade thickness.

Quantity: 100 per dispenser

SKU	Blade Shape	Blade Tip Shape
680-11-921A	Trapezoid	Triangular Point



Blade Dispenser Containers

Features:

- Dispenses one blade at a time.
- Fits AB-99 and AB-2600.
- Fits most utility knives.

Quantity: 100 per dispenser

SKU	Blade Shape	Blade Tip Shape
102-AB-11-100	Trapezoid	Straight Edge

TOOL STORAGE

Tool Boxes



PACKOUT™ Multi-Drawer Tool Boxes

Features:

- Impact resistant body.
- Metal ball bearing drawer slides.
- Metal reinforced corners.
- Depth: 16.3 in

Height: 14.3 in

Material: Polypropylene

SKU	Capacity Vol.	Width	No. of Trays	Includes
495-48-22-8442	50 lb	22.2 in	2	(1) Set of Dividers
495-48-22-8443	50 lb	22.2 in	3	(1) Drawer Divider



PACKOUT™ Organizers

Features:

- The interior features 10 removable bins that can be mounted onto common jobsite materials for easy access and no-travel bins seals to prevent the bins contents from migrating between bins during transport.

Depth: 4.61 in

Height: 4.61 in

Material: Polymer

SKU	Width	Number of Compartments
495-48-22-8430	15 in	10



PACKOUT™ Rolling Tool Boxes

Features:

- The rolling tool storage box connects with all other PACKOUT™ system components via integrated locking cleats.
- Industrial-grade extension handle.

Depth: 24 in

Height: 15.8 in

No. of Trays: 1

Material: Impact Resistant Polymers; Metal

SKU	Capacity Vol.	Width
495-48-22-8428	35 gal	38 in



PACKOUT™ Tool Boxes

Features:

- IP65 rated weather seal.
- Metal reinforced locking point.
- Metal reinforced corners.
- Customizable foam insert style available.

Material: Impact Resistant Polymers; Metal

Finish: Matte

SKU	Capacity Vol.	Width	Height	Includes
495-48-22-8432	50 lb	15.2 in	7 in	Quick-Adjust Dividers; Interior Organizer Tray
495-48-22-8422	75 lb	9.8 in	13 in	Quick-Adjust Dividers; Interior Organizer Tray
495-48-22-8450	75 lb	15.2 in	6.2 in	Customizable Foam Insert
495-48-22-8429	100 lb	15.5 in	16.9 in	Interior Organizer Tray

Tool Chests



Site-Vault™ Heavy-Duty Chests

Features:

- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked or unlocked.
- Heavy-duty beveled edge lid eliminates sharp front lid corners and enhances lid strength.
- Integrated sidewall storage locker can be padlocked for personal items.
- Heavy-duty EZ-Loader 4-way skid bolsters allow fork lift loading from any side for quicker and easier transport.
- Upgraded lock system now allows usage of padlock models Master #1, #5, #175 and American #50.

Material: Steel

SKU	Capacity Vol.	Width	Height	Wt.
217-2-652990	8.3 ft³	20 in	24 in	98 lb
217-2-654990	20.5 ft³	48 in	30.75 in	148 lb
217-2-655990	21 ft³	24 in	30.75 in	182 lb
217-2-656990	24.3 ft³	48 in	33-3/8 in	190 lb



Site-Vault™ Piano Boxes

Features:

- Site-Vault™ security system is a patented system with 3 locking points and a reflective orange lock indicator that shows when the box is locked or unlocked.
- Heavy-duty beveled edge lid eliminates sharp front lid corners and enhances lid strength.
- Integrated sidewall storage locker can be padlocked for personal items.
- Heavy-duty EZ-Loader 4-way skid bolsters allow fork lift loading from any side for quicker and easier transport.
- Upgraded lock system now allows usage of padlock models Master #1, #5, #175 and American #50.

Depth: 31 in

Height: 51 in

Material: 16 ga Steel

SKU	Capacity Vol.	Width	Wt.
217-2-681990-01	39.1 ft³	48 in	298 lb
217-2-682990-01	48.9 ft³	60 in	354 lb



Tradesman Steel Chests

Features:

- High-security design features enclosed dual lock system that resists saws, pry bars, and bolt cutters.
- Grip-Rite™ lifting channel provides better grip on lid for easier and safer lid operation.
- Rain-Drain feature in padlock housing prevents water from collecting in box.
- Ergonomic, lifting handles are protected inside deep recesses to prevent pinched knuckles and damage to handles.
- EZ-Loader 4-way skid bolsters allow fork lift loading from any side for quicker and easier transport.
- Skid bolsters are compatible with casters (1-320993, sold separately) for easy mobility.
- Heavy-duty hinge is staked and welded to prevent the pin from being forced out for break in.

Depth: 24 in

Height: 27.5 in

Material: Steel

SKU	Width
217-CJB637990	48 in

TOOL STORAGE

Tool Storage Parts & Accessories



Packout™ Bins

Features:

- Secure mounting when paired with PACKOUT™ Wall Plates, strongly holding the PACKOUT™ solution mounted to the wall.
- Keep your tools securely in place and protected, hook features protective rubber grips.
- Constructed with an impact resistant body, these bins are built to withstand harsh jobsite conditions.
- MILWAUKEE® PACKOUT™ is the industry's most versatile and durable modular storage system.

SKU	Width	Height
495-48-22-8062	4 in	7.3 in
495-48-22-8063	8 in	7.3 in



PACKOUT™ Hooks

Features:

- Modular connectivity with all PACKOUT™ components, allowing you to fully customize your shop.
- Securely locks onto wall plates, slides onto tool box lids.
- Reinforced hook maintains shape.

SKU	Width	Height
495-48-22-8334	3.5 in	4 in
495-48-22-8333	3.5 in	7 in
495-48-22-8335	3.5 in	7 in
495-48-22-8330	3.5 in	8 in
495-48-22-8332	3.5 in	8 in
495-48-22-8331	3.5 in	11 in



PACKOUT™ Tool Box Parts and Accessories

Features:

- Fully customize your tool box.
- Impact resistant.
- Modular connectivity with all PACKOUT™ components.

SKU	Width	Height
495-48-22-8045	19.8 in	5 in



PACKOUT™ Organizer Parts and Accessories

Features:

- Fully customize your shop.
- Organize tools, materials, and other jobsite needs.

Material: Polypropylene

SKU	Type	Width	Height
495-48-22-8336	Organizer Cup	4 in	7 in
495-48-22-8337	Roll Holder	4 in	13 in
495-48-22-8339	Tool Rack	4 in	13 in
495-48-22-8338	Battery Rack	4 in	13 in
495-48-22-8340	Screwdriver Rack	9.5 in	3.5 in
495-48-22-8341	Tool Station	9.5 in	3.5 in
495-48-22-8347	Compact Shelf	9.5 in	3.5 in
495-48-22-8343	Compact Shelf	9.5 in	14 in
495-48-22-8349	Long Handle Tool Rack	9.5 in	14 in
495-48-22-8445	Cabinet	19.5 in	14.7 in
495-48-22-8480	Shelf & E-Track Kit	21.5 in	20 in



PACKOUT™ Crate Parts and Accessories

Features:

- Organize your crate.
- Part of the PACKOUT™ Modular Storage System.

SKU	Width	Height
495-48-22-8040	3.7 in	9.2 in



PACKOUT™ Dollies

Features:

- Locking casters.
- QUICKSTOP™ Loading lever holds dolly securely during stacking.

SKU	Weight Cap	Dimensions
495-48-22-8410	250 lb	18.9 in L x 24.4 in x 7.9 in H

Milwaukee® PACKOUT™

**MOST VERSATILE
DURABLE**
MODULAR STORAGE SYSTEM

MILWAUKEE® PACKOUT™ is the industry's most versatile and durable Modular Storage System. With over 100 solutions, this system revolutionizes tool transportation, organization, and storage for the trades on the jobsite, in transit, and in shops.

The PACKOUT™ Modular Storage System is made up of Tool boxes, Organizers, Totes, Bags, Mounting Plates, Racks, Power Tools, and much more. All of these solutions are impact resistant and have modular connectivity to build your system providing maximum productivity, performance, and safety on the job.



SITE



TRANSIT



SHOP



PRYING TOOLS

Bars



Connecting Bars

Features:

- Provides extra leverage when positioning steel members and aligning bolt holes.
- Chisel-end is at a 15° angle to give even greater leverage.

Material: Forged Steel

SKU	Stock Size	Stock Shape	Overall Length	Tip Type
409-3247	3/4 in	Round	24 in	Chisel - Offset; Point - Straight Tapered
409-3245	3/4 in	Round	30 in	Chisel - Offset; Point - Straight Tapered
409-3243	7/8 in	Hex	36 in	15° Chisel; Pointed

TRUE TEMPER

Pinch Point Crowbars

Features:

- Hardened, drop-forged steel construction.
- Heavy-duty tool for stubborn prying tasks and heavy lifting.
- Useful for breaking up hard surfaces.

Stock Size: 1-1/4 in

Tip Width: 1-1/4 in

Material: Heat Treated Carbon Steel

SKU	Wt.	Overall Length
027-1160100	18 lb	60 in

CHISELS, PUNCHES & PINS

Pins



Broad Head Bull Pins

Features:

- Forged, heat-treated bull pin increases efficiency by providing a larger striking surface.
- Tether hole allows you to tether tool while working at height.
- Angled head and smooth blending of radii increase strength and reduce the danger of chipping.

Dia.: 1-1/4 in

Material: Heat-Treated Alloy Steel

Finish: Black Oxide

Type: Bull Pin

SKU	Point Diam	Overall Length
409-3255TT	0.313 in	13-3/4 in



Broad-Head Bull Pins

Features:

- Drop-forged, heat-treated.
- Head design also reduces chance of pin slipping from the hand when aligning holes.
- Angled head and smooth blending of radii increase strength and reduce the danger of chipping.

Material: Forged Steel

Finish: Black Oxide

Type: Bull Pin

SKU	Point Diam	Overall Length	Dia.
409-3256	1/4 in	10 in	1-1/16 in
409-3255	5/16 in	13 in	1-1/4 in

HAND TOOL ORGANIZERS & BELTS

Tool Bags



Bull-Pin and Bolt Bags

Features:

- Bull-Pin and Bolt Bag is built from sturdy canvas with a double layer of canvas on the bottom where it's needed most.
- This Tool Pouch is also stitched and riveted for added strength.

Width: 10 in

Material: No 4 Canvas

SKU	No. of Compartments	Height
409-5416T	3	9 in



Lift Buckets

Features:

- Leather reinforced bottom extends 3 in up the side.
- Top of bucket zips closed.
- Depth: 22 in

Material: No 1 Canvas

SKU	No. of Compartments	Height
409-5104CLR22	1	22 in



PACKOUT™ Backpacks

Features:

- Made with ballistic tear resistant material for heavy-duty jobsite use.
- High volume compartment for more storage space.

Width: 15 in

Depth: 10.3 in

Material: 1680D Ballistic

SKU	No. of Compartments	Height
495-48-22-8301	46 Inside Pockets; 2 Outside Pockets	19 in

SHEARS, SCISSORS & SNIPS

Snips



MetalMaster® Snips

Features:

- Withstands strain of cutting heavy stock and tight curves.
- Spring-action for fast, effortless feed.

Cut Type: Aviation

Length: 9-3/4 in

Jaw Type: CNC-Ground Edges; Serrated

SKU	Cutting Cap.	Cutting Length
186-M3R	Low-Carbon, Cold-Rolled 18 ga	1-1/2 in

HEX, TORX & SPLINE KEYS

Hex Key Sets



Ball End L-Wrench Sets

Features:

- Angle entry to 25° for faster insertion and removal of screws.
- Works in hard to reach areas.

Tip Type: Ball End; Hex

Includes: 0.050 in; 1/16 in; 5/64 in; 3/32 in; 7/64 in; 1/8 in; 9/64 in; 5/32 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in; Holder

Handle Type: L-Handle

SKU	Tip Size	Measuring System
116-10937	0.050 in to 3/8 in	SAE



Ball-Hex-L™ Key Sets

Features:

- Made with Eklind® alloy steel.
- Finished with Eklind® Black Finish to resist rust.

Tip Type: Hex Ball

Includes: Plastic Holder

Handle Type: L-Handle

SKU	Tip Size
269-13222	0.05 in; 1/16 in; 5/64 in; 3/32 in; 7/64 in; 1/8 in; 9/64 in; 5/32 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in; 1.5 mm; 2 mm; 2.5 mm; 3 mm; 4 mm; 5 mm; 6 mm; 8 mm; 10 mm



Inch Fold-Up Hex Key Sets

Features:

- Made with Eklind alloy steel.
- Heat Treated for optimum strength and ductility.

Tip Type: Hex

Handle Type: Fold-Up

Finish: Black Oxide

SKU	Tip Size	Measuring System
269-20511	3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in	Inch

STAPLERS & RIVETERS

Riveters



HP-2® Rivet Tools

Features:

- Square shoulder fulcrum pin of cold-formed heat treated steel prevents pin rotation that can elongate the engaging holes and cause premature tool failure in imitation tools.
- Handles have cushion-molded vinyl grips for comfort.

Handle Material: Carbon Steel

Includes: (4) Mounted Nosepieces; Service Wrench

SKU	Rivet Size	Body Material
466-M39000	3/32 in; 1/8 in; 5/32 in; 3/16 in	Aluminum Alloy

Staplers



T50 Heavy-Duty Staple Guns

Features:

- Features an all chromed steel housing, jam resistant mechanism, powerful coil spring, staple viewing window, and steel working parts hardened in a 1,500 degree furnace.

Body Material: All Steel

SKU	Staple Height
091-T50	1/4 in; 5/16 in; 3/8 in; 1/2 in; 17/32; 9/16 in

PUTTY KNIVES & SCRAPERS

Scrapers & Putty Knives



Ship Scrapers

Features:

- Black oxide coating for rust resistance.

Material: High-Carbon Steel

Blade Type: Double-End Bent Ship Scraper

SKU	Blade Width	Overall Length
103-393	1-3/4 in	15 in

LAWN & GARDEN TOOLS

Shovels & Spades



Round Point Digging Shovels

Features:

- Options available for North American hardwood or fiberglass handles, straight or D-Grip handles, open or closed backs, and forward turned step or rolled step styles.

Blade Type: Forward-Turned Step; Open-Back

Handle Material: North American Hardwood

Blade Material: Steel

SKU	Handle Length	Blade Width
760-45520	48 in	9.5 in



Eagle™ Shovels

Features:

- Steel collar for added strength at the handle/socket connection.
- Lightweight fiberglass handle resists splintering, cracking, and weathering.

Blade Type: Open-Back

Handle Material: White Ash

Blade Material: Steel

SKU	Handle Length	Blade Width
027-1554300	46 in	8-1/4 in
027-1554500	46 in	9 in



Round Point Shovels

Features:

- Dura-Torque® crimp collar for super-strong head-to-handle connection.
- This shovel is of good quality and designed for light-to medium-duty jobs or for occasional users.

Blade Type: Forward Turned-Step; Open-Back

Handle Material: Hardwood

Blade Material: Steel

SKU	Handle Length	Blade Width
760-40191	48 in	9.25 in



Square Point Transfer Shovels

Features:

- Perfect for moving loose garden material, sand, top soil, or debris.
- Can also be used to shape beds, mix concrete, level off areas that need to be flat, or to scrape stubborn material off driveways or other hard surfaces.

Blade Type: Forward Turned-Step; Open-Back

Blade No.: #2

Handle Type: Straight

Handle Material: North American Hardwood

Blade Material: Steel

SKU	Handle Length	Blade Width
760-40184	44 in	9.25 in

Sprayers



3.5 gal Industrial Concrete Open Head Sprayers

Features:

- Chemical-resistant seals and gaskets designed to handle a variety of chemicals.

Operating Pressure: 40 to 60 psi

Extension Type: Brass Wand

Hose Length: 48 in

Wt.: 11 lb

SKU	Capacity Vol.	Extension Length
139-1949	3-1/2 gal	24 in



Lawn and Garden Sprayers

Features:

- Ideal for weed control, pest control and fertilizers.
- Features Chapin's unique in-tank anti-clog filter, for a clog-free, steady spray.

Operating Pressure: 45 psi

Extension Type: Straight Poly Wand

Hose Length: 34 in

Body Material: Polyethylene

SKU	Capacity Vol.	Extension Length
139-20002	2 gal	18 in

Water Hose Parts & Accessories



Metal Nozzles

Features:

- Hold-open clip for continuous spraying.
- Self-adjusting "duck" packing for lifetime leak proof seal.

Handle Type: Pistol Grip

Body Material: Metal

Nozzle Type: Classic

SKU	Type	Style
305-857302-1011	Rear Control	Full Size

Water Hoses



Pro-Flow™ Commercial Duty Hoses

Features:

- Continuous flow tube keeps water flowing even if kinked.
- Metal spring collar prevents kinking at faucet.
- Anti-bacterial lining prevents deterioration and extends hose life.

Operating Pressure: 450 psi

SKU	Inside Diam	Length
027-4003600	5/8 in	50 ft

TAPE MEASURES



P1000 Series Power Return Tape Measures

Features:

- Toggle lock is positioned for convenient operation.
- Cushioned blade return.
- Removable belt clip.

Graduations: 1/16 in

End Type: Hook

Return Motion: Spring

SKU	Blade Length	Blade Width
182-PHV1425N	25 ft	1 in



MagGrip™ Pro Tapes

Features:

- Large flared magnetic end hook.
- Heavy duty nylon coated blades for maximum durability.
- Rubberized case protects end hook and button.

Graduations: 1/16 in

End Type: Magnetic Dual End Hook

Return Motion: Spring

SKU	Blade Length	Blade Width
416-7125	25 ft	1 in
416-7130	30 ft	1 in

KOMELON
USA Division



Speed Mark Tapes

Features:

- Acrylic Coated Steel Blade.
- Speed Mark fractional graduations on blade.
- Ergonomically designed ABS plastic case.

Graduations: Fractional

End Type: Hook

Return Motion: Auto

SKU	Blade Length	Blade Width
416-SM3925	25 ft	1 in

STANLEY



FatMax® Classic Tape Measures

Features:

- Protective full tape blade Mylar® coating and added BladeArmor® coating at the hook extends tape life against abrasion and heavy use.

Graduations: 1/16 in; Inch; Feet

End Type: 3-Rivet Hook

Return Motion: Automatic

SKU	Blade Length	Blade Width
680-33-725	25 ft	1-1/4 in
680-33-735	35 ft	1-1/4 in



Powerlock® Tape Rules Wide Blade

Features:

- Secure blade lock won't creep during measurements.
- Corrosion-resistant Tru-zero end hook for accurate measurements.

Graduations: 1/16 in

End Type: Hook

Return Motion: Spring

SKU	Blade Length	Blade Width
680-33-835	35 ft	1 in

LEVELS



Lasers

Features:

- Removable, rechargeable battery.
- Replace alkaline battery consumption with a rechargeable battery solution.
- High intensity green beam.

Includes: M12™ Green 360° 3-Plane Laser(3632-21); M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack(48-11-2440); M12™ Lithium-ion Battery Charger (48-59-2401); Responsive Laser Alignment Target (48-35-1111); Carrying Case

Width: 4.1 in

Height: 6.5 in

Wt.: 2.4 lbs

SKU	Range
495-3632-21	125 ft Working Range

SQUARES



Rafter Squares

Features:

- Solid, one-piece aluminum extrusion outperforms brittle die casts.
- Will not rust, bend or break.

Graduation(s): 1/8 in

Material: Aluminum

Measuring System: Inch

SKU	Blade Length
272-2990	7 in



True Blue® Combination Squares

Features:

- True Blue® vial for accuracy.
- Machined square head.
- Self-aligning drawbolt, hardened scribe.

Graduation(s): 16ths, 32nds

Material: Steel

Measuring System: Inch

SKU	Blade Length	Blade Width
272-e250	12 in	1 in

INSPECTION MIRRORS & MAGNIFIERS



Telescoping Inspection Mirrors

Features:

- Mirror can be adjusted to nearly any angle for optimal viewing.

Mirror/Magnifier Size: 2-1/8 in W x 3-1/2 in L

Length: 11-3/8 in - 15-1/4 in

Handle Type: Dipped Vinyl Grip; Telescoping

Material: Stainless Steel

SKU	Type	Shape
758-K-2	Flat Mirror	Rectangular

MARKERS



Paint Markers

Features:

- Permanent, durable, fast-curing, industrial-strength paint.
- Lead- and xylene-free paint.
- Marks on all surfaces, whether they're clean, dirty or oily.
- Reversible tip.

Tip Type: Poly; Reversible Bullet/Bullet

SKU	Color	Quantity
900-PAINTMKR-BLK	Black	12 EA/BX
900-PAINTMKR-RED	Red	12 EA/BX
900-PAINTMKR-YEL	Yellow	12 EA/BX
900-PAINTMKR-BLU	Blue	1 EA/EA
900-PAINTMKR-WHT	White	12 EA/BX



BRITE-MARK® Medium Permanent Paint Markers

Features:

- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more.

Tip Type: Bullet

SKU	Color	Quantity
253-84002	Black	12 EA/BX
253-84003	White	12 EA/BX
253-84004	Yellow	12 EA/BX



Paint-Riter® Valve Action® Paint Markers

Features:

- Variety of colors for improved mark identification, quality control, and parts inspection.
- Fast-drying, permanent paint for immediate handling reduces work downtime.

Tip Type: Round Bullet

SKU	Color	Quantity
434-96820	White	12 EA/BX
434-96821	Yellow	12 EA/BX
434-96822	Red	12 EA/BX
434-96823	Black	12 EA/BX
434-96824	Orange	12 EA/BX
434-96825	Blue	12 EA/BX
434-96826	Green	12 EA/BX



Paint-Riter®+ Oily Surface Paint Markers

Features:

- Unique paint formula resists spreading and dries quickly through oily surfaces to leave precise, permanent marks.
- Xylene-free paint reduces user health risks.
- Durable metal barrel and nib reduce breakage for longer marking life.
- Easy-to-grip clip-cap allows for convenient pocket storage.

Tip Type: Round Bullet

SKU	Color	Quantity
434-96960	White	1 EA/EA



Silver-Streak® Metal Markers with Mechanical Holder

Features:

- Highly-visible marks illuminate when cutting or welding.
- Superior to soapstone in markability and durability-will not rub, burn, or blow off surface.
- Marks on oily, wet or rusty metals, and will not scratch or abrade surfaces.
- Durable, mechanical holder prevents stick breakage and features a convenient, built-in sharpener, and pocket clip for easy storage.

Tip Type: Round

SKU	Color	Quantity
434-96006	silver	1 EA/EA

YOUR WORKSITE IS NO OFFICE.

Your marker shouldn't be either.

Would you use an office stapler to rivet steel? Then why reach for an "everyday" marker, only for it to fail when you need it most? A marker that isn't designed for the grit, the grime, or the demanding surfaces you encounter daily creates a performance gap that isn't just noticeable—it's critical.

Markers prone to smudging, fading, fraying, and poor adhesion, lead to errors and rework. Markal® markers feature specialized inks for adhesion to virtually any material, and unparalleled resistance to the elements. From the fabrication shop to the construction site, ensure your critical marks last as long as your work does.



Bold, long-lasting marks

Lay down bold, visible marks on virtually any surface. Marks even on rough or dirty metals and pipes.



Built to endure

Extra-tough tips won't spread or mush. Long cap-off time prevents premature dryout. Impact-resistant barrel withstands drops and bangs.



Weather Resistant

Marks won't fade or disappear from wear, water, or extreme weather conditions.



Fast Drying

Industrial-strength ink creates clear, crisp lines that won't smudge or smear.

Available Colors

434-96022  Red
434-96023  Black

434-96025  Blue
434-96026  Green



MARKAL

THE MARK OF WORK.®




King Size Permanent Markers

Features:

- Durable aluminum barrel and felt tip stand up to heavy use.
- Special water resistant ink formula dries quickly.

Tip Type: Chisel

SKU	Color	Quantity
652-15001A	Black	12 EA/DZ



Magnum® Permanent Markers

Features:

- Industrial strength for huge marking jobs.
- Water-resistant ink dries quickly.
- Marks on wet and oily surfaces.

Tip Type: Broad Chisel

SKU	Color	Quantity
652-44001A	Black	12 EA/DZ



Fine Tip Permanent Markers

Features:

- Permanent alcohol based ink that is fade and water resistant.
- Pocket clip for portability.

Tip Type: Fine Point

SKU	Color	Quantity
652-35010	Black	1 ST/ST




B-L Paintstik® Solid Paint Markers

Features:

- Marks bleed through solvent-based or oil-based primers or paints.
- Used for inspection, coding, layout, or assembly operations.
- Durable weather-resistant and UV-resistant marks.
- To prevent bleeding through the finished coat of paint, seal the marked areas with water-based epoxy paint.

Quantity: 12 EA / DZ

SKU	Color	Dia.
434-80725	Blue	11/16 in



Paintstik® Original B® Solid Paint Markers

Features:

- Solid paint marker combines the durability of paint in the convenience of a crayon.
- Superior marking performance on oily, icy, wet, dry, or cold surfaces.
- Weather-resistant and UV-resistant for long-lasting marks.
- Works on rough, rusty, or dirty surfaces.

Quantity: 12 EA/DZ

SKU	Color	Dia.
434-80220	White	11/16 in
434-80221	Yellow	11/16 in



Quik Stik® All Purpose Solid Paint Markers

Features:

- Fast-drying, permanent, vibrant paint marks dry in 5 to 7 minutes.
- Marks on virtually any surface-wet, smooth, rough, or hot.
- New Easy Grip Airtight Cap for convenient pocket storage, self-storing cap keeps the marker clean and fresh between uses.
- Weather-resistant and UV-resistant paint for long-lasting marks.
- Solid paint marker advances and retracts in plastic holder by turning twist-up knob.

Quantity: 12 EA/BX

SKU	Color	Dia.
434-61051	White	11/16 in
434-61053	Yellow	11/16 in

SOAPSTONES



Soapstones

Features:

- All white texture for excellent marking quality.
- Grain cut to ensure good strength and long service life.
- Marks will not contaminate welds and are easily removed.
- Low water content for increased hardness and resistance to breakage.

Length: 5 in

SKU	Shape	Color
900-FL-5	Flat	White
900-RD-5	Round	White

SOAPSTONE HOLDERS



Standard Soapstone Holders

Features:

- Pocket clip.
- Positive lock adjustment.
- Spring tension friction guide for soapstone.

Includes: Pocket Clip; Soapstone

SKU	Shape	Length	Used With
900-RH-30	Round	5 in	Standard Round Soapstone
900-SH-10	Flat	5 in	Standard Flat Soapstone



Flat Soapstone Holders

Features:

- Quality construction for durability and appearance.
- Spring steel pocket clip oversized to fit leather aprons.
- Non-corrosive channel with brass indexing trigger provides superior sliding action.
- Practical design allows for one handed operation and easy use.
- Brass trigger depresses and slides to proper alignment hole and snaps back to lock in position.

SKU	Shape	Length
326-400-1	Flat	5 in

DRILLING & FASTENING TOOLS

Crimpers



M18™ FORCE LOGIC™ Cordless Press Tools

Features:

- One-handed use in-line design.
- Delivers press accuracy and reliability.
- M18™ Force Logic™ Press Tool monitors the force output to ensure quality connections.
- Compatible with all M18 batteries and chargers.

Includes: (1) M18™ FORCE LOGIC™ Press Tool w/ ONE-KEY™; (2) M18™ REDLITHIUM™ CP2.0 Batteries; (1) M18™ & M12™ Multi-Voltage Charger; (6) CTS-V Press Jaws: 1/2 in, 3/4 in, 1 in, 1-1/4 in, 1-1/2 in, 2 in; (1) Carrying Case

SKU	Voltage	Batt. Type
495-2922-22	18 V	Lithium Ion

Drill Presses



20V Max* XR® Magnetic Drill Presses

Features:

- Power through tough jobs with a high-drilling capacity.
- Innovative power tools designed to deliver certainty for the world's toughest pros.
- Magnetic Base allows user to quickly attach to steel with no electrical charge.

Includes: (1) DCD1624 DEWALT 20V MAX* XR® 2 in Magnetic Drill Press; (1) Feed Handle Set; (1) Reservoir Bracket; (1) Allen Key; (1) Wrench; (2) Wing Bolts; (1) Kit Box; (2) DCB609G FLEXVOLT 9.0Ah Batteries; (1) DCB118 Charger; (1) 5/8 in Keyed Chuck Attachment; (1) Chuck Key; (1) Fluid Reservoir with Tube; (1) Chip Guard; (1) Safety Chain; (2) Ejection Pins

SKU	Voltage	Drilling Capacity
115-DCD1624GX2	20 V	2 in

Drills

DEWALT

Spade Handle Drills

Features:

- AC/DC, forward/reverse rocker switch ideal for backing out jammed bits or mixing drywall mud.
- Increased durability in high torque applications with 5/8 in spindle.
- Two-position rear spade handle and three-position side handle gives greater control for all drilling and mixing applications.

Voltage: 120 V**Amps:** 7 A; 9 A**Speed:** 550 rpm

SKU	Chuck Size	Chuck Type
115-DW130V	1/2 in	Keyed



20V MAX* XR® Brushless Cordless Hammer Drill/Drivers

Features:

- Three-speed, all metal high performance transmission.
- Three-position, push button LED spot light.

SKU	Type	Includes
115-DCD996P2	Kit	(1) DCD996 20V MAX* XR® Lithium-ion Brushless Premium 3-Speed Hammer Drill; (2) DCB205 20V MAX* XR® High Capacity 5.0 Ah Lithium-ion Batteries; (1) Charger; (1) Belt Hook; (1) 360° Side Handle; (1) Kit Box
115-DCD1007B	Bare Tool Only	(1) DCD1007 20V MAX* XR® Brushless Cordless 1/2 inch 3-Speed Hammer Drill; (1) Side Handle; (1) Belt Hook
115-DCD1007WW1	Bare Tool Only	(1) DCD1007 20V MAX* XR® Brushless 1/2 inch 3-Speed Hammer Drill; (1) DCB2108 XR POWERPACK® 8.0 Ah Battery; (1) Charger; (1) Side Handle; (1) Belt Hook; (1) Kit Bag

Milwaukee

M12™ Cordless Lithium-Ion Ratchets

Features:

- On-board fuel gauge helps to monitor the charge precisely for less downtime on the job.

SKU	Voltage	Type	Includes
495-2457-20	12 V	Bare Tool Only	(1) 2457-20 M12™ Cordless 3/8 in Ratchet
495-2557-22	12 V	Kit	(1) 2557-20 M12™ FUEL™ 3/8 in Ratchet Bare Tool; (1) Standard Charger; (1) Carrying Case; (2) 2.0 Ah M12™ Battery

Milwaukee

M18 FUEL™ 1/2 in Drill Drivers

Features:

- Compact, giving better access in tight spaces and reducing fatigue.
- LED on foot of tool for better lighting in dark spaces.
- All metal ratcheting chuck provides increased bit grip strength and corrosion resistance.
- Torque: 1400 in-lbs

Batt Type: 18 V**Includes:** 1/2 in Drill Driver; Side Handle; Belt Clip

SKU	Voltage	Chuck Size
495-2903-20	18 V	1/2 in



M18 FUEL™ 1/2 in Drill/Driver Kits

Features:

- At 6.9" in length, this is the most compact drill in its class, giving better access in tight spaces and reducing fatigue.

Batt. Cap.: 4 Ah**Batt Type:** Lithium-Ion**Includes:** (1) M18 FUEL™ 1/2 in Drill/Driver; (1) M18™ and M12™ Multi-Voltage Charger; (2) M18™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack; (1) Carrying Case

SKU	Voltage	Chuck Size	Speed	Torque
495-2903-22	18 V	1/2 in	2100 RPM	725 in-lb



M18 FUEL™ 1/2 in Hammer Drill/Drivers

Features:

- Compact, giving better access in tight spaces and reducing fatigue.
- REDLITHIUM™ XC5.0 Battery Pack delivers more work per charge.
- LED on foot of tool for better lighting in dark spaces.
- All metal ratcheting chuck provides increased bit grip strength and corrosion resistance.

Includes: M12™ FUEL™ 1/2 in Hammer Drill Driver; Side Handle; Belt Clip

SKU	Voltage	Chuck Size	Torque
495-2904-20	18 V	1/2 in	1400 in-lbs



M18™ Compact 1/2 in Drill Driver Kits

Features:

- Milwaukee® 4-Pole Frameless Motor: robust design with rare-earth magnets.
- Compact Design: allows greater accessibility in tight work spaces.

Speed: 400 rpm/1800 rpm

Batt. Cap.: 18 V

Includes: (2) M18™ REDLITHIUM™ Compact Battery; (1) M18™ & M12™ Multi-Voltage Charger; (1) Carrying Case

SKU	Chuck Size	Torque
495-2606-22CT	1/2 in	5 in/lb

Impact Drivers



20V MAX* XR® 3-Speed Impact 1/4 in Drivers

Features:

- Brushless motor delivers 1825 in-lb of torque and 3400 RPM to drive large diameter screws.

Drive Size: 1/4 in

Speed: 3400 RPM

Cycle Rate: 4200 IPM

Torque: 1825 in-lb

SKU	Includes
115-DCF845B	(1) DCF845 20V MAX* XR® 1/4 in 3-Speed Impact Driver; (1) Belt Hook
115-DCF845P2	(1) DCF845 20V MAX* XR® 1/4 in 3-Speed Impact Driver; (2) DCB205 20V MAX* 5.0 Ah Batteries; (1) Belt Hook; (1) Charger; (1) Kit Bag



20V MAX* XR® Brushless Cordless 3-Speed High Torque 1/4 in Impact Drivers

Features:

- TOOL CONNECT™ CHIP READY™ (chip sold separately) tool connects with the TOOL CONNECT™ Site Manager app.

Includes: (1) DCF860 20V MAX* XR® 3-Speed High Torque 1/4 in Impact Driver; (1) Belt Hook

SKU	Voltage	Drive Size	Drive Type	Speed	Torque
115-DCF860B	20 V	1/4 in	Hex	3800 RPM	2500 in-lb



M18 FUEL™ 1/4 in Hex Impact Drivers

Features:

- Single handed bit insertion for faster, easier changing of bits.
- Self-Tapping Screw mode provides faster installation time by reducing the stripping of fasteners.
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use.

Speed: 3900 RPM

SKU	Type	Includes
495-2953-22	Bare Tool Only	(1) M18 FUEL™ 1/4 in Hex Impact Driver Kit(2953-22); (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack(48-11-1850); (1) M18™ and M12™ Multi-Voltage Charger(48-59-1812); (1) Blow Molding Carrying Case; (1) Belt Clip
495-2953-20	Kit	1/4 in Hex Impact Driver; Belt Clip

Screw Guns



XR® Brushless Drywall Screw Guns

Features:

- Brushless motor for efficient performance and runtime.
- Nosecone locks on securely and is easily removed while maintaining consistent screw depth.

Speed: 4850 RPM

Voltage: 20 V

SKU	Drive Size
115-DCF630B	1/4 in

Screwdrivers



M4™ 1/4 in Hex Screwdriver Kits

Features:

- Lightweight, easy to use with one hand including quick-change chuck for one-handed bit changes.
- 21-position clutch with auto shut-off offers improved torque control during repetitive applications.
- 2-speed gearbox offers further user control for precision work.

Batt. Type: M4™ REDLITHIUM™ 2.0 Ah Battery

SKU	Voltage	Chuck Size	Speed
495-2101-22	4 V DC	1/4 in Hex	200 RPM - 600 RPM

Wrenches

DEWALT

20V MAX* XR® Brushless Cordless High Torque Impact Wrenches

Features:

- Three-speed settings and PRECISION WRENCH™ mode which helps prevent overtightening and fastening run-off.

Voltage: 20 V**Speed:** 1200 RPM**Torque:** 1750 ft-lb

SKU	Type	Includes
115-DCF961B	Bare Tool Only	(1) DCF961 20V MAX* XR® 1/2 in. High-Torque Impact Wrench; Battery and Charger Sold Separately
115-DCF961GP1	Kit	(1) DCF961 20V MAX* XR® 1/2 in. High-Torque Impact Wrench; (1) DCB205G 20V MAX* Oil-Resistant 5.0 Ah Battery; (1) DCB1104 Charger (1) Kit Bag



20V MAX* XR® Mid-Range Impact Wrenches

Features:

- Tackle wide range of fastening applications with 600 ft-lbs of max fastening torque and 800 ft-lbs of max breakaway torque.
- Designed to help prevent overtightening in forward, and run-off in reverse, the wrench integrates a Precision Wrench™ setting to help optimize user control.

Includes: (1) DCF892 Impact Wrench; (1) Belt Clip

SKU	Drive Size	Speed	Torque
115-DCF892B	1/2 in	2000 RPM	800 ft-lb



ATOMIC™ 20V MAX* Cordless Impact Wrenches

Features:

- Hog ring anvil for rapid, secure socket changes.
- Optimized speed in wood with timber screw mode.
- Glass-filled nylon housing provides resistance from damage caused by some oils and solvents.

SKU	Drive Size	Speed	Torque
115-DCF900B	1/2 in	2300 RPM	1400 ft-lb

Milwaukee

2962 M18 FUEL™ 1/2 in Mid-Torque Impact Wrenches

Features:

- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- Includes auto shut-off and bolt-removal control.

Includes: (1) M18 FUEL™ 1/2 in Mid-Torque Impact Wrench w/Friction Ring Kit (2962-22R); (2) M18™ REDLITHIUM™ XC5.0 Resistant Battery (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Blow Molded Case

SKU	Drive Size	Drive Type	Voltage	Speed	Torque
495-2962-22R	1/2 in	Square	18 V	2575 RPM	650 ft-lb



M18 FUEL™ 3/8 in Mid-Torque Impact Wrenches with Friction Ring

Features:

- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power, includes auto shut-off and bolt-removal mode.
- Auto shut-off mode prevents over tightening and increases productivity by applying no more than 35 ft-lb of torque.

Cycle Rate: 3100 IPM**Includes:** (1) M18 FUEL™ 3/8 in Mid-Torque Impact Wrench w/Friction Ring Bare Tool (2960-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Capacity Battery Pack (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Carrying Case

SKU	Drive Size	Drive Type	Voltage	Speed	Torque
495-2960-22R	3/8 in	Square	18 V DC	2575 RPM	650 ft-lb



M18 FUEL™ Compact Impact Wrenches with Friction Ring

Features:

- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power, includes auto shut-off and bolt-removal mode.

Cycle Rate: 3500 IPM**Includes:** (1) M18 FUEL™ 3/8 in Compact Impact Wrench w/Friction Ring (2854-20)

SKU	Drive Size	Drive Type	Speed	Torque
495-2854-20	3/8 in	Square	2400 RPM	250 ft-lb



M18 FUEL™ D-Handle High Torque Impact Wrenches

Features:

- Includes the ability to set a repeatable torque output for maximum control.
- Integrated lanyard loop allows for safer use and easier storage.

Batt. Type: Lithium Ion

Includes: M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ONE-KEY™; (2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs; (1) M18™ and M12™ Rapid Charger; (1) Tool-Free Adjustable Handle; (1) Lanyard Loop; (1) Contractor Bag

SKU	Drive Size	Drive Type	Voltage	Speed	Torque
495-2868-22HD	1 in	Square	18 V	1200 RPM	2000 ft-lb



M18 FUEL™ High Torque 1/2 in Impact Wrenches with Friction Ring

Features:

- Bolt removal mode provides maximum nut-busting torque to break fastener free, then slows to 750 RPM for more control when removing fasteners.
- Premium rubber over-mold withstands corrosive materials and provides increased comfort when in use.

Batt. Type: Lithium-Ion

Cycle Rate: 2400 IPM

SKU	Drive Size	Drive Type	Voltage	Speed	Torque
495-2967-20	1/2 in	Square	18 V	2000 RPM	1600 ft-lb



M18 FUEL™ Impact Wrenches

Features:

- ONE-KEY™ enabled Lug Nut Mode Prevents Over-Torque and More Control by automatically shutting off the tool.
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use.

Includes: (1) M18 FUEL™ 1 in D-Handle Ext. Anvil High Torque Impact Wrench w/ ONE-KEY™ (2869-20); (2) M18™ REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Pack (48-11-1812); (1) M18™ & M12™ Rapid Charger (48-59-1808); (1) Tool-Free Adjustable Handle; (1) Lanyard Loop; (1) Carrying Case

SKU	Drive Size	Batt. Type	Voltage	Speed	Torque
495-2869-22HD	1 in	Lithium Ion	18 V	1200 RPM	2000 ft-lb



M18 FUEL™ w/ONE-KEY™ High Torque Impact Wrenches 3/4 in Friction Ring

Features:

- POWERSTATE™ brushless motor delivers up to 1200 ft-lb of fastening torque and 1500 ft-lb of nut-busting torque.
- Features a friction ring with thru-hole design to ensure quick and easy socket changes.

Batt. Type: Lithium Ion

SKU	Drive Size	Type	Voltage	Speed	Torque
495-2864-20	3/4 in	Tool Only	18 V	1800 RPM	1600 ft-lb
495-2864-22R	3/4 in	Kit	18 V	1800 RPM	1600 ft-lb



M18™ FUEL™ with ONE-KEY™ High-Torque Impact Wrench Kits

Features:

- REDLINK Plus™ intelligence prevents damage to the tool and battery due to overloading or overheating.
- REDLITHIUM™ batteries deliver more work per charge and more work over the life of the battery.
- Most compact cordless high-torque impact wrench in its class.

Batt. Type: 18 Volt Lithium Ion

Includes: 1/2 in High Torque Impact Wrench; 2 M18™ Redlithium™ XC5.0 Resistant Battery; Multi-Volt Charger; Blow Molded Case

SKU	Drive Size	Voltage	Speed	Torque
495-2863-22R	1/2 in	18 V	1750 rpm	1400 ft-lb



M18™ Impact Wrench Kits with Friction Rings

Features:

- Powerful and compact impact wrench in its class offers one of the best power to size ratio.
- The impact wrench features a friction ring anvil.

Cycle Rate: 2400 IPM

Includes: (1) M18 FUEL™ 1/2 in High Torque Impact Wrench w/Friction Ring (2967-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Battery (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Hard Case

SKU	Drive Size	Voltage	Speed	Torque
495-2967-22	1/2 in	18 V	2000 RPM	1100 ft-lb

FINISHING TOOLS

Grinders



M18 FUEL™ 4-1/2 in and 5 in Cordless Angle Grinders

Features:

- Tool-free accessory changes with Integrated FIXTEC Nut Technology.
- Electronic clutch for kickback protection.

Batt. Type: Rechargeable Lithium-Ion

Speed: 8500 RPM

Spindle Thread: 5/8 in to 11 UNC

SKU	Type
495-2880-20	Tool Only
495-2880-22	Kit



4.7 hp Large Angle Grinders

Features:

- Motor provides overload protection.
- Dust Ejection System™.
- Anti-Vibe trigger handle.

Speed: 8500 rpm

Spindle Thread: 5/8 in-11

Includes: 7 in Guard; 3 Position Side Handle

SKU	Wheel Dia	Amps
115-DWE4557	7 in	15 A



High Performance Angle Grinders with E-Clutch®

Features:

- E-Clutch® Activates in less than a tenth of a second when a pinch/stall event is detected.

Speed: 9,000 RPM

Control Type: Paddle; No Lock-On

Spindle Thread: 5/8 in to 11 in

Includes: Grinder; Side Handle; Inner and Outer Flange; 6 in Type 27 Guard; 6 in Type 1 Guard

SKU	Wheel Dia	Amps
115-DWE43144N	6 in	13 A



Small Angle Grinders

Features:

- 11 Amp AC/DC 11,000 RPM motor designed for faster material removal and higher overload protection.

Speed: 11000 RPM

Spindle Thread: 5/8 in - 11

SKU	Wheel Dia	Amps	Control Type
115-DWE402	4-1/2 in	11 A	With Lock On
115-DWE402N	4-1/2 in	11 A	With NocLock On



20V MAX* XR® Brushless Small Angle Grinders with KICKBACK BRAKE™

Features:

- Brushless motor requires no brush changes.
- Features E-Switch Protection™—when the ON/OFF trigger switch has a no-volt release function.
- In the event of a power outage or other unexpected shut down, the trigger switch will need to be cycled (turned off and then on) to restart tool.

Batt. Type: Lithium-ion

Speed: 9000 RPM

Length: 12-1/4 in

Includes: (1) Grinder; (2) 6.0 Ah DCB206 Batteries; (1) Charger DCB115; (1) 4.5 inch Type 27 Guard; (1) Hex Key; (1) Inner and Outer Flange; (1) Side Handle; (1) Kit Bag

SKU	Spindle Thread
115-DCG413R2	5/8 in-11



60V MAX* Cordless Grinders with Kickback Brake

Features:

- 13 Amp motor equivalent power.
- No-load speed of 9,000 RPM for applications with 6 inch grinder wheels.

Batt. Type: Lithium Ion

Speed: 9000 RPM

Control Type: Trigger

Handle Type: Rat Tail

SKU	Type	Includes
115-DCG418B	Bare Tool Only	(1) DCG418; (1) Wrench; (2) Flanges; (1) Side Handle; (1) 4-1/2 in Type 27 Guard; (1) 6 in Type 27 Guard
115-DCG418X2	Kit	(1) DCG418; (2) 20V/60V MAX* FLEXVOLT® 9.0 Ah Batteries (DCB609); (1) Charger; (1) Side Handle; (1) 4-1/2 in Type 27 Guard; (1) 6 in Type 27 Guard; (1) Wrench; (2) Flanges; (1) Kit Bag

CUTTING TOOLS

Band Saws

DEWALT



Cordless Band Saw Blades

Features:

- Matrix II high speed steel edge for heat and wear resistance.
- Offers enhanced durability.
- Rc 65-67 tooth hardness for increased wear resistance.

Width: 1/2 in

Thickness: 0.020 in

Teeth Per Inch: 18

Cutting Edge Material: Matrix II High-Speed Steel

SKU	Cutting Length
115-DW3983C	32-7/8 in



20V MAX* Dual Switch Band Saws

Features:

- Tool requires dual switch activation, a PERFORM & PROTECT™ feature.
- Integrated hang hook allows user to hang the saw without damaging the front handle or base.

Batt. Type: Lithium Ion

Cutting Cap.: 4.75 in

Includes: (1) Bandsaw Blade (18 TPI); (1) DCS376 Band Saw

SKU	Batt. Cap.
115-DCS376B	5.0 Ah



20V MAX* XR® Mid-Size Band Saws

Features:

- Featuring a secondary trigger on the auxiliary handle for added control on the foregrip.
- Designed to deliver quick and efficient performance.
- Finish the job effectively with a large cutting capacity.

Batt. Type: Lithium-ion Sold Separately

Cutting Cap.: 3-3/8 in

Speed: 570 ft2/min

Includes: (1) DCS378 20V MAX* XR® Mid-Sized Bandsaw; (1) 18 TPI 35-3/8 in Bandsaw Blade; (1) Blade Tracking and Fence Adjusting Hex Wrench

SKU	Batt. Cap.
115-DCS378B	5.0 Ah

DEWALT



MAX* XR® Cordless Brushless Deep Cut Band Saws

Features:

- LED work Light with 20-second delay illuminates dark work surfaces for accurate cutting.
- Toolless blade changing lever loosens blade tension.
- Variable speed for versatility and control.

Batt. Type: Lithium Ion

Cutting Cap.: 4 in

SKU	Batt. Cap.
115-DCS374B	5.0Ah

Milwaukee



M18 FUEL™ Compact Band Saw Kits

Features:

- POWERSTATE™ brushless motor delivers the fastest cutting speed of any compact band saw.
- Largest Capacity in it's Class: Versatility to cut up to 3-1/4 in X 3-1/4 in material in a single pass.

Batt. Type: Lithium-Ion

Cutting Cap.: 3-1/4 in x 3-1/4 in

Includes: (1) Extreme Thick Metal 8/10 TPI Band Saw Blade; (2) M18™ REDLITHIUM HIGH OUTPUT™ CP3.0 Battery; (1) M18™ & M12™ Rapid Charger

SKU	Voltage	Batt. Cap.
495-2829-22	18 V	3.0 Ah



M18 FUEL™ Deep Cut Band Saws

Features:

- POWERSTATE™ brushless motor.
- Tool-free locking adjustable shoe.
- Lightweight, less fatigue.

Batt. Type: M18™

Cutting Cap.: 5 in x 5 in

Speed: 550 SFPM

Includes: (1) M18 FUEL™ Deep Cut Band Saw (2929-20); (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850); (1) M18™ and M12™ Rapid Charger (48-59-1808); (1) Blade; (1) Carrying Case

SKU	Voltage	Batt. Cap.
495-2929-22	18 V	5.0 Ah



M18™ Fuel Cordless Band Saws

Features:

- Compact light weight design for cutting overhead and in tight places.
- LED work light illuminates the cut line in dark areas.
- Tool-Free locking adjustable shoe: Button actuated tool-free design allows user to quickly adjust from an extended shoe to no shoe in seconds.

Cutting Cap.: 3-1/4 in

SKU	Speed
495-2829-20	540 sfpm

Chop & Cut-Off Saws



MAX* Brushless Cordless Cut-Off Saws

Features:

- 2-stage trigger helps prevent accidental activation.
- Wireless tool control for use with future products.

Voltage: 60 V

Control Type: Trigger

Includes: (1) DCS692 9 in Cut-Off Saw; (2) DCB609 Batteries; (1) Fast Charger; (1) DWAFV8918 Ceramic Metal Cut-Off Wheel; (1) DWAFV8900 Diamond Cutting Wheel

SKU	Blade Diam	Arbor Diam
115-DCS692X2	9 in	7/8 in

Circular Saws



Classic Series Portable Corded Carbide Saw Blades

Features:

- Precision-ground teeth for smooth, accurate cuts.
- Corrosion-resistant coating helps prevent rusting.

No. of Teeth: 24

Grind: ATB

Kerf: 0.087 in

Tooth Angle: 19°

SKU	Blade Diam	Arbor Diam
585-25130	7-1/4 in	5/8 in



Marathon® Portable Corded Circular Saw Blades

Features:

- Every other tooth is thinner for faster cuts.
- New heat vent/expansion slot design reduces vibration for longer life and straighter cuts.

No. of Teeth: 24

Applications: Framing; Ripping

Grind: ATB

Kerf: 0.071 in

Tooth Angle: 20°

SKU	Blade Diam	Arbor Diam
585-24030	7-1/4 in	5/8 in



20V MAX* XR® Brushless Cordless Circular Saws

Features:

- Built for ease-of-use on challenging jobsites.
- Comes equipped with an electronic brake that helps stop the blade when the trigger is released.

Blade Dia: 7-1/4 in

Arbor Dia: 5/8 in

Includes: (1) 20V MAX* XR® Brushless Cordless 7-1/4 inch Circular Saw; Battery and Charger Sold Separately

SKU	Voltage	Batt. Cap.
115-DCS590B	20 V	Lithium-ion



60V MAX* Brushless Cordless Circular Saws

Features:

- Electric brake stops the blade after the trigger is released.
- Integrated led for increased visibility and cut accuracy.
- Integrated rafter hook for quick and easy storage.

Blade Dia: 7-1/4 in

Arbor Dia: 5/8 in

Includes: (1) DCS578 60V MAX* Brushless 7-1/2 in Cordless Circular Saw; (1) Blade; (1) Blade Wrench; (1) Charger; (2) DCB609 FLEXVOLT® 9.0 Ah Battery; (1) Kit Bag

SKU	Batt. Type
115-DCS578X2	FLEXVOLT® 60V MAX*

DEWALT

FLEXVOLT® Cordless Worm Drive Style Saw Kits

Features:

- Designed with blade oriented to the left of the motor and the handle positioned at the rear of the saw for easy line of sight.
- Bevel capacity of 53° with stops at 45° and 22.5°.
- TOOL CONNECT™ Tag-Ready product.

Blade Dia: 7-1/4 in

Arbor Dia: 5/8 in

Includes: (1) FLEXVOLT® 60 V MAX* Saw; (1) DCB118 20V MAX Fan Cooled Fast Charger; (1) DCB609 FLEXVOLT® 20 V/60 V MAX 9.0 Ah Battery; (1) FLEXVOLT® Carbide Tipped 7-1/4 in Circular Saw Blade; Blade Wrench; Contractor Bag; User Instruction Manual

SKU	Voltage
115-DCS577X1	60 V

Cut-Out Tools

DEWALT

20V MAX* XR® Brushless Drywall Cut-Out Tools

Features:

- Compact, lightweight design.
- Brushless motor for efficient performance and runtime.
- Forward-positioned on-off button designed for ease-of-use.

Collet Size: 1/8 in; 5/32 in; 1/4 in

Includes: (1) DCE555 20V MAX* XR® Brushless Drywall Cut-Out Tool; (1) Belt Clip

SKU	Collet Size
115-DCE555B	1/8 in; 5/32 in; 1/4 in

Dust Collectors

DEWALT

Dust Extractors

Features:

- Automatic filter clean pulses every 30 seconds for continuous operations without stopping to clean filter.
- Powerful 15 amp motor delivers 155 CFM of airflow for maximum suction.

SKU	Capacity Vol.
115-DWV010	8 gal
115-DWV015	10 gal

DEWALT

Dust Shrouds

Features:

- A Perform and Protect™ dust feature that aids in dust collection and containment.
- Spring loaded, hinged door, provides a dust collection solution for both open area grinding and flush edge grinding.

Flow: 140 CFM

SKU	Flow	Dia.
115-DWE46152	140 CFM	5 in

Miter Saws

DEWALT

Miter Saws

Features:

- 4 hardened steel bevel stops at 0 degrees, 33.9 degrees, 45 degrees and 48 degrees.
- Adjustable stainless steel miter detent plate with 10 positive stops delivers repeatable accuracy and worksite durability.

Cutting Cap.: 13-3/4 in; 14 in; 16 in; 2 x 14 in; 4 x 8 in; 6-3/4 in; 7-1/2 in

Speed: 3800 rpm

Power Cap.: 1600 W

Amps: 15 A

Includes: 12 in Carbide Blade; 12 in Miter Saw; Blade Wrench; Dust Bag; Vertical Material Clamp

SKU	Blade Diam	Arbor Diam	Voltage
115-DWS780	12 in	5/8 in to 1 in	120 VAC

CUTTING TOOLS

Reciprocating Saws

DEWALT

Atomic Compact Series 20V MAX* Brushless One-Handed Cordless Reciprocating Saw (Bare Tool)

Features:

- Variable-speed trigger provides user with improved speed control.
- Tool-free blade release allows for quick and easy blade changes.

Cycle Rate: 2700 SPM

Length: 12.5 in

Control Type: Vibration

Includes: (1) DCS369 20 V MAX* One-Handed Reciprocating Saw; (2) Blades; (1) Belt Hook

SKU	Batt. Type	Batt. Cap.	Stroke Length
115-DCS369B	5 Ah Lithium Ion	20 V	5/8 in



Cordless Reciprocating Saws

Features:

- Features a variable speed trigger that allows you to match the speed with the application.
- Bare tool and kit options are available.

SKU	Voltage	Batt. Type	Includes
115-DCS384B	20 V	Lithium-ion	(1) DCS384 20V MAX* XR® Reciprocating Saw; (1) Wood Cutting Reciprocating Saw Blade
115-DCS380B	20 V	Lithium-ion	(1) DCS380B 20V MAX* Reciprocating Saw
115-DCS389X2	60 V	FLEXVOLT® 20V/60V MAX*	(1) DCS389 60V MAX* Brushless Cordless Reciprocating Saw; (1) Blade; (1) Charger; (2) DCB609 FLEXVOLT 9.0 Ah Battery; (1) Kit Bag



M12 FUEL™ HACKZALL™ Reciprocating Saws

Features:

- One-handed design provides superior control & versatility over a standard recip saw.
- Compact size allows for cutting in tight spaces, and light weight makes overhead work easier.

SKU	Voltage	Batt. Type	Stroke Length:
495-2719-20	18 V	Lithium-ion	7/8 in



M18 FUEL™ Sawzall® Cordless Reciprocating Saw Kits

Features:

- 1-1/4 in Stroke length removes more material with each stroke.
- Anti-Corrosion Blade Clamp delivers prolonged blade clamp durability with less downtime due to corrosion.
- Lever Action QUIK-LOK™ Blade Clamp provides fast and easy blade changes.

Batt. Type: M18

Stroke Length: 1-1/4 in

Length: 17.1 in

Includes: M18 FUEL™ SAWZALL® Reciprocating Saw; M18™ RedLithium™ XC5.0 Extended Capacity Battery Pack; M18™ and M12™ Multi-Voltage Charger

SKU	Voltage	Batt. Cap.
495-2821-21	18 V	5.0 Ah



M18 FUEL™ SAWZALL® Cordless Reciprocating Saws

Features:

- Anti-corrosion blade clamp delivers prolonged blade clamp durability with less downtime due to corrosion.
- Metal reinforced battery connection provides improved durability and battery retention over life.
- Lever action QUIK-LOK™ blade clamp provides fast and easy blade changes.

Batt. Type: All Rechargeable M18™ Batteries

Cycle Rate: 3,000 SPM

Length: 17.1 in

Includes: (1) M18 FUEL™ SAWZALL® Reciprocating Saw (Tool Only) (2821-20); (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Packs (48-11-1850); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812)

SKU	Stroke Length:
495-2821-22	1-1/4 in



M18 FUEL™ SAWZALL® Reciprocating Saws

Features:

- Select a saw for superior performance - it delivers the fastest cutting speed in its class.
- Provides increased power with the durability of a corded saw.

Cycle Rate: 0-3,000 SPM

Length: 17.1 in

Control Type: Variable Speed

Wt.: 6.8 lb

SKU	Voltage	Batt. Type	Stroke Length:
495-2821-20	18 V	REDLITHIUM™ XC5.0	1-1/4 in



M18 FUEL™ SUPER SAWZALL® Reciprocating Saws

Features:

- Variable speed trigger and 5 speed dial provide ultimate speed control.
- Integrated rafter hook for easy storage between cuts.
- Quik-lok blade clamp for tool less blade changes.

Length: 18.9 in

SKU	Voltage	Batt. Type	Stroke Length:
495-2722-20	18 V	Lithium Ion	1-1/4 in

CORDLESS TOOL BATTERIES & CHARGERS

Batteries, Cordless Tool

DEWALT



20V MAX* Battery Kits

Features:

- Get quick visibility to your batteries' state-of-charge with the LED indicator to help avoid interruptions.
- These batteries are compatible with 20V MAX* tools and chargers.

SKU	Voltage	Batt. Cap.
115-DCB205-2C	20 V	5.0 Ah



20V MAX* XR POWERPACK™ Batteries

Features:

- Help maximize longevity day in and day out with this battery that delivers longer life than traditional cylindrical batteries.
- These batteries are compatible with 20V MAX* tools and charger.

Batt. Type: Lithium-ion

SKU	Voltage	Batt. Cap.
115-DCB2108	20 V	8.0 Ah



20V MAX* XR POWERSTACK™ Batteries

Features:

- Take on the elements with a durable, over-molded base designed to provide a high level of impact resistance.
- Get quick visibility to your battery's state-of-charge with the LED indicator to help avoid interruptions.

Batt. Type: Lithium-ion

SKU	Voltage	Batt. Cap.	Includes
115-DCBP520	20 V	5.0 Ah	(1) DCBP520 20 V MAX* XR POWERSTACK™ 5.0 Ah Battery
115-DCBP520-2	20 V	5.0 Ah	(2) DCBP520 20 V MAX* XR POWERSTACK™ 5.0 Ah Batteries

DEWALT



MAX* Cordless Tool Batteries

Features:

- Batteries feature the runtime and performance needed for tough jobs.
- Choose from single batteries, battery packs, or kits with charger and/or adapter.

Batt. Type: Lithium-ion

SKU	Voltage	Batt. Cap.	Batteries Included
115-DCB240-2	20 V	4.0 Ah	2
115-DCB205	20 V	5.0 Ah	1
115-DCB205-2	20 V	5.0 Ah	2
115-DCB606	20 V; 60 V	6.0 Ah	1
115-DCB606-2	20 V; 60 V	6.0 Ah	2
115-DCB609	20 V; 60 V	9.0 Ah	1
115-DCB609-2	20 V; 60 V	9.0 Ah	2
115-DCB612	20 V; 60 V	12.0 Ah	1

Milwaukee



M12™ Redlithium™ High Output Battery Packs

Features:

- The 12-volt battery pack delivers fade-free power and runs substantially cooler through demanding applications, allowing you to push your cordless power tools throughout a wide range of applications.

SKU	Voltage	Batt. Cap.
495-48-11-2425	12 V	2.5 Ah
495-48-11-2450	12 V	5.0 Ah



M12™ REDLITHIUM™ XC6.0 Batteries

Features:

- All-Weather Performance delivers fade-free power in extreme jobsite conditions.
- Best-in-Class Construction offers long-lasting performance and durability.

SKU	Voltage	Batt. Cap.
495-48-11-2460	12V	6 Ah



M18™ REDLITHIUM™ FORGE™ Battery Packs

Features:

- COOL-CYCLE™ Active Cooling System provides high-speed cooling for less downtime with COOL-CYCLE™ capable chargers.
- Patented ingress coating provides increased protection to maximize active cooling through an upgraded venting design.
- Best protection from jobsite, weather and environmental conditions.

Batt. Type: Lithium-ion

SKU	Voltage	Batt. Cap.
495-48-11-1861	18 V	6 Ah
495-48-11-1881	18 V	8 Ah
495-48-11-1813	18 V	12 Ah



M18™ REDLITHIUM™ HIGH OUTPUT™ Battery Packs

Features:

- Compatible with all M18™ tools.
- Best-in-class construction: Offers long-lasting performance and the best protection against jobsite, weather and environmental conditions.
- Fuel gauge onboard: Displays remaining run-time.

Batt. Type: Lithium Ion

SKU	Voltage	Batt. Cap.
495-48-11-1837	18 V	3.0Ah



M18™ REDLITHIUM™ HIGH OUTPUT™ XC Battery Packs

Features:

- Fuel gauge onboard displays remaining runtime for less downtime on the job.
- Delivers fade-free power in extreme jobsite, weather, and environmental conditions.
- Powers more than 150 Milwaukee M18™ cordless power tools.

Batt. Type: Rechargeable Lithium-Ion

For Model: Milwaukee® M18™ Cordless Power Tools

SKU	Voltage	Batt. Cap.	Includes
495-48-11-1880	18 V	8.0 Ah	1 Battery
495-48-11-1862	18 V	6.0 Ah	1 Battery
495-48-11-1865	18 V	6.0 Ah	2 Batteries



M18™ REDLITHIUM™ XC 5.0 Ah Extended Capacity Battery 2-Pack

Features:

- REDLINK™ Intelligence provides optimized performance and overload protection using total system communication between tool, battery and charger.
- Offers long-lasting performance and durability.
- Onboard fuel gauge displays remaining runtime for less downtime on the job.
- Its all-weather performance capability delivers fade-free power in extreme jobsite conditions.

Batt. Type: Lithium-Ion

For Model: Milwaukee® M18™ Cordless Power Tools

SKU	Voltage	Batt. Cap.
495-48-11-1852	18 V	5.0 Ah



M18™ REDLITHIUM™ XC Extended Capacity Battery Packs

Features:

- Fuel gauge onboard displays remaining runtime for less downtime on the job.
- Offers long-lasting performance and durability.
- Delivers fade-free power in extreme jobsite conditions.
- Powers more than 40 Milwaukee M18™ cordless power tools.

Batt. Type: Rechargeable Lithium-Ion

For Model: Milwaukee® M18™ Cordless Power Tools

SKU	Voltage	Batt. Cap.
495-48-11-1850	18 V	5.0 Ah



M18™ REDLITHIUM™ XC3.0 Batteries 2-Pack

Features:

- Battery fuel gauge displays remaining run-time Milwaukee REDLINK™ Intelligence.
- Temperature management system keeps battery in ideal temperature range to provide maximum life.

Batt. Type: Li-Ion

For Model: Milwaukee 18V Cordless Tools

SKU	Voltage	Batt. Cap.
495-48-11-1822	18V	3.0Ah



M18™ RedLithium™ XC5.0 Resistant Batteries

Features:

- Resistant housing, providing increased protection against exposure to common oils, greases, and solvents found in transportation maintenance and manufacturing environments.
- All-weather performance, delivers fade free power in extreme jobsite conditions.

Batt. Type: RedLithium™

SKU	Voltage	Batt. Cap.
495-48-11-1850R	18 V	5.0 Ah



M18™ REDLITHIUM™ XC5.0 Starter Kits

Features:

- Delivers fade free power in extreme jobsite conditions.
- Fuel gauge onboard displays remaining runtime for less downtime on the job.
- REDLINK™ Intelligence provides optimized performance and overload protection using total system communication between tool, battery and charger.

Batt. Type: Lithium-ion

For Model: Milwaukee M18™ Cordless Tools

SKU	Voltage	Batt. Cap.
495-48-59-1850	12 V; 18 V	5.0 Ah

CORDLESS TOOL BATTERIES & CHARGERS

Battery Chargers



TOUGHSYSTEM® 2.0 20V MAX* Dual Port Chargers

Features:

- Add to your existing TOUGHSYSTEM® 2.0 modular storage to expand your capabilities.
- Keep various personal electronics powered with internal and external USB port.
- Quickly view battery charge levels with interior and exterior LED status indicators.
- Engineered with an internal fan to create airflow and help prevent overheating while charging.
- Store and transport up to 12 batteries.

SKU
115-DWST08050



M18™ Dual Bay Simultaneous Chargers

Features:

- Capable of charging up to 2-M18™ battery packs at the same time.
- Internal fan maximizes charger performance.
- Integrated hang holes for wall mounting.
- The charger slowly flashes green when the battery reaches 80% state of charge.

For Model: M18™ Batteries

Input Voltage: 120 to 127 AC

Power Source: Corded

SKU
495-48-59-1802



M18™ PACKOUT™ Rapid Chargers

Features:

- Fully compatible with the PACKOUT™ Modular Storage System.
- 6 bays.
- Wall-mountable via PACKOUT™ Mounting Plate, Wall Plate, & Racking Shelf.

SKU
495-48-59-1809

MULTI-PURPOSE POWER TOOLS

Combo Kits Cordless



M12 FUEL™ 2-Tool Combo Kits

Features:

- Delivers optimized performance and overload protection using total system communication between tool, battery and charger.
- Onboard fuel gauge allows for more accurate monitoring of the charge, resulting in less downtime on the job.
- Built-in LED light illuminates work surfaces in dark work spots.

Speed: 1500 RPM

Includes: (1) 3404-20 M12 FUEL™ Hammer Drill Driver Bare Tool; (1) 3453-20 M12 FUEL™ Impact Driver Bare Tool; (1) 48-11-2440 M12 RedLithium™ XC 4.0 Ah Battery; (1) 48-11-2420 M12 RedLithium™ CP 2.0 Ah Battery; (1) 48-59-2401 M12™ Battery Charger; (1) Carrying Case

SKU	Voltage	Batt Type.	Batt. Cap.	Torque
495-3497-22	18 V	Lithium-Ion	2.0 Ah	400 in-lb



M18 FUEL™ 2-Tool Combo Kits

Features:

- Includes Milwaukee® cordless hammer drill/driver and cordless impact driver.
- Each tool features dynamic Powerstate™ brushless motor.
- Includes durable carrying case.

Speed: 2100/3900 RPM

Includes: (1) M18 FUEL™ 1/2 in Hammer Drill/Driver; (1) M18 FUEL™ 1/4 in Hex Impact Driver; (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack; (1) M18™ & M12™ Multi-Voltage Charger; (1) Side Handle; (2) Belt Clip; (1) Blow Molding Carrying Case

SKU	Voltage	Batt. Type.	Batt. Cap.
495-3697-22	18 V	Lithium-Ion	5 Ah



M18™ 1/2 in Brushless Hammer Drill/Driver Kits

Features:

- Compact design provides excellent balance and control, ideal for overhead applications or work in tight spaces.
- All-metal gear case and 1/2 inch metal chuck, provide maximum durability.

Speed: 1800 RPM

Includes: (1) M18™ 1/2 in Brushless Hammer Drill (Tool Only) (2902-20); (2) M18™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack (48-11-1840); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Carrying Case (1) Side Handle; (1) Belt Clip

SKU	Voltage	Batt. Type.	Batt. Cap.	Torque
495-2904-22	18 V	Lithium-Ion	3.0 Ah	725 in-lb



M18™ Cordless Combo Kits

Features:

- Delivers maximum power and application speed for greater efficiency on the job.

Batt. Cap.: 1.5 Ah

Torque: Drill 500 in-lb; Impact Driver 1,500 in-lb

Speed: 400 RPM; 1,800 RPM

Includes: (1) M18™ Compact 1/2" Drill Driver (2606-20); (1) M18™ 1/4" Hex Impact Driver (2656-20); (2) M18™ Compact REDLITHIUM™ CP1.5 Ah Battery Packs (48-11-1815); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Belt Clip; (1) Contractor Bag

SKU	Voltage	Batt. Type
495-2691-22	18 V DC	M18™ REDLITHIUM™ Compact



M18™ Cordless 4-Tool Combo Kits

Features:

- Milwaukee® 4-pole frameless motor features a robust design combined with rare-earth magnets for longer life.
- All-metal gear case and chuck provides maximum impact and shock durability.
- Compact design allows greater accessibility in tight work spaces.

Batt. Cap.: 3.0 Ah

Speed: 1800 RPM

SKU	Includes
495-2695-24	(1) Contractor Bag; (1) M18™ Compact 1/2 in Hammer Drill/Driver (2607-20); (1) M18™ HACKZALL® Recip Saw (2625-20); (1) M18™ 1/4 in Hex Impact Driver (2656-20); (1) M18™ Work Light (2735-20); (2) M18™ REDLITHIUM™ XC Extended Capacity Battery (48-11-1828); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Thin Kerf Blade
495-2696-24	(1) Contractor Bag; (1) M18™ Compact 1/2 in Hammer Drill/Driver (2607-20); (1) M18™ SAWZALL® Reciprocating Saw (2621-20); (1) M18™ 1/4 in Hex Impact Driver (2656-20); (1) M18™ Work Light (2735-20); (2) M18™ REDLITHIUM™ XC Extended Capacity Battery (48-11-1828); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812)



M18™ FUEL™ Combo Kits

Features:

- M18 FUEL 18-Volt Lithium-Ion brushless cordless tools.

SKU	Includes
495-3697-25	M18 FUEL™ 1/2 in Hammer Drill/Driver; M18 FUEL™ 1/4 in Hex Impact Driver; M18 FUEL™ SAWZALL® Reciprocating Saw; M18 FUEL™ 6-1/2 in Circular Saw; M18™ Work Light; 2: M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Packs; M18™ and M12™ Multi-Voltage Charger; Bag; Side Handle; 2: Belt Clips; Circular Saw Blade; Blade Wrench
495-3697-27	1/2 in Hammer Drill/Driver (2904-20); 1/4 in Hex Impact Driver (2953-20); SAWZALL® Recip Saw (2821-20); 6-1/2 in Circular Saw (Tool Only) (2730-20); 4-1/2 in / 5 in Braking Grinder Paddle Switch, No-Lock (2880-20); 1/2 in Mid-Torque Impact Wrench w/ Friction Ring (2962-20); Work Light (2735-20); REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850); Multi-Voltage Charger (48-59-1812); Bag

Multi-Purpose Tools Cordless



20V MAX Cordless Oscillating Multi-Tools

Features:

- Universal accessory adapter makes it compatible with most oscillating tool accessory brands.
- Dual-Grip™ variable-speed trigger gives users ultimate speed and application control.

SKU	Voltage
T15-DCS356B	20 V

HAMMER DRILLING & DEMOLITION TOOLS

Demolition Hammers

DEWALT

SDS Max® In-Line Demolition Hammers

Features:

- Equipped with an SDS-Max® tool holder, allowing them to utilize SDS-Max bits for various drilling and demolition tasks.
- Models available with SHOCKS Active Vibration Control System®.

Includes: 360° Adjustable Side Handle; Heavy-Duty Kit Box

SKU	Drive Type	Cycle Rate	Voltage	Amps
115-D25911K	27 lb SDS Max®	- 1620 BPM	120 V	15 A

Hammer Drills

DEWALT

20V MAX* Brushless Cordless Hammer Drill/Drivers with FLEXVOLT ADVANTAGE™

Features:

- 3-mode LED provides lighting in dark or confined spaces up to 20x brighter.

SKU	Chuck Size	Voltage
115-DCD999B	1/2 in	20 V

Rotary Hammers

Milwaukee

M18 FUEL™ SDS Plus Cordless Rotary Hammers

Features:

- AUTOSTOP Kickback Control enhances safety by electronically sensing a tool bind-up and shutting the tool off.

Drive Size: 1 in

Cycle Rate: - 1330 BPM

Includes: (1) M18 FUEL™ 1 in SDS Plus Rotary Hammer (2912-20); (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC 6.0 Battery Pack (48-11-1865); (1) M18™ and M12™ Rapid Charger (48-59-1808)

SKU	Speed
495-2912-22	1330 RPM

BATTERIES

DURACELL

Procell® Batteries

Features:

- AA, AAA, C and D batteries are guaranteed for 7 years in storage, 9V batteries are guaranteed for 5 years in storage.

SKU	Batt. Size	Voltage	Quantity
243-PC1400	C	1.5 V	12 per pack
243-PC1300	D	1.5 V	12 per pack
243-PC1604BKD	9.0 V	9V	12 per pack
243-PC1500BKD	AA	1.5 V	24 per pack
243-PC2400BKD	AAA	1.5 V	24 per pack

Energizer

Industrial Alkaline Batteries

Features:

- Designed for industrial, professional use.
- Long-lasting power source.
- Batteries operate well in extreme conditions.
- Date-coded and 100% mercury-free.

Voltage: 1.5 V

Quantity: 24 EA/PK

SKU	Batt. Size
827-EN91	AA
827-EN92	AAA

RAYOVAC

Ultra Pro™ Alkaline Batteries

Features:

- These powerful cells make excellent power sources for a wide variety of household devices including smoke alarms, security systems, radios, and much more.
- The batteries come with a lengthy 5 year shelf life so you can keep them stored around the house or at your workplace for when you need them most.
- Mercury-free.

Voltage: 1.5 V

Quantity: 8 EA/PK

SKU	Batt. Size
620-ALAA-8J	AA

BATTERY CHARGERS



M18™ Six Pack Sequential Chargers

Features:

- Accepts up to (6) M18 batteries at once.
- Charges sequentially in a counterclockwise direction.
- Compact and wall mountable.
- Pass through plug.

Input Voltage: 120.00 V

SKU	Batt. Charging Cap.	Batt. Type
495-48-59-1806	6 Batteries	18 V

WORK LIGHTS



M18 ROCKET™ LED Tower Light/Charger

Features:

- Tower can be setup in seconds to a maximum height of 7 feet and collapses to less than 4 feet for easy transport and storage.
- Multidirectional light head gives users the ability to orient the three independently pivoting light heads to cast light in several directions.

Includes: (1) M18 ROCKET™ LED Tower Light and Built in M18™ Charger

SKU	Bulb Type	Lumens	Voltage
495-2136-20	LED	6000	18 V



M18™ ROCKET™ Dual Power Tower Lights

Features:

- TRUEVIEW™ high definition output provides neutral white color and produces an even beam pattern for clearer visibility.
- Powered by M18™ REDLITHIUM™ battery or extension cord.

Includes: (1) M18™ ROCKET™ Dual Power Tower Light (2131-20)

SKU	Bulb Type	Voltage	Lumens
495-2131-20	LED	18 V	2500 lm

CLEANING PRODUCTS

Cleaners & Degreasers



Brake Parts Cleaners

Features:

- Formulated to quickly and effectively remove grease, brake dust, brake fluids, oils, and other contaminants from brake parts, lining, pads.

SKU	Capacity Vol.	Chemical Compound
125-05084	14 oz	Solvent
125-05088	20 oz	Organic Solvents/Alcohol
125-05089	20 oz	Tetrachloroethylene



Industrial Cleaners and Degreasers

Features:

- Easily cuts through thick grease, oils, hydraulic fluids and built-up grime on all washable surfaces.
- Non-abrasive, non-corrosive, non-flammable and VOC compliant formula.

SKU	Capacity Vol.
676-2710001213012	24 oz
676-2710200613005	1 gal
676-2700000113008	55 gal



Crazy Clean All Purpose Cleaners

Features:

- Spray on and wipe off to remove dirty hand prints from walls and doors, scuff and crayon marks, grease spots, soot stains and smoke film.

SKU	Capacity Vol.
893-SW031	20 oz

Sprayway

Orange Citrus Crazy Clean

Features:

- This product, formulated with orange citrus solvents, removes dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon marks and deodorizes as it cleans!

SKU	Capacity Vol.
893-SW985	20 oz

LUBRICANTS & PENETRANTS

Anti-Seize Compounds

LOCTITE

Food Grade Anti-Seize

Features:

- Prevents seizure, galling, and friction in stainless steel and other metal parts.
- Used in industrial food industries and general plant maintenance.
- Metal free formulation.

SKU	Capacity Vol.
442-1167237	8 oz



LB 8007™ Copper-Based Anti-Seize Lubricants

Features:

- Exclusive anti-seize lubricant with copper and graphite suspended in high quality grease.
- Resistant to extremely high temperatures.
- Protects from rust, corrosion, galling and seizing.

SKU	Capacity Vol.
442-1786073	12 oz

LOCTITE

LB 8008™ C5-A® Copper Based Anti-Seize Lubricants

Features:

- Exclusive formula suspends copper and graphite in a high quality grease.
- Protects metal parts from rust, corrosion, galling, and seizing.

SKU	Capacity Wt.
442-234263	8 oz
442-160796	1 lb



Nickel Anti-Seize

Features:

- For preventing corrosion, seizing, galling in harsh, chemical environments, and temperatures.
- Copper-free.

SKU	Capacity Wt.
442-235028	8 oz



Silver Grade Anti-Seize Lubricants

Features:

- Heavy duty, temperature resistant, petroleum-based lubricant compound fortified with graphite and metallic flake.
- Inert and will not evaporate or harden in extreme cold or heat.
- For use in assemblies.

SKU	Capacity Wt.
442-199012	8 oz
442-235005	1 lb



Regular Grade Compounds

Features:

- Protects against rust, corrosion, carbon fusion and seizure at high temperatures.
- Keeps parts working longer with less wear, and enables faster disassembly when repairs are needed.

SKU	Capacity Wt.
535-30803817	1 lb

Corrosion Inhibitors



3[®] Premier Rust Inhibitors

Features:

- Protects steel against rust and corrosion for up to 2 years indoor storage (9 months outdoor storage).
- Penetrates to displace moisture.
- Resists moisture, sand, dirt, dust and vibration.

SKU	Capacity Vol.
428-00316	11 oz

Cutting Fluids & Pastes



Tapmatic[®] Edge Creme Cutting Pastes

Features:

- Squeeze tube allows easy usage.
- Does not contain any hazardous chemicals.
- For use when drilling, tapping blind holes, forming, bending, pre-coating fasteners and lubricating rubber seals.

SKU	Container Size
428-43100	10 oz



Rapid Tap[®] Heavy Duty Cutting Fluids

Features:

- Greatly extends tool life.
- Super-fine machined finish in operation after operation.
- Excels in tough materials.
- Contains no 1,1,1-trichloroethane or other ozone-depleting chemicals.

SKU	Container Size
618-RAPTAP-PTNEW	1 pt



EP-Xtra[®] Cutting Fluids

Features:

- Outstanding performance for any cutting operation on any metal.
- Absolutely without equal on hard metals and on cuts requiring extreme pressure or long cutting times.
- Metal cutting fluid used to increase speed, extend tool life and improve cut quality



SKU	Container Size
702-10016E	16 oz

Grease



Lithium General Purpose Grease

Features:

- Lithium base, NLGI #2 grease.
- Extremely stable, designed for light duty applications.
- Excellent water resistance.
- Typical drop point: 380° F.
- Contains Rust & Oxidation Inhibitors.

SKU	Container Size
125-SL3310	14 oz



JT-6® Hi-Temp Grease

Features:

- Formulated with a high dropping point for use over a wide temperature range.
- Provides excellent protection in severe service and outstanding shock load protection.

SKU	Capacity Wt.
122-665005002080	14 oz



JT-6® Multi-Purpose Grease

Features:

- Waterproof and highly water wash resistant.
- Excellent extreme pressure properties.
- Prevents against shock loading.
- Outstanding rust and corrosion prevention.
- Very low oil separation rate.
- Light colored and low staining.
- Good oxidation resistance.

SKU	Capacity Vol.
122-665006002080	14 oz



Industrial White Grease Lubricants

Features:

- A highly-concentrated, all-purpose, heavy-duty spray for anything that squeaks, sticks or rusts.
- It leaves a long lasting film with excellent resistance to heat.
- It is especially useful in the marine, automotive, glass & mirror, graphic arts, hardware and industrial maintenance trades.

SKU	Capacity Vol.
893-SW715	16 oz



Grease Lubricants

Features:

- Synthetic, heavy-duty lubricant that is compatible with most other lubricants.
- Will not run, drip, evaporate, melt, separate, or form gummy deposits.

SKU	Capacity Wt.
692-41150	400 g

Grease Guns



Lever Type Heavy-Duty Grease Guns

Features:

- Flip-over follower is set for cartridge use.
- Extra-heavy follower spring insures positive priming and uninterrupted pumping action.

SKU	Operating Pressure	Outlet Type	Type
438-1142	6000 psi	6 in Extention/Coupler	Lever
438-1147	6000 psi	18 in Hose/Coupler	Manual Grease Gun



M18™ Cordless 2-Speed Grease Guns

Features:

- Pre-set grease counter dial.
- Flexible hose offers greater access to difficult to reach fittings.
- Air bleeder valve for quick priming.
- Lock-on/Lock-off trigger delivers added user convenience.

Outlet Type: 48 in Hose/Coupler

SKU	Capacity Vol.	Operating Pressure
495-2646-20	16 oz	10000 psi

Multi-Purpose Lubricants



Multi-Purpose Lubricants

Features:

- Lubricating ingredients are widely dispersed and hold firmly to all moving parts.
- Dissolves adhesives, allowing easy removal of labels, tape, stickers, and excess bonding material.

SKU	Capacity Vol.
780-490026	8 oz
780-490040	11 oz
780-490057	12 oz
780-490088	16 oz
780-490118	1 gal

1[®] Premium Lubricants

Features:

- Resists oil, dust, and dirt build-up.
- Ideal for delicate mechanisms.
- Removes carbon build-up from surfaces.
- Safe on paint, fabric, and most plastics.

SKU	Capacity Vol.
428-00116	11 oz



L3 Moly PTFE Lubricant Protectants

Features:

- This lubricant is formulated with PTFE and fortified with Moly to provide long lasting lubrication and protection from friction, wear and corrosion.
- The light viscosity of this product allows for deep penetration into hard to reach moving parts.

SKU	Capacity Vol.
893-SW289	20 oz



RD-90 Spray Lubricants

Features:

- RD-90 provides a fine film coating that keeps moving parts and operating mechanisms running smoothly while it displaces moisture and prevents rust on any metal.
- This product contains no silicone and is harmless to paint, plastic, rubber and fabric.
- Spray on corroded and rusted "frozen" parts for quick release.

SKU	Capacity Vol.
893-SW090	16 oz

Oils

Marvel[®] Air Tool Oils

Features:

- Specially formulated for use in all piston type and rotary air tools, as well as in-line air lubricators.
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life.

SKU	Capacity Vol.
465-MM085R1	32 oz



Thread Cutting Oils

Features:

- Cools threads and pipe during operation.
- Speeds metal removal.
- Improves thread quality.

SKU	Capacity Vol.	Color
632-70830	1 gal	Black
632-70835	1 gal	Yellow

Silicone Lubricants



Silicone Sprays

Features:

- Dries fast with no greasy or oily film.
- Colorless, non-staining, waxless and heatstable.

SKU	Capacity Vol.
893-SW945	20 oz

LEAK DETECTORS & PENETRANTS

Penetrants



PB™ Penetrating Catalysts

Features:

- Great for loosening rusted or frozen screws and bolts.
- Available with ProStraw™ with Control Flow Technology™ (16-PB-DS).

SKU	Capacity Vol.
108-16-PB-DS	11 oz



Knock'er Loose® Penetrating Solvents

Features:

- An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound, or frozen fasteners.
- Quickly permeates rust, scale, gum, grease, and corrosion.

SKU	Capacity Vol.
125-03020	16 oz

PAINT & PAINT SUPPLIES

Coatings



Bright Zinc Galvanizing Primers

Features:

- Reduced M.I.G.
- Prevents rust and corrosion.
- Protects welded surfaces.

SKU	Capacity Vol.
905-RW109B-12	12.75 oz



Anti-Static Spray

Features:

- This multi-purpose anti-static spray counteracts the electrostatic charges that attract dust particles and cause static electricity.
- Effectively eliminates static shock and static cling.
- Safe to use on a wide variety of inanimate objects.

SKU	Capacity Vol.
893-SW955	16 oz

Paint Brushes



Acid Brushes

Features:

- Lightweight and disposable brush.
- Convenient for cleaning electrical contact points or debris in hard-to-reach spaces.
- Features tin shaft with horsehair bristles.

Trim Length: 3/4 in

Bristle Material: Black Horsehair

Handle Material: Tin Ferrule

SKU	Brush Width	Thickness
102-AB-26	5/16 in	1/4 in



White Chinese Bristle Paint Brushes

Features:

- Natural wood finish handle with White Chinese bristles.
- Steel ferrule.
- Perfect for latex paints, chip, and touch-ups.

Trim Length: 1-1/2 in

Bristle Material: White Chinese

Handle Material: Wood

SKU	Brush Width	Thickness
449-1500-2	2 in	5/16 in

CAR WAXES, POLISHES & PROTECTANTS



Auto Care Non-Silicone Instant Shine

Features:

- Instant Shine is a great final detail product for use where paint is present.
- Creates a high gloss finish on plastic, vinyl and most other surfaces.
- Protects against weathering without the use of silicone.

SKU	Capacity Vol.
893-SW938	20 oz



Instant Shine

Features:

- Instant Shine is a great final detail product with a silicone based coating that is designed to treat vinyl and plastic surfaces in the interior and exterior of your automobile.
- Specially formulated for vinyl, body moldings, engine compartments and other plastic surfaces...
- even those hard to reach air conditioner ducts.

SKU	Capacity Vol.
893-SW936	20 oz



Interior Detailers

Features:

- An easy to use detail product to enhance and recondition the appearance of dash boards, vents, moldings, and consoles not made of rubber or vinyl.

SKU	Capacity Vol.
893-SW780	20 oz



Stainless Steel Polish and Cleaners

Features:

- Cleans, polishes and protects stainless steel without hard rubbing or polishing.
- This product resists fingerprints, grease and water spatter while helping to preserve the factory finish.
- In addition, it removes old or heavy accumulations of greasy film, food spatter or oil stains.
- It contains no acid or abrasive substance and it will not leave a powdery residue.

SKU	Capacity Vol.
893-SW841	20 oz

SPECIALTY PRODUCTS

De-Icers



Industrial De-Icers

Features:

- 758 De-Icer to melt ice and frost quickly and easily from locks, wipers, windows, windshields and headlights.

SKU	Capacity Vol.
893-SW758	20 oz

INSECT PRODUCTS

Insect Killers



Wasp and Hornet Killer Plus™ Insecticides

Features:

- Fast acting, high strength insecticide.
- Ergonomic trigger that provides control, even with gloved hands.

SKU	Capacity Vol.
125-14010	20 oz

SEALING PRODUCTS

Sealants



3M™ Polyurethane Sealants 540

Features:

- All-purpose, single-component, moisture-curing, gap-filling polyurethane that creates permanently elastic seals and bonds in a wide variety of service environments.

SKU	Capacity Vol.
405-021200-41594	310 ml



Cross-Check™ Torque Seal® Tamper-Proof Indicator Paste

Features:

- Provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies.

SKU	Capacity	Color
253-83314	0.05 lb	Orange
253-83316	0.05 lb	Red



567™ PST® Thread Sealants, High Temperature

Features:

- Instant thread sealant for taper/taper threads and fittings.
- Great choice for high temperature and high pressure applications.
- Controlled strength for easy disassembly with hand tools.
- Prevents leaks, does not shrink, crack, creep, or shred.
- Provides excellent solvent resistance.
- Eliminates galling on stainless steel.

SKU	Capacity Vol.
442-2087067	50 mL



Thread Sealants with PTFE

Features:

- A general purpose sealant with the added lubricity of PTFE for metal pipes.
- Won't shred like tape and allows easy disassembly.

SKU	Capacity Vol.
442-1527514	1 pt

Threadlockers



242™ Threadlockers, Medium Strength

Features:

- Medium strength, medium viscosity, methacrylate-based threadlocking adhesive offering general purpose qualities.
- Provides quick fixture times on steel, brass and stainless steel of 5, 15 and 20 min respectively.
- Thixotropic to reduce adhesive migration.

SKU	Capacity Vol.
442-135354	10 ml
442-135355	50 mL

LOCTITE

243™ Medium-Strength Primerless Threadlockers

Features:

- General purpose threadlocker that provides a medium strength bond.
- Seals and secures metal nuts and bolts to prevent loosening due to shock and vibration.

SKU	Capacity Vol.
442-1329467	50 mL



262™ Threadlockers, Medium to High Strength

Features:

- Red, general purpose, medium to high strength, thixotropic methacrylate-based adhesive.
- Steel fixture time is 15 minutes, brass 8 minutes, and stainless steel 180 minutes.

SKU	Capacity Vol.
442-231926	10 ml
442-135374	50 ml



271™ High Strength Threadlockers

Features:

- High strength, low viscosity, red, methacrylate-based threadlocking adhesive which fluoresces under UV light to allow monitoring.
- With steel fixture time of 10 minutes, brass 5 minutes and stainless steel 15 minutes.
- Can tolerate slight contaminations of industrial oils.

SKU	Capacity Vol.
442-135381	50 ml

TAPE PRODUCTS

Duct Tapes

3M

3M™ DT11 Heavy-Duty Duct Tapes

Features:

- High-performance heavy-duty duct tape for challenging applications.
- Sticks immediately and stays on irregular surfaces without lifting.

Thickness: 11 mil

SKU	Width	Roll Length
405-689330-17227	1.88 in	60 yd



3M™ DT8 All Purpose Duct Tapes

Features:

- Instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete, by an aggressive natural rubber adhesive.

Thickness: 8 mil

SKU	Width	Roll Length
405-689330-17225	1.88 in	60 yd



3M™ Performance Plus Duct Tapes 8979

Features:

- Sticks immediately and stays on for up to one year without deterioration.

Thickness: 11.5 mil

SKU	Width	Roll Length
405-021200-56469	72 mm	54.8 m

Electrical Tapes



Scotch® Super 33+™ Vinyl Electrical Tapes

Features:

- Premium grade tape that provides electrical insulation for all wires and cables rated up to 600 V.
- Designed for above/below grade, indoor/outdoor, low and high voltage applications, and for harnessing cables.

Thickness: 7 mil

SKU	Width	Roll Length
405-638060-29035	3/4 in	76 ft



Scotch® Vinyl Electrical Color Coding Tapes

Features:

- Designed for use in phase identification, color coding of motor leads and piping systems and for marking safety areas.
- Has excellent electrical insulating properties, wraps smoothly, conforms well and holds over a wide range of temperatures.

Thickness: 7 mil

SKU	Width	Roll Length
500-108108	3/4 in	66 ft

Masking Tapes



3M™ 5903 Outdoor Masking Poly Tapes

Features:

- Designed for use with stucco and other coated exteriors.
- Removes cleanly for up to one month after UV exposure to sun and outdoor weathering.

Thickness: 7.5 mil

SKU	Width	Roll Length
405-051115-31842	48 mm	54.8 m

Strapping Tapes



3M™ Tartan™ Filament Tapes 8934

Features:


- Light-duty high strength tape for utility bundling, reinforcing and pallet unitizing applications.
- Synthetic rubber adhesive bonds easily to most fiberboard, plastics and metal surfaces.

Thickness: 4 mil

SKU	Width	Roll Length
405-021200-86519	18 mm	60.14 yd

ADHESIVE PRODUCTS

Adhesive Product Accessories



3M™ Cylinder Spray Adhesive Accessories

Features:

- For 3M cylinder spray adhesives.
- Easy attachment and removal.

SKU
405-048011-61706

Adhesives & Glues



3M™ HoldFast 70 Spray Adhesives

Features:

- Versatile adhesive ideal for construction sites.
- Creates quick bonds for temporary and permanent needs.
- Very fast-tacking adhesive bonds almost immediately and has a long bonding range.

SKU	Capacity Wt.
405-048011-61690	27.3 lbs



3M™ Hi-Strength 90 Spray Adhesives

Features:

- Designed exclusively for industrial applications.
- High strength and fast-tack adhesive performance.
- Bonds to concrete, wood, MDF, laminates and polyethylene.

SKU	VOC	Type	Capacity Wt.
405-051111-97957	Low 25%	Hi-Strength Spray Adhesive	12.23 oz
405-021200-30023	55%	Hi-Strength Spray Adhesive	17.6 oz
405-051111-07278	55%	Hi-Strength Spray Adhesive Inverted	17.6 oz



3M™ Pressure Sensitive 72 Spray Adhesives

Features:

- Pressure-sensitive adhesive gains strength as pressure is applied.
- Permanent tack ideal for many one-surface bond applications.
- Long open time allows bonds to be made hours or days after application.
- Variable-width lace spray pattern allows for precise dispensing.

SKU	Capacity vol.	Color
405-021200-30025	24 fl oz	Blue



3M™ Super 77™ Multi-Purpose Spray Adhesives

Features:

- Multipurpose spray adhesive bonds to many surfaces.
- Aggressive tack provides high initial grab with enough time to position materials properly.

SKU	Capacity Wt.
405-051111-97956	24 fl oz
405-021200-21210	16.75 oz

GAS CUTTING & WELDING

Outfits



G250 Series Cutting and Welding Outfits

Features:

- Built-in flashback and check valves for safety
- Patented high contrast gauges
- Color-coded knobs on regulators
- Features G250 regulator.

Welding Range: 3/8 in - 3 in

Includes: CA270-V Cutting Attachment; WH270FC-V Welding Handle; 0-3-101 Cutting Tip; 0-UM-250 Welding Nozzle; G250-150-540 Oxygen Regulator; G250-15-510 Fuel Gas Regulator; 3/16 in x 20 ft RM Hose; Goggles; Striker

SKU	Gas Type	Cutting Cap.
900-0384-2706	Acetylene; Oxygen	3/8 in to 5 in



G350 Series Cutting and Welding Outfits

Features:

- Built-in flashback and check valves for safety
- Patented high contrast gauges
- Color-coded knobs on regulators
- Features G350 regulator.

Welding Range: - 3 in

Includes: CA370-V Cutting Attachment; WH370FC-V Welding Handle; 1-1-101 Cutting Tip; 2-UM-350 Welding Nozzle; G350-150-540 Oxygen Regulator; G350-15-510 Fuel Gas Regulator; 1/4 in x 25 ft RM Hose; Goggles; Striker

SKU	Gas Type	Cutting Cap.
900-0384-2704	Acetylene; Oxygen	3/8 in to 6 in



G-150-J-CPT Totes with Tanks

Features:

- Designed with a patented and molded plastic carrying case.
- Ergonomic handle.
- Patented balance design with small footprint.
- Built-in storage compartments.

Includes: J-28 Welding Handle; CA 1260 Cutting Attachment; O-W-J Nozzle; 2-W-J Nozzle; Oxygen Regulator; Fuel Regulator; 12.5 ft Dual 3/16 in hose; Goggles; Check Valve; Striker Tank Key

SKU	Gas Type
341-0384-0948	Acetylene



Journeyman EDGE 2.0 Cutting, Heating and Welding Outfits

Features:

- Comes with everything you need to get started.
- Cuts up to 8 in, welds up to 3 in.
- with accessories.
- Up to 1,118,000 BTUs/hour heating.
- ESS42 Series regulators.
- WH 315FC+ torch handle with built-in flash arrestors and check valves.

Welding Range: - 3 in

Includes: CA 2460+ Cutting Attachment; Cutting Tip; Goggles; Heating Nozzle; Hose; Striker; Tip Cleaner; (2) 540/510 ESS32 Edge Regulators; WH 315FC+ Welding Handle; Welding Nozzles

SKU	Gas Type	Cutting Cap.
341-0384-2101	Acetylene	8 in



Journeyman® 450 Heavy Duty Cutting and Welding System

Features:


- Reverse flow check valves and patented built in flashback arrestors.
- Die-forged brass body and housing cap.
- One cutting attachment for all fuel gases.

Welding Range: 3/4 in Cuts; 1/2 in Welds - 8 in Cuts; 3 in Welds

Includes: SR Series Regulators; Torch Handle with Flashback Arrestors and Check Valves; Cutting Attachment; Cutting Tips; Welding Nozzle

SKU	Gas Type	Cutting Cap.
341-0384-0807	Acetylene	2 in

Tips & Nozzles



Victor® Style 1-Pc Acetylene Cutting Tips - 1-101 Series

Features:

- Medium preheat for general hand and machine cutting.

Material: Copper

SKU	Tip Size	Gas Type	Used With
900-1-101-0	0	Acetylene; Oxygen	2460, CA 1060, ST, SST, 1400C
900-1-101-00	00	Acetylene; Oxygen	2460, CA 1060, ST, SST, 1400C
900-1-101-000	000	Acetylene; Oxygen	2460, CA 1060, ST, SST, 1400C
900-1-101-1	1	Acetylene; Oxygen	2460; CA 1060; ST; SST; 1400C
900-1-101-2	2	Acetylene; Oxygen	2460; CA 1060; ST; SST; 1400C
900-1-101-3	3	Acetylene; Oxygen	2460; CA 1060; ST; SST; 1400C
900-1-101-4	4	Acetylene; Oxygen	2460; CA 1060; ST; SST; 1400C
900-1-101-5	5	Acetylene; Oxygen	2460, CA 1060, ST, SST, 1400C
900-1-101-6	6	Acetylene; Oxygen	2460, CA 1060, ST, SST, 1400C

TIG WELDING

Tig Torch Parts & Accessories



Atom Arc 7018 Electrodes

Features:

- Reduced post weld clean up.

SKU	Dia.	Length	Weight
537-255013310	3/32 in	14 in	50 lb
537-255011819	1/8 in	14 in	50 lb

FILLER METALS

Welding Stick Electrodes



Mild Steel Electrodes

Features:

- Excellent arc starting and stability.

Material: Carbon Steel

SKU	Diameter	Length
900-7018-532X50	5/32 in	14 in
900-7018-332X50	3/32 in	14 in
900-7018-18X50	1/8 in	14 in



Excalibur® 7018 MR® Stick Electrodes

Features:

- Designed for welding mild steel, low alloy steels and steels of poor weldability.
- Ability to tie-in to side walls without undercutting, especially for critical out-of-position applications.

Material: Low Hydrogen Mild Steel

Type: SMAW

SKU	Diameter	Length
897-ED028281	5/32 in	14 in
897-ED028280	3/32 in	14 in
897-ED028282	1/8 in	14 in

WELDING & CUTTING ACCESSORIES

Anti-Spatter & Chemicals



Water-Based Anti-Spatters

Features:

- Biodegradable water-based anti-spatter compound
- Silicone-free, water soluble, and paint compatible
- Non-toxic and non-flammable.

SKU	Capacity Vol.
905-111-14oz	14.5 oz

Centering Heads



Centering Heads

Features:

- Aids in setting of center lines, establishing angles and marks for butt-ins, location points inside pipes and tanks, laying out keyways, and measuring declivity.

Type: #6 Standard Centering Head; DSL

SKU	Pipe Cap.	Head Width	Head Type
430-14775	1/2 in - 4 in	4 in	Y-Type



Magnetic Centering Heads with Vial

Features:

- One piece Y-shaped body design with magnetic legs.
- Built-in dial with 2-1/2° increments that turns 360°.

Head Type: Y-Shaped

SKU	Pipe Cap.	Type
496-53025-M	1in - 16in Larger	Small
496-53076-M	6 in - 36in Larger	Medium

Cutting & Burning Guides



Rap-Around Pipe Templates

Features:

- Has a tough edge to protect from fraying and splitting which extends the life of the product.
- Clear vinyl container for protection in between jobs.

SKU	Size Group	Width	Length	Pipe Capacity
900-RA150	Small	2-1/2 in	2 ft	1 in - 3 in
900-RA160	Large	4 in	4 ft	3 in - 6 in
900-RA170	Large	4 in	6 ft	3 in - 10 in
900-RA179	Large	4 in	9 ft	6 in - 16 in
900-RA177	X-Large	4 in	7 ft	4 in - 12 in



Wrap-A-Round® Rulers

Features:

- Feature metric scale and pitch chart.
- Resists heat and cold.

SKU	Size Group	Width	Length	Pipe Capacity
430-14752	Medium	3.88 in	4 ft	3 in - 6 in
430-14753	Large	3.88 in	6 ft	3 in - 10 in
430-14754	X-Large	5 in	7 ft	4 in - 12 in
430-14756	XX-Large	5 in	9 ft	6 in - 16 in



Wizard Wraps

Features:

- Wizard wrap, made from a non-asbestos, heat resistant material, has a nice thick edge for easier more accurate marking and helps keep your soapstone from slipping.

SKU	Size Group	Width	Length	Pipe Capacity
496-WW-19	Extra Large	7 in	180 in	12 in - 48 in
496-WW-16	Small	2-5/8 in	30 in	1 in - 6 in
496-WW-17	Medium	3-7/8 in	60 in	2 in - 16 in
496-WW-17A	Large	5-1/4 in	120 in	6 in - 30 in

Cylinder & Caps

BERNZOMATIC®



Disposable Butane Cylinders

Features:

- Ideal for light or detailed soldering.
- For use with Bernzomatic® Micro Torches.

SKU	Capacity Vol.
870-426329	5.6 oz

**WORTHINGTON
CYLINDERS**
A Worthington Industries Company



MAP-Pro™ Hand Torch Cylinders

Features:

- Ideal for medium to heavy soldering and brazing.
- Flame temperature in air is 3600 degrees F.

Wt.: 1.9 lb

SKU	Gas Type
870-332477	MAP-Pro™

**WORTHINGTON
CYLINDERS**
A Worthington Industries Company



TX 9 Propane Cylinders

Features:

- Ideal for general soldering.
- Flame temperature in air is 3450 degrees F.

Capacity Vol.: 14.1 oz

Wt.: 1.9 lb

SKU	Gas Type
870-304182	Propane

Rod Holders



Rod Storage Tubes

Features:

- Easy way to store and organize all of your filler metals properly.
- 1/8-inch nominal wall thickness for superior strength and durability.
- Neoprene seal keeps your rods air and water tight.
- Each rod storage tube comes with a key tag to identify the contents.
- Made of high impact polyethylene.
- Available in a variety of lengths and colors.
- Increase tube to accommodate 1-meter rods with 3-inch extension (BW36-BLA-EXT) sold separately.

SKU	Capacity Wt.	Length	Color
900-BW14-BLU	10 lb	14 in	Blue
900-BW14-BLA	10 lb	14 in	Black
900-BW14-RED	10 lb	14 in	Red
900-BW36-BLU	10 lb	36 in	Blue
900-BW36-BLA	10 lb	36 in	Black
900-BW36-RED	10 lb	36 in	Red

Spark Lighter & Flints



SL-E Spark Lighters

Features:

- Single flint lighter.
- Consistent, reliable sparking.
- Long lasting.

SKU	Type
900-SL-E	Spark Lighter



Flints

Features:

- Economically priced and designed for any of the ShurLite® family of flint lighters.
- Guaranteed to fit perfectly on ShurLite® lighters.
- Guaranteed to remain seated in the flint holder.
- Larger size for longer life.

SKU	Quantity
322-3011X	1 CG / CG



ShurLite® Spark Lighters

Features:

- Strong frame and rugged design.
- Options available for flat file with round cup design, single-flint round, triple-flint, and Shoot-a-lite flat pistol shaped spark lighters.

SKU	Type	Quantity
322-3001	Universal Single-Flint Round File Spark Lighter; Flint Easily Replaced; Round File Spins; Square Hood	10 EA/BX
322-4501	Three-Flint Spark Lighter; Heavy-Duty Steel Band; Strong Frame	1 EA/EA

Welding Blankets, Curtains, & Rolls



Welding Blankets

Features:

- Protects against light sparks and spatter.
- Grommeted and hemmed with high temperature thread.
- Designed for use in areas where a fabric with high heat resistance is required.

Material: Fiberglass

SKU	Length	Width	Color
902-2025-18-6x6	6 ft	6 ft	White
902-AC2300-24-6X6	6 ft	6 ft	Yellow
902-AC2300-24-6X8	6 ft	8 ft	Yellow
902-2025-18-6x8	6 ft	8 ft	Tan

Welding Cables & Power Cables



Welding Cables

Features:

- Resistant to oil, chemicals, and solvents.
- Temp Range:** -50° C (-58° F) - 105° C (221° F)
Jacket Material: EPDM
Voltage: 600 V
Insulation: EPDM
Conductor Material: Stranded Copper

SKU	Cable/Wire Description	Includes
911-1/0-500	1/0 AWG x 500 ft	Cable Only
911-2/0-500	2/0 AWG x 500 ft	Cable Only

Welding Hose & Compressed Gas Fittings



Hose Repair Kits

Features:

- Hose repair kits come in convenient durable, plastic case with full color label and description chart.
- Hose I.D.:** 3/16 in; 1/4 in Plain 5111

SKU	Size
312-CK-5	B-Size

Welding Hoses



Grade R Twin-Line Welding Hoses

Features:

- High quality Grade R twin-line welding hoses.
- Green hose carries oxygen to welding equipment.
- Red hose carries acetylene.
- Hose cover resists oils.

Hose I.D.: 1/4 in

Gas Type: Acetylene Only

SKU	Grade	Pressure	Length
907-LB254	R	200 psi	25 ft
907-LB504	R	200 psi	50 ft
907-LB1004	R	200 psi	100 ft



Grade T Twin-Line Welding Hoses

Features:

- Green hose carries oxygen to welding equipment.

Hose I.D.: 1/4 in

Gas Type: Fuel Gases; Oxygen

SKU	Grade	Pressure	Length
907-T254	T	200 psi	25 ft
907-T504	T	200 psi	50 ft
907-T1004	T	200 psi	100 ft

SOLDERING & BRAZING

Soldering/Brazing Kits

TURBOTORCH



Torch Kit Swirls

Features:

- Features Extreme Swirl Technology which generates more heat for faster brazing times and less gas consumption, combined with a traditional manual lighting torch.
- Tips feature quick disconnect couplings.

Gas Type: Acetylene

Includes: AR-B (CGA 520) Regulator; G-4 Rear Valve Handle; AH-12 Hose; A-3 Tip; A-11 Tip; B Tank Connection; Instruction Manual

SKU	Flame Type
341-0386-0335	Swirl

Soldering/Brazing Torches



High Heat Torch

Features:

- Ideal for job site projects including large soldering, brazing, heat treating and light welding.

SKU	Gas Type	Body Material
189-361524	MAPP® (Methyl Acetylene-Propadiene)	Cast Aluminum



Trigger Start Micro Torches

Features:

- Micro flame butane torch for light, detailed work.

Includes: Torch and 3-in-1 versatile tip

SKU	Gas Type
189-ST2200T	Butane

TORCH & WEED BURNERS



WESTERN
ENTERPRISES



Hotspotter All Purpose Propane Torches

Features:

- Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes.

Handle Length: 31 in

Hose Length: 10 ft

SKU	Type	Includes
312-WB-101	Heavy-Duty Open Flame Torch	Brass Propane Tank Adaptor; Brass Flow Control Shut-Off Valve; Spark Ignitor; Cast Iron and Steel Nozzle; Hose
312-WB-102	Medium-Duty Open Flame Torch	Brass Propane Tank Adaptor; Brass Flow Control Shut-Off Valve; Spark Ignitor; Welded Tube Nozzle; Hose

COATED ABRASIVES

Coated Disc Abrasives



3M™ Cubitron™ II Fibre Discs 982C

Features:

- Sturdy fibre discs employ precision ceramic grain and last up to twice as long.

Grit: 36+

Abrasive Material: Precision Shaped Ceramic

SKU	Dia.	Arbor Diam.	Speed	Mounting
405-051141-27400	4-1/2 in	7/8 in	13300 RPM	Center Hole
405-051141-27401	5 in	7/8 in	12000 RPM	Center Hole
405-051141-27404	5 in	7/8 in	12000 RPM	TN Quick Change
405-051141-27402	7 in	7/8 in	8600 RPM	Center Hole



3M™ Silver Cut-Off Wheels

Features:

- Designed to quickly cut through metal pipes, tubes flat sheets.

Abrasive Material: Precision Shaped Ceramic

Mounting: Center Hole

SKU	Dia.	Arbor Diam.	Grit	Speed
405-051125-87469	6 in	0.875 in	60	10200 RPM
405-051125-87466	4.5 in	0.875 in	36	13300 RPM

Coated Flap Disc Abrasives



3M™ Flap Discs 769F

Features:

- Delivers long-lasting high performance and versatility at a value price.

Arbor Diameter: 7/8 in

Speed: 13300 RPM

Abrasive Material: Precision Shaped Ceramic

SKU	Dia.	Grit	Tool Shape
405-638060-05903	4-1/2 in	40+	T27
405-638060-05904	4-1/2 in	60+	T27
405-038060-05905	4-1/2 in	80+	T27
405-638060-05906	4-1/2 in	40+	T29



Tiger® Big Cat® High Density Flap Discs

Features:

- A thicker disc with larger flaps which conforms to curved and irregular surfaces while producing a consistent finish.

Speed: 12000 rpm

Abrasive Material: Zirconia Alumina

SKU	Dia.	Grit	Tool Shape	Arbor Diameter
804-50808	4-1/2 in	40	Type 27	5/8 in
804-50809	4-1/2 in	60	Type 27	5/8 in
804-50810	4-1/2 in	80	Type 27	5/8 in
804-50803	4-1/2 in	40	Type 27	7/8 in
804-50804	4-1/2 in	60	Type 27	7/8 in
804-50805	4-1/2 in	80	Type 27	7/8 in

BONDED ABRASIVES

Resin Bonded Abrasives



3M™ Cubitron™ 3 Cut-Off Wheels

Features:

- Specialized functionality creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal.

SKU	Tool Shape	Dia.	Thickness	Arbor Size	Grit	Speed
405-638060-90040	T27	4-1/2 in	0.045 in	5/8 in	36+	13300 RPM
405-638060-90041	T27	4-1/2 in	0.045 in	7/8 in	36+	13300 RPM
405-638060-90042	T27	4-1/2 in	0.09 in	5/8 in	36+	13300 RPM
405-638060-90044	T27	4-1/2 in	0.125 in	7/8 in	36+	13300 RPM
405-638060-90046	T27	5 in	0.09 in	7/8 in	36+	12250 RPM
405-638060-90047	T27	6 in	0.045 in	5/8 in	60+	10200 RPM
405-638060-90048	T27	6 in	0.045 in	7/8 in	60+	10200 RPM
405-638060-90036	T1	4-1/2 in	0.045 in	7/8 in	36+	13300 RPM
405-638060-90037	T1	5 in	0.045 in	7/8 in	36+	12250 RPM
405-638060-90038	T1	6 in	0.045 in	7/8 in	60+	10200 RPM



3M™ Cubitron™ 3 Depressed Center Grinding Wheels

Features:

- Designed for heavy weld removal and other heavy-duty grinding applications on almost all materials.
- Specially formulated for use on stainless steel, mild steel, and aerospace alloys.

Thickness: 1/4 in

Grit: 36+

SKU	Tool Shape	Dia.	Arbor Size	Speed
405-638060-90001	T27	4 in	3/8 in	15300 RPM
405-638060-90002	T27	4-1/2 in	5/8 in	13300 RPM
405-638060-90003	T27	4-1/2 in	7/8 in	13300 RPM
405-638060-90004	T27	5 in	5/8 in	12250 RPM
405-638060-90005	T27	6 in	7/8 in	10200 RPM
405-638060-90006	T27	6 in	5/8 in	10200 RPM
405-638060-90007	T27	5 in	7/8 in	12250 RPM
405-638060-90008	T27	7 in	7/8 in	8500 RPM
405-638060-90009	T27	7 in	5/8 in	8500 RPM



Cutting Wheels

Features:

- Improved formulation increases life and performance by 30%.
- Delivers a fast cut rate and consistent performance at a good value.
- Suitable for all steel and ferrous metals.

SKU	Tool Shape	Dia.	Thickness	Arbor Size	Grit	Speed
903-1RC4578	T1	4-1/2 in	0.045 in	7/8 in	60	13300 RPM
903-1RC678	T1	6 in	0.045 in	7/8 in	60	10200 RPM
903-14321	T1	14 in	3/32 in	1 in	36	4400 RPM



Depressed Center Cutting Wheels

Features:

- Improved formulation increases life and performance by 30%.
- Delivers a fast cut rate and consistent performance at a good value.
- Suitable for all steel and ferrous metals.

Thickness: 0.045 in

Grit: 60

SKU	Tool Shape	Dia.	Arbor Size	Speed
903-27RC457	T27	4-1/2 in	7/8 in	13300 RPM



Depressed Center Grinding Wheels

Features:

- Improved formulation increases life and performance by 30%.
- Delivers a fast grinding rate and consistent performance at a good value.
- Suitable for all steel and ferrous metals.

Test & Approvals: ANSI B7.1, Latest Revision

Thickness: 1/4 in

Grit: 24

SKU	Tool Shape	Dia.	Arbor Size	Speed
903-4121478	Type 28	4-1/2 in	7/8 in	13300 RPM
903-41247T	Depressed Center	4-1/2 in	5/8 in-11	13300 RPM
903-547T	Depressed Center	5 in	5/8 in to 11 in	12200 RPM




Flexible Depressed Center Wheels

Features:

- Aluminum oxide grain - effective for all steel and ferrous metals.
- Flexible for light stock removal, blending, finishing, and polishing.
- Consistent performance at competitive price.

Grit: 46

SKU	Dia.	Thickness	Arbor Size	Speed
903-45A27MT	4-1/2 in	1/8 in	5/8 in-11	13300 RPM
903-7A27M	7 in	1/8 in	5/8 in-11	8600 RPM



High Performance™ Cutting Wheels

Features:

- Make fast cuts with a thin wheel design and high-grain concentration.
- Built with two sheets of fiberglass for optimized strength to help to reduce breakage.
- Efficiently cut a wide range of metals including carbon steel, stainless, and nickel-based alloys.

Grit: 60

SKU	Tool Shape	Dia.	Thickness	Arbor Size	Speed
115-DW8062	Type 1	4-1/2 in	0.045 in	7/8 in	13300 RPM
115-DW8063	Type 1	5 in	0.045 in	7/8 in	12200 RPM
115-DW8065	Type 1	7 in	0.045 in	7/8 in	8700 RPM
115-DW8424H	Type 27	4-1/2 in	0.045 in	5/8 in	13300 RPM
115-DW8424	Type 27	4-1/2 in	0.045 in	7/8 in	13300 RPM
115-DW8426	Type 27	6 in	0.045 in	7/8 in	10200 RPM



Type 27 Grinding Wheels

Features:

- Type 27 depressed center grinding wheels grind and shape a variety of metals and non-ferrous materials.

Thickness: 1/4 in

Grit: 24

Speed: 13300 RPM

SKU	Dia.	Arbor Size	Speed
115-DW4514	4-1/2 in	7/8 in	13300 RPM
115-DW4523	4-1/2 in	5/8 in	13300 RPM



Original Slicer® Cutting Wheels

Features:

- Extremely fast rate of cut.
- Designed with two full layers of high strength fiberglass for safety.
- Consistent performance time after time.
- Burr-free, cool cutting.

Grit: 60

SKU	Tool Shape	Dia.	Thickness	Arbor Size	Speed
469-655339000	Type 1	6 in	0.040 in	7/8 in	10200 RPM
469-655331000	Type 1	4-1/2 in	0.045 in	7/8 in	15000 RPM
469-55346	Type 27	4-1/2 in	0.045 in	7/8 in	13300 RPM
469-55347	Type 27	6 in	0.045 in	7/8 in	10200 RPM



Slicer Plus® High Performance Cutting Wheels

Features:

- Formulated to provide very long life and very aggressive cool cutting.
- Specially engineered with coated aluminum oxide proprietary bond for the toughest applications.
- Designed for delivering thicker sectional cuts in steel, stainless steel, heavy rebar and harder metals.
- Suitable for use on heavy wall pipe and angle iron.

Grit: 60

SKU	Tool Shape	Dia.	Thickness	Arbor Size	Speed
469-65597000	Type 1	4-1/2 in	0.040 in	7/8 in	15000 RPM
469-65598000	Type 1	6 in	0.040 in	7/8 in	10200 RPM



Tiger® AO Cutting Wheels

Features:

- Strong resin bond delivers a long cutting life that keeps professionals on the job longer.
- Dual fiberglass reinforcement provides added strength for aggressive cutting.

Thickness: 0.045 in

Grit: 60

SKU	Tool Shape	Dia.	Arbor Size	Speed
804-57022	Type 1	6 in	7/8 in	10200 RPM
804-57041	Type 27	4-1/2 in	7/8 in	13300 RPM
804-57040	Type 27	4-1/2 in	5/8 in	13300 RPM



Tiger® AO Grinding Wheels

Features:

- Designed with fiberglass cut back from the edge to provide instant aggressive grinding right out of the box.
- White aluminum oxide grains provide an even, sharp, clean cut rate and consistent performance.


Thickness: 1/4 in

Grit: 24

SKU	Tool Shape	Dia.	Arbor Size	Speed
804-57120	Type 27	4-1/2 in	5/8 in	13300 RPM
804-57121	Type 27	4-1/2 in	7/8 in	13300 RPM
804-57128	Type 27	6 in	5/8 in	10200 RPM
804-57129	Type 27	6 in	7/8 in	10200 RPM
804-57124	Type 27	7 in	5/8 in	8500 RPM
804-57125	Type 27	7 in	7/8 in	8500 RPM

NON WOVEN ABRASIVES

Non Woven Pad Abrasives



Scotch-Brite™ Hand Pads

Features:

- Hand pads are a great alternative to steel wool, similar performance without the shredding, rusting, or splintering.


Abrasive Material: Aluminum Oxide

Quantity: 20 EA/BX

SKU	Roughness Grade	Color	Model
405-048011-04029	Very Fine	Maroon	#7447

WIRE BRUSH ABRASIVES

End Brushes



Crimped Wire End Brushes

Features:

- Features solid end construction.
- Very flexible brushing action.

SKU	Brush Diam	Wire Size	Trim Length	Speed	Stem Diam
102-90915	1 in	0.006 in	7/8 in	22,000 rpm	1/4 in



Knot Wire End Brushes

Features:

- Rugged knot-style construction provides aggressive, high-impact action.
- Features hollow end and heavy-duty brushing action with some flexibility.
- Ideal for more demanding cleaning applications in recessed areas.

Trim Length: 7/8 in

Speed: 22000 RPM

SKU	Brush Diam	Wire Size	Material
102-1EB14	1-1/8 in	0.014 in	Carbon Steel
102-1EB20	1-1/8 in	0.02 in	Carbon Steel

Scratch Brushes



Hand Scratch Brushes

Features:

- Heavy-duty industrial brushes.
- Wire fill and length is unsurpassed.
- Durable wood handle.

Bristle Material: Carbon Steel

Block Material: Wood

Bristle Rows: 4 X 16

SKU	Handle Type	Handle Material
102-387	Shoe	Wood



Small Hand Scratch Brushes

Features:

- For general cleaning in the plating, metal finishing, aircraft and missile industries.
- Also used with inert arc aluminum welding.

Bristle Material: Stainless Steel

Block Material: Wood

Block Width: 1/2 in

Trim Length: 1/2 in

Overall Length: 7-1/2 in

Bristle Rows: 3 X 7

SKU	Handle Type	Handle Material
804-44167	Curved	Wood

Wheel Brushes



Stringer Bead Wheel Brushes

Features:

- Very narrow face design primarily for weld cleaning and to access hard-to-reach areas.

Arbor Diam: 5/8 in - 11

Arbor Thread: 5/8 in - 11

SKU	Bristle Material	Bristle Diam	Dia.	No. of Knots	Face Width
102-4S58S	Stainless Steel	0.02 in	4 in	30	1/4 in
102-4S58	Carbon Steel	0.02 in	4 in	30	3/16 in
102-6S58	Carbon Steel	0.02 in	6 in	48	1/4 in



Roughneck® Max Stringer Bead Wheels

Features:

- Stronger, sharper wire delivers consistency and performance you can count on.
- Recommended for cleaning root pass welds, surface prep, and other cleaning applications.

Arbor Diam: 5/8 in

Arbor Thread: 11 UNC

SKU	Bristle Material	Bristle Diam	Dia.	No. of Knots	Face Width
804-13131	Steel	0.020 in	4 in	32	3/16 in



Roughneck® Stringer Bead Wheels

Features:

- Narrow face brush is suitable for cleaning root and hot passes.
- Effectively reaches into corners.
- Constructed from premium quality wire.

Arbor Thread: 11 UNC

SKU	Bristle Material	Bristle Diam	Dia.	No. of Knots	Face Width
804-08756	Steel	0.020 in	5 in	38	3/16 in
804-09400	Steel	0.020 in	6 in	56	3/16 in
804-09000	Steel	0.020 in	7 in	56	3/16 in

COVERING PRODUCTS

Tarps



Multiple Use Tarps

Features:

- Sun and fade resistant.
- Rot and rust proof.
- Grommets every 3 ft.

SKU	Length	Width	Material	Thickness
101-2020-TARP	20 ft	20 ft	Polyethylene	5 mil
101-2030	30 ft	20 ft	Polyethylene	5 mil

CARTS & TRUCKS

Hand Trucks



D-Handle Hand Trucks

Features:

- Holds a maximum capacity of 800 pounds.
- Stands on its own.

Wheel Width: 4 in

Wheel Type: Pneumatic with Steel Hub; 5/8 in Ball Bearing

SKU	Load Cap.	Wheel Diam	Height	Width	Weight
310-30019	800 lb	10 in	50 in	19 in	25 lb

STANDS & RAMPS



Heavy Duty Pipe Stands

Features:

- Effectively holds pipe and tubing in position during pipe welding applications.

SKU	Load Cap.	Pipe Diam.	Height	Material
900-PIPE-STAND-HDJ	2500 lb	1/2 in - 18 in	28 in - 49 in	Steel



Hi-Jack Style Pipe Stands

Features:

- Features durable folding frame.
- Effectively holds pipe and tubing in position during pipe welding applications.
- Adjustable height.

Height: 28 in - 49 in

Material: All Steel

SKU	Load Cap.	Pipe Diam.
900-PIPE-STAND-HJ	2500 lb	1/2 in - 18 in

STRAPPING PRODUCTS

Cable Ties



General Purpose Cable Ties

Features:

- Nylon 6/6 features light weight, high strength and a wide temperature range.
- Even at higher than recommended temperatures or exposure to flame, nylon does not give off toxic or irritating by-products.

Bundle Diam: 2 in

Color: Green

Material: Nylon 6/6

SKU	Length	Width	Thickness	Tensile Strength	Quantity
102-750GRN	7.6 in	0.18 in	0.054 in	50 lb	100 EA/BG



Metal Detectable Cable Ties

Features:

- Impregnated with metal flakes for contamination prevention.
- Teal blue color for easy identification.

Color: Teal

Material: Nylon 6/6; Metal

SKU	Length	Width	Thickness	Tensile Strength	Quantity
102-418MD	4.1 in	0.096 in	0.035 in	18 lb	100 EA/BG
102-750MD	7.6 in	0.18 in	0.054 in	50 lb	100 EA/BG
102-750MD-B	7.6 in	0.18 in	0.054 in	50 lb	1000 EA/BG
102-1150MD	11.1 in	0.18 in	0.054 in	50 lb	100 EA/BG



UV Stabilized Cable Ties

Features:

- Contains increased resistance to UV light (does not totally eliminate the destructive effects of the light).

Tensile Strength: 50 lb

Material: Nylon 6/6

Quantity: 100 EA/BG

SKU	Length	Width
102-1150UVB	11.1 in	0.18 in
102-1450UVB	14.6 in	0.18 in

AIR COOLING EQUIPMENT

Fans



M18™ Brushless PACKOUT™ Fans

Features:

- Brushless motor for increased life.
- Modular connectivity with All PACKOUT™ components.
- Variable speed dial for optimized airflow.

SKU	Blade Size	Voltage	Height
495-0818-20	7 in	18 V	16 in

COOLERS & CHESTS



400 Series Coolers

Features:

- Ultratherm® insulation for maximum cold retention and maintains ice for up to 3 days in temperatures as high as 90°F.
- HDPE hide won't chip, peel, buckle, or rust.
- Keeper cord prevents lid loss.

SKU	Capacity Vol	Width	Height
385-451	5 gal	13 in	20.38 in
385-4101	10 gal	15-7/8 in	23-1/4 in

WIPING PRODUCTS

Towels & Wipers



Multi-Purpose Scrubbing Wipes

Features:

- Dual textured wipe, a textured side and a smooth side.
- Multi-purpose to use on hands, tools, and surfaces.
- Contains no harsh chemicals.

SKU	Quantity	Dimensions
103-360726	72 Wipes per Container	10 in x 12 in



Graffiti Wipes

Features:

- Combats graffiti and adhesive clean up.
- Powerful cleaning formula removes most paints, including enamel.
- Does not contain amyl acetate or methylene chloride making towels safer to handle.
- Nontoxic, non-flammable and biodegradable formula.
- Abrasive yet non-scratching fabric aids in cleaning.
- Towels stay moist to provide greater usage and longer shelf life.

SKU	Quantity	Dimensions
893-CL963	40 Wipes per Container	9.5 in x 12 in



100% Recycled Roll Towels

Features:

- Roll towels are 100% recycled fabric for use in breakroom or janitorial services.
- Whitened without chlorine bleaching to further please the environmentally conscious and have no added dyes or fragrances.

Roll Length: 56.6 ft

SKU	Quantity	Dimensions
886-06350-12	85 Sheets per Roll	11 in x 8 in



Original™ Multi-Purpose Shop Towels

Features:

- Ideal for changing oil, refilling fluids and general maintenance.
- Strong, absorbent towel is great for wiping hands, tools and cleaning up grease, oil, grime and fluids.
- Works well when wet.

SKU	Quantity	Dimensions
993-75130	55 Sheets per Roll	11 in x 9.4 in



Crazy Clean Wipes

Features:

- Water-based hand and surface cleaner that cuts through tar, grease, wax, ink, paint, lubricants and adhesives.
- Aggressive, citrus scented towels are industrial strength, yet gentle enough for your hands.

Scent: Citrus

SKU	Quantity	Dimensions
893-SW983	70 Wipes per Container	9.5 in W x 12 in L



X60 Cloth Wipers

Features:

- Absorbs more water and oil than rags for faster cleanup.
- Tough enough for big jobs, soft enough for face and hands if skin is uncompromised.
- Clean and consistent cloth every time.
- Portable, convenient point-of-use options enhance productivity.
- Available in a variety of convenient formats.

SKU	Quantity	Dimensions
993-34790	118 Sheets per Box	8.34 in x 16.8 in



X80 Heavy-Duty Cloths

Features:

- Replaces shop towels and white cotton rags.
- Doesn't fall apart when tackling the most demanding jobs - even in solvents.
- Absorbs 30% more water significantly faster, and leaves 3X less lint than shop towels.
- Rinse and reuse - reduces waste and cost.
- Clean and consistent cloth every time.
- Portable dispensers allow you to keep product where you work.

SKU	Quantity	Dimensions
993-41055	475 Sheets per Roll	12.2 in x 12.4 in

PERSONAL HYGIENE

Hand Cleaners



Natural Orange™ Pumice Hand Cleaners

Features:

- Pumice scrubbing particles get hands clean fast.
- Lotion formula provides powerful yet gentle cleaning performance.

SKU	Capacity Vol	Odor/Scent
315-0955-04	1 gal	Citrus



Hand Cleaner Towels

Features:

- Clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation.
- Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces.

SKU	Quantity	Dimensions
253-42272	72 Wipes per Container	10 in x 12 in

CLEANING PRODUCTS

Dishwashing Cleaners



Manual Pot and Pan Dish Detergents

Features:

- The grease-fighting power of Dawn® dish soap, specifically formulated for tough business jobs.
- Long lasting suds provide greater cleaning capacity with less sink changeover.

SKU	Capacity Vol	Odor/Scent
608-45112	38 oz	Original

Floor & Carpet Cleaners



Oil-Based Non-Sanded Floor Sweeping Compounds

Features:

- Non-abrasive sweeping compound safe to use on any floor.
- Perfect for collecting dirt and dust on all types of wood, tile, terrazzo, and finished concrete floors without scratching.

SKU	Capacity	Packing Type
103-FLOORSWEEP	50 lb	Box



Wax-Based Floor Sweeping Compounds

Features:

- Non-sanded, wax-based formula.
- Conditions as it cleans.
- Suitable for most surfaces, finished or unfinished.
- Keeps floors looking their best.

SKU	Capacity	Packing Type
103-FLOORSWEEP-WAX50	50 lb	Box
103-FLOORSWEEP-WAX150	150 lb	Box

Glass Cleaners



Glass Cleaners

Features:

- For cleaning and polishing glass, mirrors, windshields and windows.
- This easy-to use, fast acting product uses a clinging foam to break up soils and hold them - even on vertical surfaces.
- There is no dripping, no running and no streaking.

SKU	Capacity Vol	Odor/Scent
893-SW050	20 oz	Floral



Glass Cleaners


Features:

- Loosens soil upon contact.
- Won't streak or leave a film.
- Also cleans chrome, stainless steel, Plexiglas® and other hard surfaces.
- Contains no phosphates.

SKU	Capacity Vol	Chemical Compound
889-322338	32 oz	Ammonia-D

BRUSHING & SWEEPING PRODUCTS

Brushes & Brooms



Boot Cleaning Brushes

Features:

- Ideal for cleaning the soles of footwear.
- Reliable and efficient brush at a value price.

SKU	Bristle Material	Block Material	Length	Width
804-44391	Nylon	Wood	9 in	6 in

VACUUMS



Dust Extractors

Features:

- Automatic filter clean pulses every 30 seconds for continuous operations without stopping to clean filter.
- Powerful 15 amp motor delivers 155 CFM of airflow for maximum suction.
- Power tool actuation controls the on/off operations of the vacuum with a power tool.

SKU	Capacity Vol.
115-DWV010	8 gal
115-DWV015	10 gal

VACUUM PARTS & ACCESSORIES



Wet/Dry Vacuum Filters

Features:

- One-layer wet/dry filter for everyday dirt.
- Washable and reusable.

SKU	Used With
632-72947	Ridgid® Wet/Dry Vacs 5 gal and Larger

RESPIRATORY PROTECTION

Cartridge Respirator Parts & Accessories



3M™ 2000 Series Particulate Filters

Features:

- Lightweight and easy to breathe through.
- Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.
- Assortment of filters available for a wide range of applications.

SKU	Filtration Grade	Resistance
142-2091	P100	Oil and Non-Oil Based Particles
142-2097	P100	Nuisance Level Organic Vapor



3M™ 6000 Series Gas/Vapor Cartridges

Features:

- Swept-back design allows an enhanced field of view and comfort.
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Respirators.
- Simple installation and usage requirements reduces training requirements.

Resistance: Organic Vapors (OV)

SKU	For Model
142-6001	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders



3M™ Combination Cartridges/P100 Particulate Filters

Features:

- Particulate filter is permanently attached to cartridge for easy, one-step assembly.

Filtration Grade: P100

SKU	Resistance
142-60921	Organic Vapor; Asbestos; Mold; Silica
142-60923	Acid Gases; Organic Vapors
142-60926	Multi-Gas/Vapor



3M™ Particulate Filters

Features:

- Use with 5000 Series, 6000 Series and filter retainer 501.
- NIOSH approved for environments containing certain non-oil based particles.

SKU	Filtration Grade	Resistance
142-5N11	N95	Non-Oil Based Particles



Combination Gas and Vapor Cartridges

Features:

- Convenient cartridge/P100 filter combination.
- Packed in pairs for fast, easy change outs.
- Color coded for quick and easy identification.
- Filters out different vapors.

SKU	Filtration Grade	Resistance
068-7581P100L	P100	Particulates; Chemicals
068-7583P100L	P100	Chlorine; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Fluoride; Sulfur Dioxide; Organic Vapors; Hydrogen Sulfide (Escape)



Defender™ Multi-Purpose Cartridges

Features:

- Convenient cartridge/filter combination.
- Color coded for quick and easy identification.

SKU	Filtration Grade	Resistance
068-75SCP100L	P100	Organic Vapor; Chlorine; Hydrogen Chloride; Sulfur Dioxide; Hydrogen Sulfide (Escape); Hydrogen Fluoride; Chlorine Dioxide; Ammonia; Methylamine; Formaldehyde



Gas and Vapor Cartridges

Features:

- Lower profile so cartridges don't intrude into the work zone.
- Easy user seal check.
- Threaded connectors that fit North® half masks and full facepieces.

SKU	Resistance	For Model
068-N75001L	Organic Vapor	5500, 7700, 8500, 8800 Half Masks; 5400, RU6500, 7600 Full Facepieces



Particulate Filters

Features:

- Can be used alone with filter holder and cover (N750037) or with any Honeywell North N-series cartridge (with N750036).
- Low profile with curved top will not catch on pipes or other objects.

Filtration Grade: P100

SKU	Resistance	For Model
068-7580P100	All particulates	5500, RU8500 and 7700 Half Masks; 5400, RU6500 and 7600 Full Facepieces



The Safety Company



Advantage® Respirator Cartridges

Features:

- Advantageline of particulate, chemical, and combination cartridges are lightweight, low profile performance.
- Cartridges fit both 200 LS Half Mask and 3000 Full-Facepiece Advantage respirators.
- Comfortable, lightweight protection.
- Self-adjusting crown straps.
- Consists of a polyethylene shell and suspension system working together as a protection system.
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators.

Filtration Grade: P100

SKU	Resistance	For Model
454-815369	Chemical and Particulate Aerosols	Advantage® Respirators

QUALITY SAFETY IS WITHIN YOUR REACH



The **North 5500 Series Half Mask Respirator** delivers reliable protection without compromise—designed for comfort, durability, and performance in demanding environments. Whether you're facing particulates, vapors, or gases, this economical solution adapts to your needs with PAPR and CF-SAR compatibility.

SKU	DESCRIPTION
550030S	North 5500 Series Niosh-Approved Half Mask Respirator, Small (550030S), Black
550030M	North 5500 Series Niosh-Approved Half Mask Respirator, Medium (550030M), Black
550030L	North 5500 Series Niosh-Approved Half Mask Respirator, Large (550030L), Black





Comfo® Respirator Cartridges

Features:

- Cartridges fit Comfo®, Comfo® Classic, and certain half-mask and full-face Advantage Respirators with Adapter (809999).

SKU	Filtration Grade	Resistance
454-815180	P100	Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Particulates; Sulfur Dioxide (SD)
454-815182	P100	Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Particulates; Sulfur Dioxide (SD)



Gas Mask Facepiece for Ultravue and Ultra Elite Full Facepiece Respirators

Features:

- Ultravue facepiece is part of the Chin-Type Gas Mask, a protective system consisting of facepiece and canister.
- Scratch-resistant polycarbonate lens that provides a wide field of vision.
- Features a noseclip that helps reduce lens fogging in low temperature conditions or in high-humidity conditions.

SKU	Resistance	For Model
454-480247	Gases; Organic Vapor; Particulate Matter; Scratch	Ultravue Masks



Gas Mask Replacement Canisters

Features:

- Easy-to-install cartridges guard against ammonia, chlorine and phosphine.
- Canisters attach directly to the facepiece with a single port, standard thread filter connection at the chin.
- Provides lightweight, low profile performance.

Filtration Grade: P101

SKU	Resistance	For Model
454-10067491	Hydrogen Fluoride; Chlorine	Advantage® 3100 Facepieces; Ultravue® Facepieces; Ultra Elite® Facepieces



Particulate Filters

Features:

- The MSA air-line filter removes a minimum of 99 percent of 0.3 micron and larger particulates, including dusts, mists, fumes, smokes and petroleum vapors.
- Caution: It does not remove carbon monoxide.
- The air-line filter can be used at inlet pressures up to 125 psig.
- The pressure drop is one psig at a maximum rated air flow of 25 cubic feet per minute.

Filtration Grade: P100

SKU	Quantity	Resistance
454-815177	10 per package	Dust; Mist; Fumes
454-10153412	16 per package	Dust; Mist; Fumes

Cartridge Respirators



3M™ Full Facepiece Respirator 6000 Series

Features:

- Unique center adapter directs exhaled breath and moisture downward, and helps reduce debris from depositing in the valve.
- Smooth surface allows for quick and easy cleaning.
- Large lens provides a wide field of view and excellent visibility.
- 3M™ Cool Flow™ Valve provides cool, dry comfort.
- Lightweight well-balanced design and silicone face seal for enhanced comfort and durability.

SKU	Size Group	Resistance
142-6800	Medium	Gases; Vapors; Particulates
142-6900	Large	Gases; Vapors; Particulates



3M™ Half Facepiece Reusable Respirator 6000 Series

Features:

- Half facepiece drop down.
- Used with 2000, 6000 and 7000 Series filters and cartridges.
- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps.
- Just dispose of the cartridges/filters when used to capacity.

SKU	Resistance	Size Group	Body Material
142-6200	Gases; Vapors; Particulates	Medium	Thermoplastic Elastomer
142-6300	Gases; Vapors; Particulates	Large	TPE



5400 Series Low Maintenance Full Facepiece Respirators

Features:

- Lightweight design offers a level of comfort that ensures greater worker acceptance.
- Provides comfort and protection.
- The facepiece seal is made from a soft and pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.

SKU	Size Group	Resistance
068-54001	Medium/Large	Chemical; Contamination; Gas; Particulates



7600 Series Silicone Full Facepiece Respirators

Features:

- Designed to provide eye, face and respiratory protection while ensuring optimal comfort and performance.
- Its dual flange silicone seal gives this facepiece superior fitting characteristics.
- Lens provides 200 degree field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact resistance.
- Cartridge/filter sold separately.

SKU	Size Group	Resistance
068-760008AS	Small	Chemical; Contamination; Gas; Particulates
068-760008A	Medium/Large	Particulates; Chemical; Contamination; Gas



7700 Series Half Mask Respirators

Features:

- Silicone facepiece conforms to facial features.
- Contoured sealing flange and cradle suspension system eliminates discomfort.
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

SKU	Size Group	Resistance
068-770030M	Medium	Particulates; Chemical; Contamination; Gas
068-770030L	Large	Particulates; Chemical; Contamination; Gas



Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximized peripheral visions plus downward view for high impact.
- Wide viewing area provides distortion-free visibility and optical clarity.
- Five-point strap option includes center strap to help position and hold the mask for a more secure fit and offers quick, easy adjustments.
- Industrial mesh head net option provides another choice for user comfort preference and can be used under hard hat.

SKU	Size Group	Resistance
068-RU65001M	Medium	Gases; Particulates; Toxic Chemicals; Vapors



RU6500 Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximizes peripheral vision plus downward view.

SKU	Size Group	Resistance
068-RU65001L	Large	Contamination



7600 Series Full Facepiece With Welding Attachment

Features:

- Soft, flexible 100% silicone facepiece provides workers with a comfortable and secure fit.
- Wide sealing area fits more facial types.
- Nose cup provides less dead air space and channels exhaled breath out.
- Speech diaphragm is standard to amplify workers' conversations.
- Wide panoramic lens provides optimal field of vision in all directions.

SKU	Size Group	Resistance
068-760008AW	Medium/Large	Gases, Particulates and Vapors



Advantage® 3200 Full-Facepiece Respirator

Features:

- Full face respirator features state-of-the-art design to lower breathing resistance.
- Preset upper straps make the mask easy to put on/take off.

SKU	Size Group	Resistance
454-10028995	Medium	Particles; Gases
454-10028997	Large	Particles; Gases



Comfo Classic® Respirators

Features:

- SoftFeel® facepiece material increases the comfort factor dramatically.
- Unique face seal design that gives wearers an exceptional fit.
- Color-coded sizing system makes sorting and identification easy.

SKU	Size Group	Resistance
454-808076	Large	Airborne particulates; Chemical; Vapor; Dust

Disposable Respirators



3M™ N95 Particulate Respirators


Features:

- Adjustable noseclip reduces eyewear fogging and helps ensure a better fit and seal.
- Lightweight construction enhances worker comfort and wear time.
- Patented filter media with advanced electrostatically charged microfibers help make breathing easier and cooler for enhanced user comfort.

Size Group: One Size

Suspension: Two Fixed Straps

SKU	Filtration Grade	Quantity	Resistance
142-8511	N95	10 EA/BX	Dust; Non-Oil Particulates
142-8210	N95	20 EA/BX	Dust; Non-Oil Particulates
142-8200	N95	20 EA/BX	Certain Non-Oil Based Particles



2200 Series N95 Particulate Respirators

Features:

- For humid and/or dusty work environments, this is a mask that fits the bill.
- Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter.

Suspension: 2-Strap

SKU	Size Group	Quantity	Resistance
507-2200N95	Medium/Large	20 EA/BX	Non-Oil Based Particulates




2300 N95 2-Strap Particulate Respirators with Exhale Valve

Features:

- Exhale valve lets workers breathe easy and stay cool.
- Dura-Mesh® shell resists collapsing in heat and humidity.
- Molded nose bridge seals easily without a metal noseband.

Suspension: 2-Strap

SKU	Size Group	Quantity	Resistance
507-2300N95	Medium/Large	10 EA/BX	Non-Oil Based Particulate Aerosols



AirWave® N95 Plus Organic Vapor Relief Disposable Respirators

Features:

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors.
- FlexFit® design moves easily with your face and stays in place.
- Fits easily under welding hoods.
- Can be used against most welding fumes (free of oil).

Suspension: SmartStrap® Adjustable Strap with Full Flange

SKU	Size Group	Quantity	Resistance
507-4800	Medium/Large	10 EA/BX	Oil-Free Particulates

Escape Respirators



Mouthbit Escape Respirators

Features:

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations.
- Large, soft and flexible nose pads hold securely without pinching.
- Wider nose clip fits a variety of facial types.
- Silicone mouthpiece is more comfortable to wear over long periods.
- Packed in sealable plastic bag (carrying bag sold separately --79BAG).

SKU	Resistance
068-7902	Chlorine; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Sulfur Dioxide; Chloride Dioxide



W65 Self-Rescuer Respirators

Features:

- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions.
- One time use device for escape purposes only.

SKU	Includes	Resistance
454-455299	Protective Steel Case	Carbon Monoxide

Powered Air & Supplied Air System Parts & Accessories



Air-Supplied Respirator Constant Flow Control Valves

Features:

- Replacement continuous constant flow control valve provides consistent flow of air to respirator.
- Designed to work with Bullard® models; including, CC20, RT, Spectrum, GR50, 88VX, and GVX series.

SKU	Type
216-F30	1/4 in Industrial Interchange; Quick-Disconnect Nipple



EVA Battery Chargers

Features:

- Smart charger.
- Suitable for EVABAT1, EVABAT2 lithium-ion batteries.

SKU	Used With
216-EVABAT1	EVABAT1/EVABAT2 Batteries



3000 Filter Cover Retaining Clips

Features:

- Retaining clips for the filter cover of the PureFlo 3000 PAPR.
- Great for keeping your air-purifying protection systems running in peak condition.
- Eliminate snag hazards to allow work in tight spaces.

SKU	Used With
343-PF3000-03-061	3000 PAPR



3000 PAPR HEPA Filters

Features:

- Provides respiratory protection against fine dusts, and oil- and water-based mists.
- Lightweight design, high capacity filter media and low pressure drop respiration, enables filters to provide complete protection with optimal longevity.
- Designed to be easy to use and quick to change.

SKU	Used With	Quantity
343-PF3000-02-002	3000 PAPR	5 EA/PK
343-PF3000-02-002BP	3000 PAPR	25 EA/PK



3000 Pre-Filters

Features:

- To provide respiratory protection against dusts, mists and aerosols.
- For use with the PureFlo 3000 PAPR.

Color: White

SKU	Used With
343-PF3000-04-005	3000 PAPR



Faceshield Retaining Clips

Features:

- An accessory for the PureFlo 3000 Powered Air Purifying Respirator.
- These low-profile retaining clips eliminate snag hazards to allow work in tight spaces while keeping the ANSI-rated visor securely in place.

Color: Black

SKU	Used With
343-PF3000-03-016	3000 PAPR



Helmet Storage Bags

Features:

- Durable tear-resistant nylon shell bag to protect your PureFlo products from damage and scratches.
- Ensures a secure fit for all PureFlo PAPRs.
- Inside pocket allows you to store the batteries and charger.

Color: Black

SKU	Used With
343-PF3000-03-046	PureFlo ESM+ and 3000 PAPR



Tychem® QC Disposable PAPR Hoods

Features:

- Fully disposable, eliminating the need for decontamination.
- Helps protect the head from limited liquid chemical splashes and dusts when worn with the PureFlo ESM+ PAPRs.

Size Group: One Size

SKU	Used With	Type
343-PF3000-03-022	3000 PAPR	Disposable Drawstring Hood
343-PF3000-03-023	3000 PAPR	Disposable Slipover Hood



EVA Powered Air-Purifying Respirators

Features:

- Easy-to-read battery gauge displays the remaining battery capacity at a quick glance.
- Active Flow Technology automatically responds to a worker's need for more or less air flow.
- Two distinct audible alarms notify wearers of low battery and low air flow.
- EVA offers a single filter for easy use and ensures positive filter installation with a single click.

Batt. Type: Lithium Polymer

SKU	Includes
216-EVA20LF2M	Powered Air-Purifying Respirator (PAPR) Hood System; Battery; Charger; Breathing Tube; EVA Blower; HEPA Filters (PAPRFC3) Sold Separately



3000 Welding Powered Air Purifying Respirators

Features:

- Ergonomic modern design for continuous comfort even with the welding shield.
- NIOSH approved.
- No fit test, beard approved.
- No hose or PAPR worn interference when using a fall protection harness.
- Exposed ears for hearing protection and communications.

Size Group: 63/4 in to 8 in Head Range

Batt. Type: Lithium-Ion

SKU	Includes
343-PF3000-H2SB-03	Blue Hard Hat; Pro Deluxe Welding ADF; Spark Arrestor; FR Face Seal, HEPA Filter, Lithium-Ion Battery

HEAD/FACE PROTECTION

Faceshields & Visors



Visors

Features:

- Clear or shaded available.
- Durable and high-performance.

Thickness: 0.040 in

SKU	Lens Coating/Shade	Binding	Length	Height
101-3440-B-CL	Clear	Aluminum Bound	15-1/2 in	9 in
101-3440-U-CL	Clear	Unbound	15-1/2 in	9 in
101-3442-B-DG	Dark Green	Aluminum Bound	15-1/2 in	9 in
101-3465-5	Shade 5.0	Aluminum Bound	15-1/2 in	9 in
101-4199-C	Clear	Unbound	19 in	9-3/4 in




High Performance® Faceshield Windows

Features:

- Injection molded from propionate.
- Heat and scratch resistant.
- Fits easily and comfortably over required protective spectacles or respirators.

SKU	Lens Coating/Shade	Style
280-4178CL	Clear	Wide View
280-4178CLBP	Uncoated	Wide View
280-4178DGN	Dark Green	Wide View
280-4178IRUV5	Shade 5	Wide View
280-4199CL	Clear	Extended View
280-4199CLBP	Uncoated	Extended View
280-4199IRUV5	Shade 5	Extended View



Bionic® Face Shield Replacement Visors

Features:

- Provides reliable protection from airborne debris.
- Curved window provides unobstructed view.
- Reinforced polycarbonate construction.

SKU	Lens Coating/Shade	Lens Material	Height	Thickness
763-S8565	Uncoated/Shade 5.0	Polycarbonate	9-1/2 in	0.040 in



Bionic™ Faceshields

Features:

- Shell offers built-in chin protection and extended top-of-head coverage.
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application.
- Comfortable cell foam on back of headgear.
- Breathable, removable, washable headband.
- Comfortably worn with most goggles and respirators.

Length: 14-1/2 in

Height: 9-1/2 in

SKU	Lens Coating/Shade	Lens Material
763-S8500	Uncoated/Clear	Polycarbonate
763-S8510	HC/AF/Clear	Polycarbonate
763-S8555	(Anti-Fog/Anti-Scratch)	Polycarbonate



Cap Coil Spring Attachments

Features:

- Polyethylene spark deflector.
- For attaching any visor spark deflector combination, to any non-slotted cap.
- Metal device for non-slotted caps.
- Curved aluminum channel and coil spring attachment.

Material: Aluminum

SKU	Used With	Suspension
138-14393	SC-6, Sentry III, and Charger Hard Hats	Non-Slotted



F30 Acetate Faceshields

Features:

- Ideal for scratch resistance and premium optics.
- High-grade cast sheet acetate protects against splash.
- 99.9% UV protection.

Binding: Aluminum Bound

Length: 15.5 in

Height: 9 in

SKU	Lens Coating/Shade	Lens Material	Thickness
138-29079	Uncoated	Acetate	0.040 in
138-29091	Uncoated	Acetate	0.047 in



F60 Wire Faceshields

Features:

- Sturdy wire face shields are a durable choice for face protection.
- They are not intended for high-impact protection.
- Easy to use; apply over a face shield to dissipate heat.

Binding: Aluminum Bound

Length: 15.5 in

SKU	Lens Coating/Shade	Lens Material	Style	Height	Thickness
138-29055	Uncoated	Wire Mesh	C Shape	8 in	0.020 in
138-29081	Uncoated	Wire Mesh	E Shape	9 in	0.016 in



Universal Faceshields

Features:

- Superior face protection from dangerous liquid splashes and flying debris.

Length: 16 in

SKU	Lens Coating/Shade	Lens Material	Style	Height	Thickness
135-181640	Uncoated	PETG	Universal	8 in	0.04 in



V-Gard® Accessory System General Purpose Visors

Features:

- Provides maximum UV protection.
- Wider design for improved resistance to impact and splash hazards.

Binding: Unbound

Style: Contoured

Length: 17 in

Thickness: 0.060 in

SKU	Lens Coating/Shade	Lens Material	Style	Height
454-10115836	Anti-Fog; Anti-Scratch	Polycarbonate	Contoured	8 in



3000 Faceshields

Features:

- Faceshield with optional tear-off layers.

SKU	Lens Coating/Shade	Used With
343-PF3000-03-044	Clear	PureFlo® 3000 PAPR

Hard Hats & Caps



C30 Classic Cap Style Hard Hats

Features:

- Wider profile helps protect against sun exposure, rain, snow, and dust.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Accessory slots accept a wide variety of attachments.
- Front, side, and rear vertical height adjustment.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Adjusting Method: Ratchet

Material: HDPE; Polyethylene

Type: Non-Vented

Size Group: 6.5 in to 8 in

SKU	Color	Suspension
216-30DGR	Dove Gray	6-point Ratchet
216-30LPR	Light Pink	6-point Ratchet
216-30WHR	White	6-point Ratchet
216-30CBR	Chocolate Brown	6-point Ratchet
216-30ORR	Orange	6-point Ratchet
216-30KBR	Kentucky Blue	6-point Ratchet
216-30FGR	Forest Green	6-point Ratchet
216-30YLR	Yellow	6-point Ratchet
216-30HOR	Hi-Viz Orange	6-point Ratchet
216-30RDR	Red	6-point Ratchet



C30 Classic Full-Brim Hard Hats

Features:

- Wider profile helps protect against UV rays, glare, rain, and splash.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Front, side, and rear vertical height adjustment.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Adjusting Method: Ratchet

Material: HDPE; Polyethylene

Type: Non-Vented

Size Group: 6.5 in to 8 in

SKU	Color	Suspension
216-33HOR	Hi-Viz Orange	6-point Ratchet
216-33HYR	Hi-Viz Yellow	6-point Ratchet
216-33ORR	Orange	6-point Ratchet
216-33HGR	Hi-Viz Green	6-point Ratchet
216-33KBR	Kentucky Blue	6-point Ratchet
216-33YLR	Yellow	6-point Ratchet
216-33NBR	Navy Blue	6-point Ratchet
216-33WHR	White	6-point Ratchet
216-33LPR	Light Pink	6-point Ratchet
216-33RDR	Red	6-point Ratchet
216-33BKR	Black	6-point Ratchet
216-33CBR	Chocolate Brown	6-point Ratchet
216-33DGR	Dove Gray	6-point Ratchet



C71 Standard Full-Brim Hard Hats

Features:

- Lightweight, low profile, and has a low center of gravity, providing exceptional balance.
- Easy to adjust Flex-Gear® ratchet suspension.
- Vertical height adjustment capability (2 front, 2 rear) allow for a personal, secure fit.
- Optional Elastic (ES42) and Quick Release Nylon (R50) chin straps sold separately.

Adjusting Method: Ratchet

Material: HDPE; Polyethylene

Type: Non-Vented

Size Group: 6.5 in to 8 in

SKU	Color	Suspension
216-71FGR	Forest Green	4-point Ratchet
216-71GGR	Gull Gray	4-point Ratchet
216-71KBR	Kentucky Blue	4-point Ratchet
216-71SKR	Sky Blue	4-point Ratchet
216-71WHR	White	4-point Ratchet
216-71CBR	Chocolate Brown	4-point Ratchet
216-71YLR	Yellow	4-point Ratchet



SuperEight® E1 Hard Hats

Features:

- Dissipates force on impact by reducing it to smaller increments and spreading it over a greater area.

Adjusting Method: Ratchet

Material: Thermoplastic

Type: Full Brim Hard Hat

Size Group: One Size Fits Most

SKU	Color	Suspension
280-E1RW01A000	White	8 Point Ratchet



SuperEight® E2 Series Hard Caps

Features:

- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Adjusting Method: Ratchet

Material: Thermoplastic

Type: Cap Style Hard Hat

Size Group: Standard

SKU	Color	Suspension
280-E2RW01A000	White	8-point Ratchet



Fibre-Metal Climbing Style Safety Helmets

Features:

- The helmet incorporates an innovative suspension technology which helps to evenly distribute impact-generated force throughout the shell.

Adjusting Method: Ratchet

Material: HDPE

Type: Type II

SKU	Type	Color	Suspension
280-CSH11001	Vented	White	Dual Locking Ratchet Suspension
280-CSH10001	Non-Vented	White	Dual Locking Ratchet Suspension



Skullgard® Protective Caps and Hats

Features:

- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350° F.
- Smooth crown allows easy use of MSA welding equipment.

Adjusting Method: Ratchet

Material: Phenolic

Type: Non-Slotted

SKU	Type	Color	Size Group
454-475395	Cap	Natural Tan	Standard; 6-1/2 to 8
454-475405	Cap	Natural Tan	Large; 7-1/2 to 8-1/2
454-475408	Cap	White	Standard; 6-1/2 to 8
454-475407	Hat	Natural Tan	Standard; 6-1/2 to 8



V-Gard® H1 Trivent Safety Helmets

Features:

- Fas-Trac® III Pivot Ratchet Suspension for superior comfort, adjustability, and range of motion.
- Non-contact foam liner maximizes air flow and breathability for optimal cooling and hygiene.

Adjusting Method: 4-Point Chinstrap

Material: HDPE

Size Group: 6-1/2 to 8

SKU	Type	Color	Suspension
454-10194796	Novent	Hi-Viz Yellow/Green	Fas-Trac® III Pivot Ratchet
454-10194783	Trivent	White	Fas-Trac® III Pivot Ratchet
454-10194797	Novent	Orange	Fas-Trac® III Pivot Ratchet



V-Gard® H2™ Safety Helmets

Features:

- ANSI Z89.1 Type II certification with integrated chinstrap for enhanced protection against lateral impacts, including during slips, trips and falls.
- Optional Mips® brain protection system offers additional rotational impact protection to help reduce the risk of traumatic brain injury.
- Optional venting for improved air flow, cooling and reduced heat stress.
- Non-vented options for use in electrical applications where Class E certification is needed.
- Antimicrobial treatment of sweatband, crown pad & ratchet pad with Ionic+® high purity silver to eliminate odor-causing bacteria.

Material: ABS

Type: Type II

SKU	Color	Suspension
454-10242637	Yellow	Full Contact Ratchet
454-10242813	White	Full Contact Ratchet



V-Gard® Protective Hats

Features:

- Convenient caps and hats provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.

Adjusting Method: Ratchet

Material: Polyethylene

Type: Slotted

Size Group: Standard; 6-1/2 to 8

SKU	Color	Suspension
454-475369	White	Fas-Trac®



V-Gard® Slotted Hard Hat Caps

Features:

- Comfortable, durable protection.
- Polyethylene shell provides superior impact protection.
- Iconic V design has been a mainstay for many years on even the toughest worksites.

Adjusting Method: Ratchet

Material: Polyethylene

Type: Slotted

Size Group: 6-1/2 in to 8 in; Standard

SKU	Color	Suspension
454-475358	White	Fas-Trac® III

Hard Hat & Cap Parts & Accessories



Face Shield Brackets

Features:

- Ergonomic design with easy-to-grip knobs.
- Band-mounted brackets that fit Bullard® hard hats and bump caps; including, competitor models.
- Visor retainer system that securely locks visor in place.
- Dielectric brackets are made from lightweight, durable nylon that is ideal for general-duty applications.

Material: Nylon

SKU	Used With
216-300BW	911 Models; 9C and 9H Hard Hats



High-Heat Series Suspension Replacements

Features:

- Designed specifically for use in high-heat environments.
- Used with high-heat series cap style or full brim hard hats.

Material: ABS/HDPE; Nylon Straps; Cotton Brow Pad

Color: Yellow

SKU	Used With
216-FRS6RC	High-Heat Series Cap Style and Full Brim Hard Hats



High Performance® Faceshield Systems for Hard Hats

Features:

- Made from Noryl®, the same material used in our welding helmets.
- Includes crown plus hard hat attachment.

Material: Noryl®

Color: Gray

SKU	Used With	Crown Size
280-F5400	E2 Series; P2 Series	4 inch
280-F5500	E2 Series; P2 Series	7 inch



FULL PROTECTION. FULL BRIM.



V-Gard H2® Full Brim Safety Helmet.

The new V-Gard H2 Full Brim Safety Helmet is the Type II hard hat you've been asking for, offering top and lateral impact protection with a full brim design. From MSA, the leader in head protection. Learn more at <http://msasafety.com/vgard-h2-full-brim>





High Performance® Hard Hat Faceshield Headgears

Features:

- Made from Noryl®, the same material used in our welding helmets.
- Exceptionally lightweight and comfortable.
- Allows space for air circulation to prevent fogging.
- Accommodates a full selection of standard size windows.

Material: Noryl®

Color: Gray

SKU	Crown Size	Suspension
280-F400	4 inch	Ratchet
280-F500	7 inch	Ratchet



Fas-Trac® III Replacement Suspensions

Features:

- Ratchet suspension and flush rear lug attachments eliminate pressure points for additional wearer comfort.
- Three levels of nape strap adjustment ensure a customized fit.
- Graspable ratchet with ultra-smooth rotation and steadfast hold.

Material: Plastic/Nylon

SKU	Color	Used With
454-10148708	Black	V-Gard®; V-Gard 500; V-Gard GREEN; SmoothDome®
454-10153385	Gray	MSA Skullgard® Helmets



Sun Shields

Features:

- Front portion is Lexan tinted.
- Protects wearer's ears and neck from sun rays.
- Extends brim all the way around.

Material: Polyurethane

Color: Gray

SKU	Used With	Suspension
454-697410	V-Gard	Attaches to Brim



V-Gard® H2™ Safety Helmet Replacement Parts

Features:

- Replacement parts for V-Gard H2™ safety helmets.
- Provides superior comfort and versatility while incorporating the latest technology to help protect against lateral impacts.

Material: Nylon

Color: Black

SKU	Used With
454-10242641	V-Gard H2™ Safety Helmet



V-Gard® Visor Frames for General Purposes

Features:

- Stowable slot adaptors secure frame tightly in slotted MSA caps, and allow frame to work with or without earmuffs.
- Sliding adjustment blades allow visor to work with most half-mask respirators and other PPE worn under a visor.

Material: High Density Polyethylene (HDPE)

Color: Black; Green

SKU	Used With
454-10115730	MSA Slotted Caps

Welding Helmets



Pipelinertm Welding Helmets

Features:

- Compact design allows access to areas where there is no room for a standard helmet.
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work.

Window Size: 2 in x 4-1/4 in

SKU	Lens Coating/Shade	Material	Suspension
280-110-WH	#10	Thermoplastic	I-CR Ratchet Headgear
280-110PWE	#10	Fiberglass	Rubber Headband

FIBRE-METAL®
 BY PIP


Tigerhood™ Classic Welding Helmets

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.
- Available in a variety of colors.

Window Size: 2 in x 4-1/4 in

Material: Thermoplastic

SKU	Lens Coating/Shade	Style
280-5906GY	#10	Lift Front Glass Holder
280-906GY	#10	Tigerhood Classic

Welding Helmet Parts & Accessories

FIBRE-METAL®
 BY PIP


Custom-fit Replacement Headgear

Features:

- Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position.
- Exclusive "free-floating" arms balance and stabilize the helmet while minimizing pressure points.
- Strip-proof ratchet head size adjustment provides small increment sizing.

Adjustment Method: Ratchet

Type: Pipeliner

SKU	Used With	Suspension
280-1CR	F300 Series	Ratchet

JACKSON®
 SAFETY


170SB Headgear

Features:

- Spark deflector for visor use without a safety cap.
- Fully dielectric.
- Secured with integral plastic lugs.

Style: Partial Crown

SKU	Adjustment Method	Suspension
138-14940	370 Speed Dial™	Ratchet

JACKSON®
 SAFETY


HDG10 Face Shield Headgear

Features:

- Has spark deflector.
- Soft, absorbent, wrap-around, foam cushioned sweatband gently hugs natural shape of head.

Adjustment Method: Increment - 1/16 in

Type: Headgear

SKU	Adjustment Method	Suspension
138-14381	Increment - 1/16 in	Ratchet



Cover Lens

Features:

- Convenient protective cover lens is resistant to abrasion, pitting, spatter, chemicals and solvents.
- Optically correct and balanced.
- Provides superior welding lens protection.

SKU	Lens Coating/ Shade	Window Size	Material
901-SP-1	Clear	2 in x 4-1/4 in	70% CR-39 Plastic
901-SP-2	Clear	2 in x 4-1/2 in	100% CR-39 Plastic



Glass Filter Plates

Features:

- Best Welds filter plates offer ultimate protection against ultraviolet and infrared rays present in the welding environment.
- Precision ground and edged to allow a safe and proper fit.
- Precisely shaded and optically correct.

Window Size: 2 in x 4-1/4 in

Material: Hardened Glass

Color: Green

SKU	Lens Coating/ Shade
901-932-105-10	10



Safety Plate

Features:

- Safety plate provides strong impact resistance for added safety.
- Optically correct and balanced.
- Light-weight.

Material: Polycarbonate

Color: Clear

SKU	Style	Lens Coating/ Shade	Window Size
901-932-440	Rectangular	Clear	2 in x 4-1/4 in
901-932-442	Rectangular	Clear	4-1/2 in x 5-1/4 in



Spatter Lenses

Features:

- Works with the PureFlo 3000 PAPP.
- External spatter lens is for welding only.

SKU	Lens Coating/ Shade	Type
343-PF3000-03-013	Clear	External Splatter Lens
343-PF3000-04-016	ADF	Internal ADF Splatter Lens



Speedy-Loop™ Mounting Systems

Features:

- Easy on/off system for mounting welding helmets onto protective caps.
- Fully adjustable.

Color: Gray

Material: Plastic

Size: Adjustable

SKU	Used With	Type
280-5000-H5	Fibre-Metal Protective Caps	Speedy-Loop Mounting System

Welder Caps & Doo Rags



Series 2000 Reversible Caps

Features:

- 6 panel, round crown, super soft brim reversible welders cap with custom print on 1 side and solid color on other.
- Caps are medium-crowned in order to cover welder's ears and neck, as well as round-crowned for that great look and fit.

SKU	Color	Size Group	Material
118-2000E	Assorted Prints	One Size Fits Most	Cotton

EAR PROTECTION

Earmuffs



3M™ PELTOR™ Optime™ 105 Earmuffs

Features:

- Liquid/foam filled earmuff cushions.
- Features double-shell technology to provide effective hearing.
- Earcup pivot points that tilt for optimum comfort and efficiency.

SKU	Noise Reduction	Used With	Mounting
247-H10B	29 dB	Hard Hats	Behind-the-Head



QM24PLUS® Earmuffs

Features:

- The dielectric QM24PLUS® is an ultra-lightweight, three-position earmuff designed for extended wear at a valued price.
- QM24PLUS® features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin.
- Soft foam cushions are easy-to-clean with soap and water, and can be replaced for extended use.

SKU	Noise Reduction	Mounting
154-QM24PLUS	25 dB	Multiple-Position Headband



VeriShield™ 100 Series Passive Earmuffs

Features:

- Large dimension range provides comfortable fit that is 17 percent more adjustable than earlier versions.
- Wide cup opening area increased by 16 percent over earlier versions.
- New unique memory foam combines denser and softer foam than previous models, suitable for wearers with sensitive ear canals or for wearing with hearing aids.
- Air Flow Control technology for optimum attenuations across all frequencies.
- Available in over-the-head, hard hat, and neckband styles.

SKU	Noise Reduction	Mounting
154-1035108-VS	30 dB	Over-the-Head



SoundControl® SH Cap Earmuffs

Features:

- Spring design offers low pressure and a high level of comfort.
- Three distinct wearing positions for ease of use.
- Excellent grip makes it easy to adjust the cups, even when wearing gloves.

SKU	Noise Reduction	Used With
454-10129327	25 dB	MSA Slotted Caps/Full-Brim Hats

Earplug Parts & Accessories



PlugStation® Earplug Dispensers

Features:

- High visibility to increase awareness for your hearing conservation program.
- Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.

Includes: Dispensers with Uncorded Earplugs; Mounting Brackets

SKU	Quantity
507-6644	(6) Dispensers; (6) Mounting Brackets; 250 Pairs/Dispenser
507-6645	(4) Dispensers; (4) Mounting Brackets; 500 Pairs/Dispenser

Earplugs



3M™ E-A-R™ Classic™ Foam Earplugs

Features:

- Flame-retardant.
- Moisture resistant.
- Shape prevents shifting and keeps effectiveness of noise seal constant.
- Slow recovery PVC foam provides comfort with low pressure.

SKU	Noise Reduction	Body Material	Type	Quantity
247-310-1001	29 dB	Polymer Foam	Uncorded	200 PR/BX



3M™ E-A-R™ Push-Ins Foam Earplugs

Features:

- No roll down earplugs.
- The patented E-A-R™ form foam tip is shaped and sized to mold comfortably to fit virtually every sized canal.
- The the unique foam actually softens and becomes more pliable with body temperature, the seal and comfort increases the longer the plugs are worn.

SKU	Noise Reduction	Body Material	Type	Quantity
247-318-1001	28 dB	Polyurethane	Corded	100 PR/BX



3M™ Foam Earplugs

Features:

- Smooth, dirt resistant surface for hygiene.
- Tapered shape to fit the ear canal comfortably.
- Hypo-allergenic material.
- Comfortable for a wide range of ear sizes.

SKU	Noise Reduction	Body Material	Type	Quantity
142-1100	29 dB	Foam	Uncorded Tapered	200 PR/BX



AirSoft® Reusable Earplugs

Features:

- Advanced air pocket design features internal noise-blocking fins.
- Rounded flanges, tapered shape fits better in the ear canal.
- Firm stem facilitates easy insertion and removal.
- Four-flange profile creates better seal in the ear canal.
- Less pressure in the ear canal eliminates that "plugged up" feeling.

Body Material: Thermoplastic Elastomer

SKU	Noise Reduction	Color	Type	Quantity
154-DPAS-30R	27 dB	Blue/Red Cord	Corded	100 PR/BX
154-DPAS-30W	27 dB	Blue/White Cord	Corded	100 PR/BX



Fusion® Multiple-Use Earplugs

Features:

- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal.
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection.
- Unique detachable nylon cord system adapts to virtually any application.

SKU	Noise Reduction	Color	Type	Quantity
154-FUS30-HP	27 dB	Blue/Yellow	Corded	100 PR/BX
154-FUS30S-HP	27 dB	Green	Corded	100 PR/BX



Laser Lite® Disposable Earplugs

Features:

- Vibrant colors make protection visible.
- Self-adjusting polyurethane foam expands to fit virtually every wearer.

Body Material: Polyurethane Foam

SKU	Noise Reduction	Type	Quantity
154-LL-30	32 dB	Corded	100 PR/BX
154-LL-1	32 dB	Uncorded	200 PR/BX
154-LL-1-D	32 dB	Uncorded	500 PR/BX



Laser Trak® Detectable Earplugs

Features:

- Non-ferrous metal grommet and bright colors — easily detected by visual and automated inspection.
- Self-adjusting polyurethane foam expands to fit virtually any wearer.
- Contoured T-shape for easy insertion and wear.

SKU	Noise Reduction	Body Material	Type	Quantity
154-LT-30	32 dB	Foam	Corded	100 PR/BX



MAXIMUM Disposable Earplugs

Features:

- Contoured design easier to insert, resists tendency to back out of ear canal.
- Polyurethane foam enhances comfort, especially for long-term wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bell shape delivers maximum in-ear comfort.
- Also available in small size.

SKU	Noise Reduction	Body Material	Type	Quantity
154-MAX-30	33 dB	Polyurethane Foam	Corded	100 PR/BX
154-MAX-1	33 dB	Polyurethane Foam	Uncorded	200 PR/BX
154-MAX-1-D	33 dB	Foam	Uncorded	500 PR/BX




MAXIMUM LITE Disposable Earplugs

Features:

- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

Color: Green

SKU	Noise Reduction	Body Material	Type	Quantity
154-LPF-30	30 dB	Foam	Corded	100 PR/BX
154-LPF-1	30 dB	Foam	Uncorded	200 PR/BX
154-LPF-1-D	30 dB	Foam	Uncorded	500 PR/BX



QB1® HYG Banded Earplugs

Features:

- Designed for people who are exposed to intermittent noise, QB1HYG offers superior protection with its inner-aural fit.
- Smooth, ergonomic pods fit inside the ear canal for maximum protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down.

SKU	Noise Reduction	Body Material	Type	Quantity
154-QB1HYG	27 dB	Polypropylene Vinyl	Banded	10 PR/BOX



Quiet® Reusable Earplugs

Features:

- Patented "no-roll" design is easy to handle and fit.
- Contoured shape comfortably matches contours of the ear canal.
- Built-in insertion stem makes insertion quick and easy.
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use.

SKU	Noise Reduction	Body Material	Type	Quantity
154-QD30	26 dB	Foam	Corded	100 PR/BX



SmartFit® Reusable Earplugs

Features:

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed.
- Delivers superior comfort and a truly individual fit.
- Simplifies inventory control - a single product can fit almost every wearer.

SKU	Noise Reduction	Body Material	Type	Quantity
154-SMF-30	25 dB	TPE	Corded	100 PR/BX



Pura-Fit® Foam Earplugs

Features:

- Long length for easy fitting and removal.
- Bright color for easy compliance checks.
- Tapered design to fit the ear canal.
- Non-irritating, smooth surface for added comfort.

SKU	Noise Reduction	Body Material	Type	Quantity
507-6800	33 dB	Foam	Uncorded	200 PR/BX



SparkPlugs® Foam Earplugs

Features:

- Extra soft foam and tapered design fit snugly and comfortable in the ear.
- Bright, fun colors provide easy compliance checks.

SKU	Noise Reduction	Type	Quantity
507-6654	33 dB	Corded	100 PR/BX
507-6604	33 dB	Uncorded	200 PR/BX



SparkPlugs® Metal Detectable Foam Earplugs

Features:

- Bright, fun colors provide easy compliance checks.
- Metal detectable for food processing applications.
- The ball bearing and cord are in separate holes so that the ear plugs remain detectable even if the cord is removed.
- The ear plugs are corded to prevent ear plug loss.
- Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure.

SKU	Noise Reduction	Body Material	Type	Quantity
507-6615	33 dB	Foam	Metal Detectable with Cord	100 PR/BX

EYE PROTECTION

Safety Glasses



Clear Frameless Safety Glasses

Features:

- These clear frameless safety glasses are scratch resistant.
- Good for everyday use or a visitor spec.
- Lightweight glasses that are good for long term wear.

SKU	Frame Color	Lens Material	Resistance
101-VSC110	Clear	Polycarbonate	Scratch Resistant



Rush+ Series Safety Glasses

Features:

- Features high impact 2.2 mm polycarbonate lens.
- High-contour, single-piece lens with 180° distortion-free viewing.
- Provides upper brow protection.
- Platinum® anti-fog/anti-scratch coating on both sides.
- Anti-slip silicone nose pads.

Lens Material: Polycarbonate

Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

Resistance: Fog; Scratch

SKU	Frame Color	Temple Color	Lens Tint
286-40208	Black	Gray/Red	Gray
286-41080	Black/Red	Gray/Red	Clear
286-40256	Green/Blue	Blue	Clear



MX300 Anti-Fog Safety Glasses

Features:

- LTX® Lens Technology for premium optical clarity.
- Dual-injection soft-grip side arms for slip-free, stable fit.
- Soft nose piece for comfortable yet durable fit.

SKU	Lens Tint	Lens Coating/Shade	Resistance
572-11-13001-02	Clear	TruShield®	Scratch



VS250 Anti-Fog Safety Glasses

Features:

- Soft, non-slip, adaptive side arms for optimum comfort.
- Extra soft, adjustable nose piece provides a comfortable and customized fit.
- LTX® Lens Technology for premium optical clarity.

Lens Tint: Clear

SKU	Lens Coating/Shade
572-11-15002-05	TruShield®2SF
572-11-15001-04	TruShield®S



A800 Series Safety Glasses

Features:

- Soft padded inserts run down the length of the temple.
- Soft nosepiece for added comfort.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
812-A800	Clear	Clear	Hard Coat	Scratch
812-A805	Clear	Clear	Fog-Ban® Anti-Fog	Fog; Impact



Astrospec OTG® 3001 Eyewear

Features:

- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
763-S2500	Black	Black	Anti-Scratch; Hard Coat	Scratch
763-S2500C	Black	Black	Anti-Fog	Fog



Hypershock™ Safety Eyewear

Features:

- Design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit.
- 100% dielectric, can be worn in environments where accidental exposure to electrical charge is possible.

Lens Tint: Gray

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
763-S2941HS	Matte Black	Matte Black	HydroShield™ AF	Fog



Protégé Eyewear

Features:

- Proprietary Floating Lens™ design offers increased flexibility for better fit.
- Secure wrap-around brow expands to fit a wide range of users.
- Soft temple tip pads.
- Soft and clear nose pads prevent slipping.
- Available in HydroShield® Anti-Fog and Ultradura® Anti-Scratch Hardcoat coatings.

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint	Lens Coating/Shade	Resistance
763-S4200HS	Black	Clear	HydroShield™ Anti-Fog	Fog



Uvex Genesis® Safety Eyewear

Features:

- Dual 9-base wraparound lens provides uncompromised peripheral vision and protection.
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage.
- Soft elastomer brow guard diffuses and deflects impact.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
763-S3200	Black	Black	Ultra-dura® HC	Scratch
763-S3200HS	Black	Black	HydroShield™ Anti-Fog	Fog



V30 Nemesis™ Polarized Safety Glasses

Features:

- Features a sporty, flexible, lightweight design.
- Tinted lenses are polarized for superior optical clarity, even outdoors as sunglasses in bright sunlight.
- Reduces the glare of reflected light, decreasing the risk of eye stress and eye fatigue.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.

Lens Tint: Smoke

Lens Material: Polycarbonate

SKU	Frame Color	Lens Coating/Shade	Resistance
412-28635	Gunmetal	Polarized	99% UVA/UVB/UVC; Scratch



V30 Nemesis™ Safety Glasses

Features:

- Safety glasses feature a sporty, flexible, lightweight design.
- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.
- Includes neck cord for securing them, so that the glasses are ready to protect at a moment's notice.

Resistance: 99.9% UVA/UVB/UVC

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/Shade
412-14481	Black	Black	Blue Mirror	Mirror
412-25659	Black	Black	Amber	Uncoated
412-25676	Black	Black	Clear	Uncoated
412-25679	Black	Black	Clear	Anti-Fog
412-25685	Black	Black	Indoor/Outdoor	Uncoated
412-25688	Black	Black	Smoke Mirror	Mirror
412-25692	Black	Black	IRUV Shade 3	Uncoated; IRUV Shade 3
412-19639	Blue	Black	Light Blue	Uncoated
412-19644	Camouflage	Camouflage	Bronze	Uncoated
412-22475	Black	Black	Smoke	Anti-Fog
412-22609	Camouflage	Camouflage	Smoke	Anti-Fog
412-22611	Red	Red	Smoke	Anti-Fog



V40 Hellraiser™ Safety Glasses

Features:

- Comfortable eye protection helps drive compliance, so these feature flex point temples for comfort and stability.
- High-performance, durable polycarbonate lenses, which provide 99.9% UV protection (UVA/UVB/UVC).

Lens Tint: Smoke

Lens Material: Polycarbonate

SKU	Frame Color	Lens Coating/Shade	Resistance
412-25714	Black	Uncoated	99.9% UV Protection (UVA/UVB/UVC)



V50 OTG Safety Glasses

Features:

- Made with a nylon frame for strength, durability, and comfort and fits over most prescription glasses.
- See-through side shields provide side impact protection without blocking peripheral vision.

Lens Material: Polycarbonate

Resistance: 99.9% UV Protection (UVA/UVB/UVC); Fog

SKU	Frame Color	Lens Tint	Lens Coating/Shade
412-20746	Black	Clear	Anti-Fog



V60 Nemesis™ Rx Readers Prescription Safety Glasses

Features:

- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.

Lens Material: Polycarbonate

Lens Coating/Shade: Hard Coated

Resistance: 99.9% UVA/UVB/UVC; Scratch

SKU	Frame Color	Temple Color	Lens Tint	Diopter Strength
412-28621	Black	Black	Clear	+1.5
412-28624	Black	Black	Clear	+2.0
412-28627	Black	Black	Clear	+2.5
412-22518	Black	Black	Smoke	+2.0



BearKat® BK1 Series Safety Glasses

Features:

- The BearKat® BK1's super well thought-out construction combines the best in safety, comfort, and affordability.
- Your vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety.
- Comfort is enhanced by the flexible temples and the non-slip temple sleeves are notched for a clip-on breakaway cord.

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint	Lens Coating/Shade	Resistance
135-BK110	Clear	Clear	Duramass® Scratch-Resistant	Scratch
135-BK110AF	Clear	Clear	Anti-Fog; Duramass® Scratch-Resistant	Anti-Fog; Scratch
135-BK112	Gray	Gray	Duramass® Scratch-Resistant	Scratch



Checklite® CL1 Frameless Safety Glasses

Features:

- Rugged polycarbonate lens.
- Filters 99.9% of harmful UV rays.
- Smaller frame sized to fit smaller faces.
- Good for everyday use or a new visitor spec.
- Options available with Duramass® scratch resistant coating or UV-AF® anti-fog coating.

Lens Material: Polycarbonate Lens with Nose Piece

Frame Color: Clear Polycarbonate

SKU	Lens Tint	Lens Coating/Shade	Resistance
135-CL110	Clear	Duramass® Hard Coat	99.9% UV; Scratch



Elite® Safety Glasses

Features:

- Designed to be both stylish and comfortable.
- Dual lens offer wrap-around protection, and the wide temple provides structural integrity and stability.
- Lightweight and feature a retro design that provides a stylish fashion statement.
- Provides 99.9% UV protection (UVA/UVB/UVC).
- Includes a Smith & Wesson® branded microfiber carry bag that doubles as a cleaning cloth.
- Available in a variety of styles.

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint	Lens Coating/Shade	Resistance
412-21303	Black	Smoke	Uncoated	99.9% UVA/UVB/UVC

Safety Glass Parts & Accessories



Lens Cleaning Towelette Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Strategic placement of towelette dispensers throughout a facility will promote proper lens cleaning habits and extend the life of prescription and non-prescription eyewear.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.

SKU	Quantity	Length
101-70-AB	100 Packaged Towelettes	8 in



Fog Eliminator Plus

Features:

- Uvex® Fog Eliminator Plus now delivers 8 hours of anti-fog protection based on an extreme environment effectiveness (EEE) test at 122° F and 80% humidity for one hour.
- Fog Eliminator Plus Cloth and Gel on AF coating represents a minimum ~60X extension of the fog free time vs. AF coating alone.

Width: 5.25 in

SKU	Quantity	Length
763-S479	100 EA/BX	2.25 in



VisionAid™ Slip-On Sideshields

Features:

- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.
- Easy-on, easy-off.

SKU	Width
292-99705	2 in

Safety Goggles



Flex Seal™ Goggles

Features:

- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection.
- Cured silicone body stays soft and supple in extreme temperatures.
- Fits over most prescription eyewear.

Lens Material: Polycarbonate

Frame Material: Silicone

Ventilation: Indirect

Strap Material: Neoprene

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S3400HS	Navy	Clear	Anti-Fog; Hydrophilic; Hydrophobic; Scratch-Resistant



Stealth® Goggles

Features:

- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.
- Prescription insert available.

Lens Coating/Shade: HydroShield® Anti-Fog

Lens Material: Polycarbonate

Frame Material: Polypropylene with Elastomer

Ventilation: Indirect Vent

Strap Material: Neoprene

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S3960HS	Gray	Clear	HydroShield® Anti-Fog
763-S39610HS	Teal	Clear	HydroShield® Anti-Fog



Stealth® OTG Goggles

Features:

- Low profile, wrap-around design fits comfortably over most prescription eyewear.
- Pivoting headband clip and wide adjustable slide headband provides flexibility and all-day comfort.
- Easy lens replacement system.

Lens Material: Polycarbonate

Frame Material: Elastomer

Ventilation: Indirect

Strap Material: Neoprene

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S3970HS	Navy	Clear	Uvextreme Anti-fog; Ultra-dura Anti-scratch



Uvex Sub-Zero™ Goggles

Features:

- Top and bottom ventilation help create airflow to further minimize fogging.
- Soft face foam and a wide adjustable headband provide a comfortable fit.
- Ski-inspired styling for cold and extreme weather conditions.
- Easy and economical lens replacement system.

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S2380	Black	Clear	HydroShield® Anti-Fog



GPL500 Series Premium Goggles with Detachable Face Shield

Features:

- Ultra-soft body design conforms to your face for superior comfort, fit and safety.
- Made with indirect vents for added protection from dust and chemical splash.
- Optically correct lens delivers and exceptional panoramic view.

Lens Material: Polycarbonate

Ventilation: Indirect

Strap Material: Silicone

SKU	Frame Color	Lens Tint	Lens Coating/Shade
138-21000	Blue	Clear	Anti-Fog



V80 Wildcat™ Goggles

Features:

- Extreme heat resistance, will not melt, drip, ignite at 350°.
- Adjustable side vents help increase airflow.
- Fits naturally to the contour of your face.
- Lightweight and comfortable with a pivot headband for optimal placement.
- Metal-free design to minimize electrical transference risk.

Lens Material: Polycarbonate

Ventilation: Adjustable Side Vents

Strap Material: Nylon Button; Polyester and Natural Rubber

SKU	Frame Color	Lens Tint	Lens Coating/Shade
412-20529	Black	IRUV Shade 5.0	Anti-Fog



V90 Shields with Monogoggle™ XTR OTG Goggles

Features:

- Provides eye and full face protection from liquids and particles without the hassle of primary eye protection underneath a face shield mask.
- The shield has a D3 rating for droplet and splash protection.

Lens Material: Polycarbonate Face Shield and Goggles

Ventilation: Goggles with Indirect Ventilation

Strap Material: Polyester/Rubber Weave

SKU	Frame Color	Lens Tint	Lens Coating/Shade
412-18629	Blue	Clear	Anti-Fog

Safety Goggles Protection Parts & Accessories



Stealth® Replacement Lenses with HydroShield™

Features:

- Keeps lenses clear by first absorbing and then repelling moisture to the sides of the lens once a saturation point has been reached.

Lens Material: Polycarbonate

Material: Polycarbonate

Size Group: Universal

SKU	Frame Color	Lens Tint	Lens Coating/Shade
763-S700HS	Clear	Clear	Anti-Scratch; Anti-Fog

HAND PROTECTION

Gloves



Ninja® BNF Gloves

Features:

- Sturdy gloves made with a breathable nitrile foam (BNF) coating on palm and fingertips for added protection.
- Gloves provide great dexterity, flexibility, and protection.
- Ergonomic design minimizes hand fatigue.
- Gloves ensure excellent grip, wet or dry.

SKU	Size Group	Coating	Cuff Style	Color	Material
127-N96793L	Large	Nitrile	Knit-Wrist	Black/Gray	Nitrile; Nylon



Ninja® Ice HPT® Fully Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- At the same time, allows air to flow through which in turns keeps hands dry.
- Coating remains soft in temperatures as low as -4° F.
- Encapsulated air molecules provide a cushioning effect to minimize impact.

Color: Black

Material: Acrylic; HPT®; Nylon

SKU	Size Group	Lining	Cuff Style
127-N9690FCL	Large	7 ga Acrylic Terry	Knit-Wrist
127-N9690FCXL	X-Large	7 ga Acrylic Terry	Knit-Wrist



Ninja® Ice HPT® Palm/Fingertip Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- At the same time, allows air to flow through which in turns keeps hands dry.
- Coating remains soft in temperatures as low as -4° F.

Color: Black

Material: Acrylic; HPT®; Nylon

SKU	Size Group	Lining	Cuff Style
127-N9690M	Medium	7 ga Acrylic Terry	Knit-Wrist
127-N9690L	Large	7 ga Acrylic Terry	Knit-Wrist



Ninja® Lite N9696 18-ga Nylon PU Coated Gloves

Features:

- Shell is palm/fingertips coated with polyurethane (PU).
- Sanitized with ActiFresh® to prevent odors and bacteria.

SKU	Size Group	Color	Cuff Style
127-N9696L	Large	Black/Blue	Knit-Wrist



Ninja® X Bi-Polymer Coated Palm Gloves

Features:

- Durable gloves with a shell blended from nylon/lycra with a proprietary bi-polymer coating.
- A perfect combination of durability and softness.
- Comfortable gloves allow full dexterity and sense of touch.

SKU	Size Group	Cuff Style	Color	Material
127-N9674L	Large	Knit-Wrist	Black	Nylon; Lycra



MaxiFlex® Endurance™ MicroFoam Grip/Micro Dot Palm Coated Gloves

Features:

- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Touchscreen compatible

Coating: Nitrile

Cuff Style: Knit Wrist

Material: Nitrile; Nylon with Lycra®; Seamless Knit

SKU	Size Group	Style
112-34-844/L	Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-844/XL	X-Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-845/XL	X-Large	34-845 MicroFoam Coated Grip on Palm/Finger/ Knuckle Coated and Micro Dot Palm



MaxiFlex® Ultimate™ Nitrile Coated Micro-Foam Grip Gloves

Features:

- Ideal for precision handling in dry environments.

SKU	Size Group	Cuff Style	Color
112-34-874/M	Medium	Knit-Wrist	Black; Gray
112-34-874/L	Large	Knit-Wrist	Black; Gray
112-34-874/XL	X-Large	Knit-Wrist	Black; Gray
112-34-874/XXL	2X-Large	Knit-Wrist	Black; Gray
112-34-874/XXXL	3X-Large	Knit-Wrist	Black; Gray



370B General Purpose Nitrile Coated Fingers/Palm Gloves

Features:

- Perfect for precise handling and general assembly, these durable gloves feature ultimate grip and comfort.
- Unique form-fitting, ergonomic design fits like a second skin, allowing for unmatched tactile precision.

Material: Nylon; Seamless Knit

SKU	Size Group	Cuff Style	Color
845-370BL-08	Large	Elasticated Wrist	Black; Gray



381 Ultra-Lightweight Nitrile Coated Gloves

Features:

- Embossed nitrile palm finish disperses oil to increase grip and longevity in light oily environments.
- The 0.84 mm finger thickness provides an excellent level of tactility and sensitivity.
- Exceptional suppleness, comfort and fit.
- Protects from oils, grease and abrasion

Material: Engineered Yarn; Microfiber; Seamless Knit

SKU	Size Group	Cuff Style	Color
845-381L-08	Large	Knit-Wrist	Gray



Atlas Fit® 350 Nitrile-Coated Gloves

Features:

- Superior dexterity and flexibility.
- Surface provides tactile feel and secure grip.
- Breathable back of hand minimizes perspiration.

Material: Cotton; Polyester

SKU	Size Group	Cuff Style	Color
845-350L-09	Large	Atlas Fit® 350	Gray/Green



ATLAS® 300 Latex Coated Fingertips/Palm Gloves

Features:

- General-purpose glove is ergonomically designed to improve performance and comfort over a range of applications.
- Breathable open-back design maintains a comfortable temperature.
- Seamless knit with cotton polyester liner.

Material: Cotton/Polyester Seamless Knit

SKU	Size Group	Cuff Style	Color
845-300S-07	Small	Elastic Knit-Wrist	Blue; Gray
845-300M-08	Medium	Elastic Knit-Wrist	Blue; Gray
845-300L-09	Large	Elastic Knit-Wrist	Blue; Gray
845-300XL-10	X-Large	Elastic Knit-Wrist	Blue; Gray



KPG® PVC Coated Gloves

Features:

- Enjoy comfort and security, with coated seamless knit cotton liner gloves.
- Sturdy, PVC coating provides superior protection against abrasions, punctures and cuts.
- Easy slip-on style for added comfort.

Material: Cotton; PVC

SKU	Size Group	Cuff Style	Color
845-960M-09	Medium	Slip-On	Yellow



Cotton/Polyester Corded Double-Palm with Nap-In Finish Gloves

Features:

- Cotton/polyester construction is breathable and decreases hand fatigue.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Clute cut provides a roomy fit and straight thumb increases comfort in closed-fisted work.
- Double palm provides additional weight, durability, and protection.

Material: Cotton/Polyester; Fully Corded

SKU	Size Group	Cuff Style	Color
101-1060	Large	Knit-Wrist	Natural White; Red Cord

HexArmor



Helix® High Dexterity Cut Resistant Work Gloves

Features:

- Incredibly strong knit fibers deliver high cut resistance.
- HPPE blend shell provides 360° cut resistance.
- Touchscreen capabilities.
- Seamless construction for enhanced comfort and breathability.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

SKU	Material	Cuff Style	Size Group
572-1074-S	HPPE; Polyester; Fiberglass	Knit	Small
572-1074-M	HPPE; Polyester; Fiberglass	Knit	Medium
572-1074-L	HPPE; Polyester; Fiberglass	Knit	Large
572-1074-XL	HPPE; Polyester; Fiberglass	Knit	X-Large

PIP
GLOBAL SAFETY


MaxiFlex® Cut™ Cut-Resistant Gloves

Features:

- MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort, and breathability.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life.
- Optimized grip delivered through our micro-cup finish.
- Minimal penetration (strike through) leaving only the soft liner resting against the skin.

SKU	Material	Cuff Style	Size Group
112-34-8743/M	Nitrile MicroFoam	Continuous Knit	Medium
112-34-8743/XL	Nitrile MicroFoam	Continuous Knit	X-Large

Wells Lamont
Industrial


FlexTech™ Cut-Resistant Gloves

Features:

- Seamless machine knit cut resistant shell provides all-day comfort and protection.
- Sandy nitrile palm coating delivers improved grip in wet and oily applications.
- Machine washable for longer service life.

Size Group: Large

SKU	Material	Cuff Style
815-Y9216L	High Performance Fibers; Stainless Steel	Knit Wrist



8005 Series Disposable Nitrile Gloves

Features:

- Ideal for jobs requiring increased protection without compromising on tactility.
- Rolled cuff prevents dirt from entering the glove and allows for easy removal of the glove in case of puncture.
- Ambidextrous and uses second-skin feel to significantly reduce hand fatigue over long periods of wear.
- Single-use gloves are lightweight and latex free.
- Available in lightly-powdered and powder-free styles.

SKU	Size Group	Thickness	Cuff Style	Color
845-8005PFL	Large	8 mil	100% Nitrile	Blue
845-8005PFXL	X-Large	8 mil	100% Nitrile	Blue



Premium Grade Grain Goatskin Drivers Gloves

Features:

- Premium grade grain goatskin leather for unique softness and flexibility.
- Resistant to wear and tear even with consistent use.
- Shirred elastic back.

SKU	Size Group	Material	Cuff Style
127-3601M	Medium	Goatskin Leather	Shirred Elastic Back; Slip-On Open



Drivers Gloves

Features:

- Provides maximum comfort and protection.
- Great for everything from construction to warehouse work, to spot welding.
- Family of drivers gloves are the right tool for hand protection and to get the job done.

Material: Cotton Stitching; Top Grain Cowhide Palm; Split Co

SKU	Size Group	Cuff Style
724-1414M	Medium	Cinched
724-1414L	Large	Cinched
724-1414XL	X-Large	Cinched

HexArmor



1050 General Purpose Work Gloves

Features:

- Provides 360° cut resistance.
- Flexible polyurethane palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

Material: HPPE; Nylon; Polyurethane

SKU	Size Group	Color	Cuff Style
572-1050-M-8	Medium	Hi-Vis Green; Gray	Elastic Knit
572-1050-L-9	Large	Hi-Vis Green; Gray	Elastic Knit
572-1050-XL-10	X-Large	Hi-Vis Green; Gray	Elastic Knit



Helix® High-Dexterity Work Gloves

Features:

- Blend shell provides 360° cut resistance.
- Palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.
- Seamless construction for enhanced comfort and breathability.
- High dexterity and tactility.

Cuff Style: Knit

SKU	Size Group	Material	Color
572-1030-S	Small	Polyester	Black
572-1030-M-8	Medium	Polyester	Black
572-1092-S	Small	Nylon; Elastane	Hi-vis Orange; Black
572-1092-M	Medium	Nylon; Elastane	Hi-vis Orange; Black



KONG® 360° IVE™ Gloves

Features:

- Lightweight, breathable, and offers full back of hand protection on the fingers, knuckles and metacarpal bones.

Cuff Style: Knit Wrist

Material: HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Foam Nitrile Coated Palm

SKU	Size Group	Color	Cuff Style
424-INDI-KC5-03-M	Medium	Black; Red; Yellow	Knit Wrist
424-INDI-KC5-04-L	Large	Black; Red; Yellow	Knit Wrist
424-INDI-KC5-05-XL	X-Large	Black; Red; Yellow	Knit Wrist
424-INDI-KC5G-03-M	Medium	Black; Green; Yellow	Knit Wrist
424-INDI-KC5G-04-L	Large	Black; Green; Yellow	Knit Wrist



FastFit® Gloves

Features:

- Versatile multipurpose glove delivers superior tactility and dexterity while performing manual tasks or working with hand tools.
- Breathable TekDry material form-fits the back of the hand for cool and comfortable extended wear.

Material: Spandex; Synthetic Leather; TrekDry®; Tricot

SKU	Size Group	Color	Cuff Style
484-MFF-05-009	Medium	Black	Elastic
484-MFF-05-010	Large	Black	Elastic
484-MFF-05-011	X-Large	Black	Elastic



Original Gloves

Features:

- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist.
- Dual-layered fingertips and thumb for reduced wear and increased protection.

Material: Nylon; Synthetic Leather; Thermal Plastic Rubber (TPR); TrekDry®; Tricot

SKU	Size Group	Color	Cuff Style
484-MG-05-010	Large	Black/White	Hook and Loop
484-MG-05-011	X-Large	Black/White	Hook and Loop



High Heat Wool-Lined Gloves

Features:

- Good abrasion resistance.
- Lined with heat-resistant 100% wool.

Material: Fiberglass

Temp Range: 750° F - 900° F

SKU	Size Group	Lining	Cuff Style
101-FG-37WL	Large	Wool	Gauntlet



High Heat Wool-Lined Kevlar® Gloves

Features:

- Superior abrasion resistance.
- Lined with heat-resistant 100% wool.

Material: Kevlar®

Temp Range: 650° F - 800° F

SKU	Size Group	Lining	Cuff Style
101-K-37WL	Large	Wool	Gauntlet



Heatworx® 600

Features:

- Seamless 3D molded palm.
- HotShield™ palm provides dexterity and heat resistance.
- 100% Kevlar® liner on shell and palm.
- Kevlar-blended shell for additional heat and cut resistance.
- Rubberized knuckle protection.
- Intermittent heat resistance up to 600° F.
- Heat and cut resistant material construction.
- Breathable, flexible, and 100% machine washable fabrics.

Material: Kevlar®

SKU	Size Group	Lining	Cuff Style
424-HW6X-02-S	Small	Kovenex®	Gauntlet
424-HW6X-03-M	Medium	Kovenex®	Gauntlet
424-HW6X-04-L	Large	Kovenex®	Gauntlet
424-HW6X-05-XL	X-Large	Kovenex®	Gauntlet
424-HW6X-06-XXL	2X-Large	Kovenex®	Gauntlet



Reinforced Gloves

Features:

- Hotshield® palm technology combines high dexterity with heat, cut, abrasion and shrink resistance.
- Blended Back of Hand Made with DuPont™ Kevlar®.
- TPR Knuckle Impact Protection.

Material: Kevlar®

SKU	Size Group	Lining	Cuff Style
424-HW4-04-L	Large	Kevlar®	Gauntlet
424-HW4-05-XL	X-Large	Kevlar®	Gauntlet



Cowhide Leather Palm Gloves

Features:

- Durable split cowhide leather palm, index finger, fingertips and knuckle strap.
- Safety cuff provides extra protection where you need it most.

Cuff Length: 2-1/2 in

Material: Canvas Back; Select Shoulder Leather; Split Cowhide

SKU	Size Group	Lining	Cuff Style
101-2100	Large	Unlined	Rubberized Safety



Leather Palm Gloves

Features:

- Color coded cotton hem for easy size identification.
- Double palm covers entire palm, index finger and thumb.
- Leather knuckle strap provides extra protection where you need it most.

Cuff Length: 2-1/2 in

Material: Split Cowhide; Standard Shoulder Leather

SKU	Size Group	Lining	Cuff Style
101-2000	Large	Cotton	Starched Safety Cuff



1871 Multi-Task Gloves

Features:

- Supple and durable full-grain Goat palm and back.
- Exclusive reverse-scalloped Boarhide™ cuff for protection against sparks and spatter.
- Reinforced thumb saddle for extended durability.

Material: Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather

SKU	Size Group	Cuff Style
607-1871-XL	X-Large	Reverse-Scalloped



Big Jake® Premium A+ Side Split Leather Work Gloves

Features:

- Made from premium A+ grade side split cow leather.
- Sewn with super-strong, heat resistant DuPont™ Kevlar® thread.
- All styles generously cut.
- Available in Vending Packaged (VP) option for some styles.

Cuff Length: 2.75 in

Material: Cotton Canvas; Dupont™ Kevlar® Thread; Chrome Tanned Leather

SKU	Size Group	Lining	Cuff Style
127-1700L	Large	8 oz Jersey Palm Lining	Rubberized Safety Cuff
127-1700XL	X-Large	8 oz Jersey Palm Lining	Rubberized Safety Cuff



TrueFit® Leather-Palm Gloves

Features:

- Soft, durable, great flexibility reducing hand fatigue during those long days at the job site.
- All fingertips covered in leather for at this wear area for added security and double stitched for extra strength.

Cuff Style: Elastic with Hook-and-Loop

Material: Top Grain Goatskin/Rough Side Out Goatskin Palm; Spandex Back-of-Hand (BOH)

SKU	Size Group	Lining	Cuff Style
724-1470M	Medium	Unlined	Elastic with Hook-and-Loop
724-1470L	Large	Unlined	Elastic with Hook-and-Loop
724-1470XL	X-Large	Unlined	Elastic with Hook-and-Loop



G10 Kraken Grip™ Nitrile Gloves

Features:

- Fully textured palm and fingertips for grip when working with grease and slippery liquids.
- Raised textured pattern on fingers and palms channels away oil, grease, and solvent.
- Grip on the outside, powder-free moisture control on the inside.
- Beaded cuff to make donning easier and prevent roll down.
- Ambidextrous for time and cost saving.

SKU	Size Group	Thickness	Cuff Style
412-49277	Large	6 mil	Beaded
412-49278	X-Large	6 mil	Beaded



7500 Series Nitrile Disposable Gloves

Features:

- Competitively priced; designed for the consumer in mind.
- Latex-free, 100% nitrile.
- Reduces risk of allergies.
- Rolled cuff prevents dirt from entering the glove.
- Second-skin feel significantly reduces hand fatigue.
- Bisque grip.

SKU	Size Group	Thickness	Cuff Style
845-7500PFL	Large	4 mil	Rolled
845-7500PFXL	X-Large	4 mil	Rolled



Anchor Brand 7-ga Standard Weight Seamless String-Knit Gloves

Features:

- Seamless cotton/polyester knit shell is comfortable and flexible.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Reversible design allows replacing one glove at a time, rather than pairs.
- Can be used as a glove liner.

SKU	Size Group	Material	Cuff Style
101-6700	Large	Cotton/Polyester	Knit Wrist



Welding Gloves

Features:

- Heat and abrasion resistance.
- Fully Kevlar® sewn.
- Durable and flexible.

Lining: Full Sock

Style: Gunn Pattern

Color: Blue

SKU	Size Group	Material	Cuff Style
902-4200AL	Large	Split Cowhide	Leather



25K Premium Kidskin TIG Gloves

Features:

- Supple and thin premium kidskin leather provides excellent hand and finger control.
- Exclusive DragPatch® reinforcement offers extra abrasion resistance and insulation.
- Unlined for dexterity.
- Kevlar® stitching provides spark and abrasion resistance.

Color: Pearl; Rust

Material: Kevlar®; Premium Kidskin; Premium Grain Cowhide Leather Cuff

SKU	Size Group	Lining	Cuff Style
800-25KS	Small	Unlined	Gauntlet
800-25KXL	X-Large	Unlined	Gauntlet



320 Side-Split Cowhide Stick Gloves

Features:

- High-quality side split cowhide with wide reinforcements in key stress areas.
- Exclusive CushionCore™ padded liner provides extra heat-blocking comfort.

Color: Blue; Gray

Material: Kevlar®; Side-Split Cowhide Leather

SKU	Size Group	Lining	Cuff Style
800-320M	Medium	CushionCore™ Padded Liner	Gauntlet
800-320L	Large	CushionCore™ Padded Liner	Gauntlet
800-320XL	X-Large	CushionCore™ Padded Liner	Gauntlet



GM1540 Premium Goatskin MIG Gloves

Features:

- Ultra-soft premium goatskin provides lightweight protection.
- Padded DragPatch® for hot zone coverage.
- Seamless index finger for excellent trigger control.
- Lined palm provides extra defense from heat.
- Kevlar® stitching provides spark and abrasion resistance.

Material: Kevlar®; Cowhide Leather; Premium Goatskin Leather

SKU	Size Group	Color	Cuff Style
800-GM1510-WT-LRG	Large	Tan; White	Gauntlet



1816 revolution® Deerskin FR Foam Fleece Lined MIG/Stick Welding Gloves

Features:

- Constructed with supple American Deerskin leather, cowhide cuff, and Kontour™ form-fitting design.

Lining: Full Sock-Insulation with FR Foam/Fleece

Material: American Deer Skin Leather; Dupont™ Kevlar® Thread; Fleece/Foam Insulation

SKU	Size Group	Color	Cuff Style
607-1816-L	Large	Gold; Green	Gauntlet

Glove Parts & Accessories



Squids® 3400 Glove Clip Holder with Dual Clips

Features:

- Holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready.

SKU	Color
150-19112	Black
150-19117	Blue
150-19118	Hi-Viz Orange
150-19119	Hi-Viz Lime Green
150-19113	Red

Hand Pads & Warmers



N-Ferno® Warming Packs

Features:

- All natural ingredients heat up when they make contact with oxygen.
- Seal from oxygen in resealable bag and reuse the next day.
- Stays warm up to 5 hours.

Material: Outer Material Non-Woven Fabric Polyethylene; Inner ingredients Iron Powder; Water; Activated Carbon; Vermiculite; Wood Powder; Salt

SKU	Quantity
150-16990	40 PR/CA



HEAT PAX™ Warmers

Features:

- Air activated, instant warmth.
- Options available for hand or toe warmers.

Material: Orange Woven Pack Inside Metallic Film

SKU	Quantity
561-1100-10R	1 PK/PK
561-1100-80D	40 PR/CA

FALL PROTECTION

Harnesses



H500 Industry Standard Full-Body Harnesses

Features:

- Smart anti-tangle for hassle-free donning experience.
- Webbing flexes to accommodate movement and body contours.
- New side-adjustment straps for better ergonomic fit.
- Horizontal leg design for greater user comfort.
- Anatomically and ergonomically designed pressure-relief breathable shoulder/back padding on some models.
- User friendly resettable pull-free Lanyard keepers.
- Two clearly identifiable fall impact indicators.
- Water repellent webbing.

Connection Type: Back D-Ring

Fastening Method: Mating Chest Buckles; Tongue Leg Buckles

Material: Nylon/EVA Foam Shoulder Pads; Steel Hardware

SKU	Size Group	Load Cap.
493-H5ISP311002	Universal (L/XL)	420 lb



Revolution® Arc-Rated Full Body Harnesses

Features:

- Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.
- Leather insulators under all metal hardware offer additional protection for the worker.

Connection Type: Quick-Connect

Fastening Method: Quick-Connect Leg Strap Buckles

Material: Kevlar; Nomex; Elastic; Polyester; Leather; Brass; Valeron; Nylon; Aluminum; Stainless Steel; Urethane; Evoprene

SKU	Size Group	Load Cap.
493-RKNAR-QC/UBK	Universal	400 lb



Revolution™ Harnesses

Features:

- Unique rotary PivotLink™ connection.
- Integrated accessory system provides connection points for belts/tools/accessories.
- Easy, one-hand adjustment cam buckles.
- Semi-flexible ErgoArmor™ back shield.
- Web finials safely organize webbing.
- Self-contained label pack.

Connection Type: Stand-Up D-ring

Fastening Method: Quick-Connect Buckle Legs

Material: DualTech™ Webbing

SKU	Size Group	Load Cap.
493-RDT-QC/UBK	Universal	400 lb



Titan™ II Non-Stretch Harnesses

Features:

- Designed for more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow while working at heights.
- Easier vertical adjustability that stays in place.
- Back strap increases safety by preventing roll out in the event of a fall.
- Oversized ID tags provide quick and easy harness size identification.

Connection Type: Back D-Ring

Fastening Method: Friction Shoulder Buckles; Mating Chest Buckles; Tongue Leg Buckles

Material: Elastic; Evoprene/Nylon Label Pack; Polyester Thread/ Webbing; Stainless Steel/Steel Hardware

SKU	Size Group	Load Cap.
493-T4500/UAK	Universal	400 lb



V-FIT™ Full-Body Harnesses

Features:

- Patented RaceFLEX® buckle allows for a close comfortable full body harness fit, eliminating the need for a bulky chest strap.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment to ensure proper fit.
- Dedicated attachment point for Personal Fall Limiters allows quick and easy attachment.

Connection Type: Back D-Ring

Fastening Method: Quick-Connect (QC) Chest/Tongue-Buckle Leg Straps

Material: Anodized Forged Aluminum Buckles/D-Rings

SKU	Size Group	Load Cap.
454-10194889	Standard	400 lb

FALL PROTECTION

Fall Protection Parts & Accessories



Concrete D-Bolt Anchors

Features:

- Great for applications with concrete, lightweight concrete and grout-filled blocks that meet required specifications (min.

SKU	Material	Load Cap.	Connection Type
493-417C/	Steel	310 lb	D-bolt Anchorage Connector



Manual Rope Grabs

Features:

- Manual rope grabs move easily up and down vertical lifelines to provide continuous fall protection.
 - Compact design with corrosion-resistant stainless steel construction.
- Opening Size:** 5/8 in; 3/4 in

SKU	Material	Load Cap.	Connection Type
493-8174/U	Stainless Steel	310 lb	O-Ring



MightEvac™+ Self-Retracting Lifelines with Tripod Bracket

Features:

- Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.
- Durable and dependable, they are constructed of corrosion-resistant stainless steel and aluminum housing.

SKU	Load Cap.
493-MME-GCB1-02/50FT	310 lb



Relief Step™ Safety Devices

Features:

- Alleviates the effects of orthostatic intolerance, also known as suspension trauma.
- Easy to deploy and use.
- Attaches to any brand full-body harness.
- When used, the Relief Step Safety Device provides support and enhances blood circulation until rescue, permitting the ability to move and flex leg muscles.

Material: Polyester; PVC Heat Shrinkable Tubing; Zinc Plated Steel

SKU	Connection Type	Load Cap.
493-9099X/12-H5	Button Snap	400 lb



Twist Lock Carabiners

Features:

- Twist-lock system ensures secure closure.
- Spring-loaded keeper simplifies use.
- Rust-resistant zinc-dichromate plating.

Opening Size: 1 in

SKU	Material	Load Cap.	Connection Type
493-17D-1/	Stainless Steel	400 lb	Twist Lock Carabiner



I-Beam Sliding Anchors

Features:

- Lightweight aluminum design moves smoothly across beam.
- Fits beams up to 1-1/4 in thick.

SKU	Material	Connection Type	Load Cap.
865-A550000	Aluminum	D-Ring	500 lb



Reusable Concrete Anchors

Features:

- Lightweight design is easy to insert and remove.
- Drill hole of 3/4 inch with 3-1/2 inch minimum depth.

SKU	Material	Connection Type	Load Cap.
865-A510000	Stainless Steel; Aircraft Cable	Ring	5000 lb



Reusable Swivel Concrete Anchors

Features:

- Push button removal, no tools required.
- Rigid and durable tri-wedge design.

SKU	Material	Connection Type	Load Cap.
865-A510300	Stainless Steel	Ring	5000 lb

FALL PROTECTION

Ladder Safety Systems



Vi-Go™ System Kits with Automatic Pass-Through

Features:

- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Cable sleeve sold separately.
- Easy, one-hand operation for attachment/detachment from the system.
- The Vi-Go Cable Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components.
- Uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing; travels smoothly along cable and locks instantly in the event of a fall.

Includes: Cable; Hardware; Instruction Manual; Automatic Pass-Through Intermediate Cable Guide; Bottom Bracket Assembly w/Lifeline Tensioner

SKU	Cable Material	Length
493-VG/30FT	Galvanized Steel	30 ft

FALL PROTECTION

Ladder Safety System Parts & Accessories



GlideLoc® Parts and Accessories

Features:

- Parts and Accessories.
- Used with GlideLoc® Vertical Height Access Ladder System.

SKU	Material
493-FPH_14622	Galvanized Steel



Söll Vi-Go™ Vertical Cable System Fall Arresters

Features:

- Provides the ultimate in safety with continuous fall protection when climbing fixed ladders.
- Ergonomic and versatile vertical steel rope system with integrated fall protection.

SKU	Material
493-FPH-VC570	Stainless Steel



Vi-Go™ Ladder Climbing Top Bracket Assemblies

Features:

- For Vi-Go™ Ladder climbing safety system.
- Meets OSHA 1926.502, ANSI Z259.2.1 safety standards.

SKU	Material
493-TRTB-7/	Galvanized Steel

FALL PROTECTION

Lanyards



3130M Coiled Cable Tool Lanyards

Features:

- Constructed with PU covered aircraft cable.
- Coil design prevents snag and tangle hazards.

Load Capacity: 5 lb

No. of Legs: Single

SKU	Length
150-19131	48 in



Squids® 3100 Tool Lanyards

Features:

- Captive eye design better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate.

Load Capacity: 10 lb

No. of Legs: 1

SKU	Length	Load Capacit	No. of Legs
150-19003	42 in	10 lb	1



Squids® 3155 Elastic Hard Hat Lanyards with Clamps

Features:

- Quick-connect clamp attaches securely to fabric.
- Hard hat not included.

Load Capacity: 2 lb

SKU	Length	Load Capacit
150-19155	48 in	2 lb



300L Rope Lifelines

Features:

- These specialized vertical rope lifelines are made, using a blend of polypropylene and high modulus polyethylene resins that produce a co-polymer fiber rope.
- This rope has much higher abrasion resistance with low-elongation characteristics equivalent to pure polyester.
- 300L lifelines have a locking snap-hook on one end and loop on the other.

SKU	Length	Load Capacity
493-300L-Z7/50FTBL	50 ft	310 lb



BackBiter™ Tie-Back Lanyards

Features:

- The innovative Miller BackBiter Tie-Back Lanyard with a 5K Snap Hook was designed from top to bottom for tie-back use.
- The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back.

Load Capacity: 310 lb

Bottom Connector: Locking Snap Hook

No. of Legs: 1

SKU	Length	Top Connector
493-913B/6FTGN	6 ft	Locking 5K Snap Hook



V-SERIES™ Standard Shock Absorbing Lanyards

Features:

- Lightweight safety lanyards not only limit force on the body in a fall, but also on the anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection.
- Available in single/twin leg configurations, adjustable/fixed length options, and CSA light-weight worker options.

SKU	Load Cap.
454-10191757	400 lb



Squids® Tool Lanyards

Features:

- Adjustable barrel lock for tool attachment.
- Aluminum carabiner.
- Cord stretches for full range of motion.
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread.

Strap Material: Tubular Nylon Webbing with Silver Mylar Reflective Thread

SKU	Load Cap	Length
150-19002	10 lb	42 in (Max)



Titan II Tubular Shock-Absorbing Lanyards

Features:

- For ultimate fall protection and safety.
- Hi-Viz color for increased worksite safety.

Load Capacity: 310 lbs

No. of Legs: 1

SKU	Length
493-T5111-Z7/6FTAF	6 ft



Falcon™+ Self-Retracting Lifelines

Features:

- Withstands the harsh rigors of the toughest applications.
- Pound for pound the strongest, most durable line of Self-Retracting Lifelines.

SKU	Load Capacity	No. of Legs
493-MFS-OGC1-02/30FT	310 lb	1



TurboLite™ TurboLite™ + Edge Cables

Features:

- Edge cable units meet the most stringent safety standards.
- Can be connected at foot level and above worker.
- Helps reduce your fatigue, increase your productivity.
- Easy to install and use.
- A wide range of working lengths in cable (6ft and 9ft) with a variety of lifeline connectors in both steel and aluminum options.

Load Capacity: 420 lb

SKU	Top Connector	Bottom Connector	No. of Legs
493-MTL-LEP1-61/9FT	One Pin Connector	Locking Snap Hook	1
493-MTL-LEP2-62/9FT	One Pin Connector	Locking Rebar Hook	2



TurboLite™ + Fall Limiters

Features:

- Available in 6 ft, 9 ft and 11 ft lengths.
- Combinations available for unit and lanyard ends, including steel rebar hook for concrete form work.

Load Capacity: 420 lb

SKU	Top Connector	Bottom Connector	No. of Legs
493-MTL-OHW1-01/11FT	Carabiner	Locking Snap Hook	1
493-MTL-OHW1-01/6FT	Carabiner	Locking Snap Hook	1
493-MTL-OHW1-02/6FT	Carabiner	Locking Rebar Hook	1
493-MTL-OHW2-22/6FT	Carabiner with G2 Connector	Locking Rebar Hook	2
493-MTL-OHW2-28/6FT	Carabiner with G2 Connector	Locking Rebar Hook	2



Turbolite™ + Scorpion Fall Limiters

Features:

- Available in 8 ft and 9 ft lengths.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

SKU	Top Connector	Bottom Connector	No. of Legs
493-MTL-OHS1-01/9FT	Carabiner	Locking Snap Hook	1

Rescue Systems



DuraHoist™ Confined Space System Parts and Accessories

Features:

- Lightweight, high-strength aluminum construction for easy handling and long service life.

SKU	Used With
493-DH-20SS/	DH-1; DH-2



6 FT Bantam Compact Self Retracting Lifelines

Features:

- Lightweight and compact construction with 6ft Dyneema/Polyester web working length.

Material: Webbing: High Impact Nylon

SKU	Length	Hook Type
865-R431006-R	6 ft	Aluminum Rebar Hook
865-R431006-SR	6 ft	Steel Snap Hook



Max Patrol™ Self Retracting Lifelines

Features:

- Galvanized steel cable lifeline with swivel snap hook.
- Carry handle allows for easier transport.

SKU	Type	Length
865-R410020	Self-Retracting Lifeline	20 ft
865-R410030	Self-Retracting Lifeline	30 ft
865-R410030LE	Leading Edge Capability	30 ft



JF1012 FR Safety Welding Jackets with 2 in Reflective Tape

Features:

- 9 oz flame-resistant (FR) cotton with 2-inch silver reflective tape.
- X reflective tape pattern on back.
- Standup Welder's collar helps protect neck.
- Back access slot for pass-through of fall protection harness.
- Inside pocket and scribe pocket.
- Snap front and wrists.

Material: 2 in Reflective Tape; 9 oz FR Cotton

Closure Type: Snaps

SKU	Size Group	Color	Length
800-JF1012-LM-MED	Medium	Safety Lime	34 in Sleeve
800-JF1012-LM-LRG	Large	Safety Lime	34 in Sleeve
800-JF1012-LM-XLG	X-Large	Safety Lime	36 in Sleeve
800-JF1012-LM-2XL	2X-Large	Safety Lime	36 in Sleeve
800-JF1012-LM-3XL	3X-Large	Safety Lime	37 in Sleeve
800-JF1012-OR-LRG	Large	Safety Orange	34 in Sleeve
800-JF1012-OR-XLG	X-Large	Safety Orange	36 in Sleeve
800-JF1012-OR-2XL	2X-Large	Safety Orange	36 in Sleeve
800-JF1012-OR-3XL	3X-Large	Safety Orange	37 in Sleeve

CLOTHING PROTECTION

Coats & Jackets



F9-30C Flame-Resistant Cotton Welding Jackets

Features:

- 9 oz flame-resistant (FR) treated cotton.
- Standup Welder's collar for enhanced protection.
- 6 convenient snap buttons; including, collar button.

Material: 9 oz FR Cotton

Closure Type: Snaps

SKU	Size Group	Color	Length
800-F9-30C-M	Medium	Green	30 in; 34 in Sleeve
800-F9-30C-L	Large	Green	30 in; 34 in Sleeve
800-F9-30C-XL	X-Large	Green	30 in; 36 in Sleeve
800-F9-30C-2XL	2X-Large	Green	30 in; 36 in Sleeve

DUPONT

Tyvek



Tyvek® 400 Two Pocket Lab Coats

Features:

- Labcoat offers front snap closures for easy donning and doffing.
- Provides enhanced frontal protection.
- Laydown collar.
- Open wrists.
- Two front pockets for holding writing instruments, small tools or parts.

Closure Type: Snap

SKU	Size Group	Color
251-TY212S-SM	Small	Collar; Front Snap Closure; 2 Pockets
251-TY212S-M	Medium	Collar; Front Snap Closure; 2 Pockets
251-TY212S-L	Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-XL	X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-2XL	2X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-4XL	4X-Large	Collar; Front Snap Closure; 2 Pockets



Tyvek® Lab Coats No Pockets

Features:

- Inherent barrier protection against dry particulate hazards.

Style: Front Snap Closure

Closure Type: Serged

SKU	Size Group	Color	Length
251-TY210S-XL	X-Large	White	16 in



Tyvek® Lab Coats No Pockets Knee Length

Features:

- Tyvek® 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.

Closure Type: Front Snaps

SKU	Size Group	Color	Length
251-TY211S-M	Medium	White	34 in
251-TY211S-L	Large	White	16 in
251-TY211S-XL	X-Large	White	16 in

Coveralls & Overalls



Tychem® 2000 Coveralls

Features:

- A lightweight, and durable fabric, Tychem® 2000 fabric provides at least 30 minutes of protection against >40 chemical challenges.

SKU	Size Group	Color
251-QC127S-2XL	2X-Large	Yellow



Tyvek® 400 Coveralls

Features:

- Comfort fit design enables a greater range of movement while stretching and bending with reinforcement in high stress areas.
- Available in many different styles.

SKU	Size Group	Style
251-TY125SWHMD002500	Medium	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-L	Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125SWHXL002500	X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-2XL	2X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-2X	3X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-4X	4X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-5X	5X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY125S-6X	6X-Large	Serged Seams; Collar; Elastic Waist; Elastic Wrists and Ankles; Zipper Front; Storm Flap
251-TY120S-M	Medium	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-L	Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-XL	X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-2XL	2X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-3XL	3X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-4XL	4X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-5XL	5X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY127S-M	Medium	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-L	Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-XL	X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-2XL	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127SWH2X0025VP	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-3XL	3X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-4XL	4X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-5XL	5X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-M	Medium	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-L	Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-XL	X-Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-2XL	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-3XL	3X-Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-4XL	4X-Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap



The most trusted name in safety

Superior protection and comfort start with Tyvek® 400

Built from flash spun high-density polyethylene, DuPont™ Tyvek® 400 provides an ideal balance of protection, durability and comfort like no other limited-use fabric. The nonwoven structure provides an inherent barrier to particles down to 1.0 micron—with no films or laminates to abrade or wear off.

Designed for abatement, maintenance, spray painting and cleanup jobs, Tyvek® 400 delivers consistent performance that helps keep workers comfortable and safe shift after shift.

- Inherent barrier protection
- Designed for durability and breathability
- Ergonomic fit for enhanced comfort and mobility
- Hood, stormflap and elastic closures for full-body coverage
- Latex-free construction



Scan to find the right coverage with Tyvek® 400

Pants & Shorts



Tyvek® 400 Pants

Features:

- Pants with open ankle and elastic at waist for easy donning and removal. Suitable for applications that do not require the full body coverage of a coverall.

SKU	Size Group	Color
251-TY350SWHMD005000	Medium	White



Tyvek® Pants with Elastic Waist

Features:

- Sturdy pants made from flash spun polyethylene provide a blend of comfort, protection and durability.

SKU	Size Group	Color
251-TY350S-XL	X-Large	White

Rainwear



3-Pc Rainsuits

Features:

- Jacket is vented back for breathability, duo-layer front closer to prevent wet, two front patch pockets for storage, and a corduroy collar for comfort.

SKU	Size Group	Color	Material
101-9000-M	Medium	Yellow	PVC Over Polyester
101-9000-L	Large	Yellow	PVC Over Polyester
101-9000-XL	X-Large	Yellow	PVC Over Polyester
101-9000-2XL	2X-Large	Yellow	PVC Over Polyester
101-9000-3XL	3X-Large	Yellow	PVC Over Polyester
101-9000-4XL	4X-Large	Yellow	PVC Over Polyester

Shirts



Tyvek® 400 Front Snap Shirts with Collar and Open Wrists

Features:

- Ideal balance of protection, durability, and comfort.
- Offers an inherent barrier against particles down to 1.0 micron in size.

SKU	Size Group	Color	Material
251-TY303S-XL	X-Large	White	Flashspun High-Density Polyethylene



WF2110 Flame-Resistant Cotton Work Shirts

Features:

- 7 oz flame-resistant (FR) treated cotton (100 washes).
- Generous comfortable fit.
- Chest pockets with flaps and pencil slot.

SKU	Size Group	Color	Material
800-WF2110-GY-L	Large	Gray	7 oz FR Cotton
800-WF2110-GY-XL	X-Large	Gray	7 oz FR Cotton
800-WF2110-GY-2XL	2X-Large	Gray	7 oz FR Cotton

Sleeves & Bibs



F9 Flame-Resistant Cotton Sleeves

Features:

- 9 oz flame-resistant (FR) treated cotton.
- Elastic wrists and biceps for a secure fit.

SKU	Size Group	Length	Material
800-F9-18S	One Size Fits Most	18 in	9 oz FR Cotton
800-F9-23S	One Size Fits Most	23 in	9 oz FR Cotton

HexArmor



2043 Cut-Resistant Sleeves

Features:

- Lightweight HPPE and nylon blend knit.
- Seamless long knit shell for less bulky fit, breathability, and enhanced comfort.
- Thumb loop keeps sleeve in place.

SKU	Size Group	Length	Material
572-2043	One Size	22 in	HPPE; Nylon blend

FOOT PROTECTION

Boots & Shoes

DUNLOP
PROTECTIVE FOOTWEAR



Chesapeake Rubber Boots

Features:

- Energy-absorbing Bay-Loc outsole.
- 100% waterproof.
- Additional sizing available

SKU	Size Group	Length	Material
868-8677600.08	Unisex 8	14 in Boot; 1/2 in Heel	PVC; Steel Toe
868-8677500.09	Unisex 9	14 in Boot; 1/2 in Heel	PVC
868-8677500.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC
868-8677600.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC; Steel Toe



Chest Waders

Features:

- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Chest high durable heavy PVC upper with non-absorbent lining provides excellent flexibility and comfort.
- Additional sizing available

Height: 16 in Boot; 33 in Inseam; 53 in Overall

SKU	Size Group	Lining
868-8606700.09	Men's 9	Non-Absorbent Cotton
868-8606700.10	Men's 10	Non-Absorbent Cotton
868-8606700.11	Men's 11	Non-Absorbent Cotton
868-8606700.12	Men's 12	Non-Absorbent Cotton

DUNLOP
PROTECTIVE FOOTWEAR



Hazmax Steel Toe/Midsole Rubber Boots

Features:

- Specially formulated PVC allow protects you from some of the worst chemicals around.
- Steel toe, steel midsole, and steel shank Ultragrip® Sipe outsole provides superior, slip resistance and protection.
- Additional sizing available

SKU	Size Group	Height	Material
868-8701200.11	Men's 11	16 in Boot; 1/2 in Heel	PVC; Steel Toe/Midsole
868-8701200.14	Men's 14	16 in Boot; 1/2 in Heel	PVC; Steel Toe/Midsole



Hip Waders

Features:

- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Hip high lightweight PVC upper with non absorbent lining provides excellent flexibility and comfort.
- Additional sizing available

Material: Polyblend; PVC; Steel Toe/Midsole

SKU	Size Group	Height	Lining
868-8605600.09	Men's 9	16 in Boot; 32 in Overall	Non-Absorbent Cotton
868-8605600.10	Men's 10	16 in Boot; 32 in Overall	Non-Absorbent Cotton
868-8605600.11	Men's 11	16 in Boot; 32 in Overall	Non-Absorbent Cotton
868-8605600.12	Men's 12	16 in Boot; 32 in Overall	Non-Absorbent Cotton



PolyGoliath Rubber Boots

Features:

- Polyblend compound offers superior resistance to fats, oils, and chemicals.
- Additional sizing available

Material: Polyblend; PVC; Steel Toe/Midsole

SKU	Size Group	Height
868-8968200.09	Men's 9	16 in Boot; 1/2 in Heel
868-8968200.10	Men's 10	16 in Boot; 1/2 in Heel
868-8968200.11	Men's 11	16 in Boot; 1/2 in Heel



Purofort® Thermo+ Rubber Boots

Features:

- Lightweight for use all day long.
- SRC rated, dirt-repellent outsole for perfect grip.
- Slip-resistant for protection under cold conditions.

Material: Polyurethane; Purofort®; Steel

SKU	Size Group	Height
868-E662843.10	Men's 10	16 in Boot; 1/2 in Heel
868-E662843.11	Men's 11	16 in Boot; 1/2 in Heel



White Rubber Boots

Features:

- Slip-resistant Safety-Loc outsole for superior traction on slippery surfaces.
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines.
- Available in plain toe and steel toe styles.

Material: PVC

SKU	Size Group	Height
868-8101100.07	Men's 7	16 in Boot; 1/2 in Heel
868-8101100.08	Men's 8	16 in Boot; 1/2 in Heel
868-8101100.10	Men's 10	16 in Boot; 1/2 in Heel
868-8101100.11	Men's 11	16 in Boot; 1/2 in Heel



Overshoes

Features:

- FLEX-O-THANE construction provides added cold weather flexibility and durability.
- 4-way cleated outsole is self cleaning with excellent slip resistance.

Material: Flex-O-Thane; PVC

SKU	Size Group	Height
868-8603000.XL	X-Large; Men's Boot Size 12 to 13	17 in
868-8603000.2X	2X-Large; Men's Boot Size 14 to 15	17 in



CT™ Economy Knee Boots

Features:

- Boot height increases with shoe sizes, assuring a better fit and greater comfort.
- Unique, tapered design won't catch on the back of your calf while walking.

Material: PVC

SKU	Size Group
922-18821-080	8
922-18821-090	9
922-18821-100	10
922-18821-110	11
922-18821-120	12



XTP™ XTRA TRACTION Boots

Features:

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable.
- Outsole perimeter is formulated for tough, long-wearing support.

SKU	Size Group	Lining	Material
922-75109-080	8	FOOT FORM™ Insoles	PVC
922-75109-090	9	FOOT FORM™ Insoles	PVC
922-75109-100	10	FOOT FORM™ Insoles	PVC

Footwear Covers



Spats

Features:

- Elastic top with 2 buckles on back of leg.
- Velcro fasteners that ensure a secure fit for various shoe sizes.

Fastening Method: Buckles; Velcro

SKU	Size Group	Material
902-Q-15	Universal	Leather

DUPONT

Tyvek



Tyvek® 400 Shoe & Boot Covers

Features:

- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away.
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size.

SKU	Size Group	Material	Height	Color
251-FC450S	One Size Fits Most	Tyvek® 400 FC	5 in	Gray
251-FC454S	One Size Fits Most	Tyvek® 400 FC	18 in	Gray
251-TY450S	One Size Fits Most	Tyvek® 400	5 in	White
251-TY454S	One Size Fits Most	Tyvek® 400	18 in	White
251-TY454S-XL-SR	X-Large	Tyvek® 400; Tyvek® 400 FC Sole	18 in	White



KLEENGUARD®



A40 Liquid and Particle Protection Boot Covers

Features:

- Protect your boots from damage—convenient boot covers are designed with an elastic top for a comfortable fit.

Fastening Method: Elastic Top

SKU	Size Group	Material	Color
412-44495	X-Large	Microporous Film Laminate	White

HEAT STRESS PROTECTION

Activity Drinks



G Series 02 Perform® Thirst Quencher Instant Powders

Features:

- Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.

Quantity: 32 EA/CA

SKU	Package Yield	Flavor
308-03970	2.5 gal	Orange
308-33673	2.5 gal	Frost Riptide Rush
308-33677	2.5 gal	Glacier Freeze
308-03944	2.5 gal	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush



G Zero Powder Sticks

Features:

- Sugar-free G Zero packs are designed for those on the go, simply add to a 20 oz bottle of water.

SKU	Package Yield	Flavor	Quantity
308-04458	16.9 oz	Glacier Cherry	120 EA/CA
308-04490	16.9 oz	Orange	120 EA/CA
308-04457	16.9 oz	Glacier Freeze	120 EA/CA
308-04713	16.9 oz	Fruit Punch	120 EA/CA
308-04712	16.9 oz	Grape	120 EA/CA



Liquid Concentrates

Features:

- Caffeine-free.
- Mix with water per instructions.

SKU	Package Yield	Capacity Vol.	Flavor
308-33977	6 gal	1 gal	Fruit Punch



Powder Sticks

Features:

- Powdered mix contains the same electrolyte formula found in the original Gatorade.
- The refreshing choice when you need to replace electrolytes lost from sweat while performing rigorous physical activity.
- Take these convenient packets with you anywhere

SKU	Package Yield	Flavor	Quantity
308-04702	16.9 oz	Fruit Punch	80 EA/CA
308-04701	16.9 oz	Orange	80 EA/CA
308-04700	16.9 oz	Lemon Lime	80 EA/CA

MISSION: HYDRATION



MAKES 6 GALLONS



GATORADE
THIRST-QUENCHER

FRUIT PUNCH



GATORADE
THIRST
QUENCHER
POWDER

FRUIT PUNCH

ARTIFICIALLY FLAVORED

PER
17 FL. OZ.
SERVING
PREPARED
80
CALORIES
100%
CARBONATED
21



Qwik Stik® ZERO Sugar

Features:

- Great-tasting sugar-free electrolyte replacement.
- Ideal for diabetics and carb-conscious consumers.

SKU	Package Yield	Flavor	Quantity
690-159060100	20 oz	ZERO Sugar Orange	500 EA/CA
690-159060101	20 oz	ZERO Sugar Mixed Berry	500 EA/CA
690-159060102	20 oz	ZERO Sugar Fruit Punch	500 EA/CA
690-159060103	20 oz	ZERO Sugar Lemonade	500 EA/CA
690-159060106	20 oz	ZERO Sugar Lemon-Lime	500 EA/CA
690-159060098	20 oz	ZERO Sugar Lemonade Tea	10 EA/CA
690-159060097	20 oz	ZERO Sugar Watermelon	10 EA/CA
690-159060107	20 oz	ZERO Sugar Grape	1 CA/CA
690-159060109	20 oz	ZERO Sugar Cool Citrus	1 CA/CA
690-159060099	20 oz	ZERO Sugar Strawberry Lemonade	1 CA/CA
690-159060119	20 oz	Fruit Punch; Mixed Berry; Orange; Strawberry Lemonade	1 CA/CA

Freezer Pops



Squeeze® Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew.

Flavors: Cherry; Grape; Lemon-Lime; Mixed Berry; Orange

SKU	Capacity Vol.	Quantity
690-159060962	3 oz	150 EA/CA



Squeeze® ZERO Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew but without the sugar.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavors: Dragon Fruit; Mixed Berry; Orange; Punch; Watermelon

SKU	Capacity Vol.	Quantity
690-159200231	3 oz	150 EA/CA

Hydration Packs



Squeeze Bottles

Features:

- The fast-cap design provides quick hydration, while the high-flow valve prevents liquid loss.
- Hydrate on the go just like professional athletes.

Color: Green

Material: Plastic

SKU	Capacity Vol.
308-50313SM	20 oz.

Bandanas



Cooling Towels

Features:

- Just add water.
- Towel temperature drops 15 to 20 degrees in 1 to 2 min.
- Once activated this product assists in lowering temperature.
- Absorbs up to 12 times its dry weight.
- Reusable.

SKU	Material	Color	Size Group
118-91000	PVA Poly Vinyl Alcohol	Blue	17 in x 27 in



Chill-Its® 6602 Evaporative Cooling Towels

Features:

- Super-evaporative PVA material to absorb water to then allow it to evaporate slowly for instant, long-lasting cooling relief.
- Designed to create a feeling colder than ambient air temperature and absorb and hold more water than other cooling towels on the market for a longer-lasting cooling.
- Can last up to 4 hours, simply re-wet to increase cooling duration.

SKU	Material	Color	Length	Size Group
150-12420	PVA	Blue	29-1/2 in	One Size



Chill-Its® 6603 Evaporative Cooling Bands

Features:

- Advanced PVA cooling technology.
- Super-evaporative, feels significantly cooler than ambient air.
- Activates fast and easy - run under cold water for one minute.
- 1/3 the size of the Chill-Its® 6602 with the same cooling power.

SKU	Material	Color	Length	Size Group
150-12418	PVA	Blue	29-1/2 in	One Size



Chill-Its® 6700 Evaporative Cooling Bandanas

Features:

- Activate by soaking in water for 2-5 minutes.
- Remains hydrated for up to 4 hours.

SKU	Material	Color	Length	Size Group
150-12303	Cotton	Stars/Stripes	36.5 in	One Size
150-12305	Cotton	Red Western	36.5 in	One Size
150-12307	Cotton	Solid Blue	36.5 in	One Size



MiraCool® Cooling Towel

Features:

- Lightweight super absorbent material holds water without weighing you down.
- Instant cooling relief, just add water; reusable, easy to charge.
- Machine washable.

SKU	Material	Color	Length	Size Group
561-931-BL	Poly Vinyl Acetat	Blue	29.5 in	One Size



MiraCool® Neck Bandanas

Features:

- Increase alertness and productivity.
- Provide a great way for workers to reduce heat stress in outdoor and other high-heat environments.
- Soak the MiraCool® bandana in cold water for 30 minutes, and the cooling crystals activate, staying hydrated for several days.
- Works without freezing or ice.

SKU	Material	Length	Size Group
561-940-018	100% Cotton; MiraCool Crystals	34.75 in	One Size

Sweat Bands



Headgear Sweatbands

Features:

- Individually packaged.
- Hook & loop closure allows the fit onto most major brand headgear.
- Sweat absorbent air cushioned layer lined with 100% fleece cotton.

Used With: Suspension Headgear

Strap Type: Hook and Loop

SKU	Color	Material
101-SB320V	Orange	Fleece Cotton



Leather Sweatbands

Features:

- Individually packaged.
- Snaps on any headgear.
- Absorbent air cushioned layer lined with 100% fleece cotton.

Used With: Headgear

SKU	Color	Material
101-SB700	Bucktan	Cowhide



Chill-Its® 6609 Hard Hat Sweatband Liners

Features:

- Prevents sweat from dripping into eyes.
- Four-snap button closures securely attach to forehead of suspension.
- Low-profile for no-bulk wear with hard hats.
- Machine washable.

Used With: Most Hard Hats and Safety Helmets

SKU	Color	Material
150-12440	Gray	Cotton Terry Cloth



Comfort Enhancing Sweatbands

Features:

- Welding helmet sweat bands.
- Circulating air evaporates sweatband moisture for cooling effect.

SKU	Color	Material	Used With
280-FM44T	Black	Terry Cloth	Primair FM 300 headgear
280-FM67	Gray	Soft Grain Leather	Welding and Faceshield Headgear
280-FM68	Black	Cotton	Welding and Faceshield Headgear



SuperEight™ Cotton Jersey Sweatbands

Features:

- Convenient SuperEight™ sweatbands can easily be removed, cleaned, and replaced.
- Designed for comfort and durability.
- Soft cotton jersey for added comfort.

Used With: Hard Hats; Full Brim Hats

Strap Type: Hook-and-Loop

SKU	Color	Material
280-FM69	Black	Soft Cotton Jersey



Sweatbands

Features:

- Highly absorbent fabric.
- Can easily be removed, cleaned, and replaced.

Used With: E1 E2 and P2 Series Helmets

Strap Type: SuperEight™ Swing Strap

SKU	Color	Material
280-FM44RTV	Black	Terry Cloth



Sweat Bands

Features:

- Prevents perspiration from getting into eyes.
- Effective when dampened with cold water.
- Washable.

SKU	Color	Material
068-SB470	Blue	Terry Cloth



Cloth Sweatbands

Features:

- Great for absorbing moisture and keeping your head dry.
- Designed to add padding and comfort to the forehead area.

Used With: SC-6 and SC-16 Hard Hats

SKU	Color	Material
138-14958	Black	Terry Cloth



Custom Terri-Band Sweatbands

Features:

- Sturdy sweatbands are washable for repeated use.
- Works to protect eyes and face from sweat and drips.
- Easily snaps into all MSA industrial helmets.

Used With: All MSA Helmets

SKU	Color	Material	Strap Type
454-10068911	Gray	Terry Cloth	Snap
454-696688	Gray	Terry Cloth	Clip-On



Cellulose Sweatbands

Features:

- Anti-mold treated.
- Sustainable manufacturing.
- No harmful dyes.

Strap Type: Elastic

SKU	Color	Material
561-SBX-100	Khaki	Cellulose



Disposable Pre-Moistened Cellulose Sweatbands

Features:

- Absorbent cellulose headbands provide a convenient disposable option for busy workers.
- Headbands provide cooling relief during hot tasks.
- Easy to use; simply dip in cold water, squeeze out and wear.

Strap Type: Rubber Band

SKU	Color	Material	Quantity
561-SBR25	Blue	Cellulose	25 EA/PK
561-SBR100	Blue	Cellulose	100 EA/PK



MiraCool® Headbands

Features:

- Stays hydrated for several days.
- Works without freezing or ice.

SKU	Color	Material
561-954-018	Navy	Cotton



Original Disposable Sweatbands

Features:

- Ultra thin yet absorbent.
- Won't tear, break, flake or become dry and brittle.
- Contains no chemicals.
- Never requires hydration to soften.

Used With: No cap needed

SKU	Color	Material	Quantity
561-SB25	Blue	Viscose Cellulose	25 EA/PK
561-SB100	Blue	Viscose Cellulose	100 EA/PK



Terry Toppers® Clip-On Hard Hat Sweatbands

Features:

- Designed with single napped cotton terry on one side plus a middle layer durable foam sponge.
- Installs in an instant with insulated metal stays.

SKU	Color	Material
561-880-01	Navy	Terry Cloth



Terry Toppers® Snap On Hard Hat Sweatbands

Features:

- Easily attaches to hard hat suspension with snaps.

SKU	Color	Material	Quantity
561-870-01	Navy	Terry Cloth	1 EA/EA
561-870-15	Beige	Terry Cloth	1 EA/EA
561-870B20-01	Navy	Terry Cloth	20 EA/PK



MADE TO HANDLE IT ALL



TRUE TEMPER

UnionTools

Jackson 
PROFESSIONAL TOOLS

RAZORBACK
PROFESSIONAL TOOLS

FIRST AID SAFETY

Eye Wash and Showers



Eye and Skin Flush Emergency Station/ Replacement Twin Bottles

Features:

- Eye flush kit with 2 bottles and wall mount station.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.

Hose Material: Plastic

SKU	Capacity Vol.
579-24-102	16 oz (2)



Eye Flush Bottles

Features:

- Bottle of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.

Hose Material: Plastic

SKU	Capacity Vol.
579-24-101	16 oz



AquaGuard Gravity-Flow Eye Wash Units

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads.
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit).
- Water flow is activated by pulling down on bright yellow eye wash tray.

SKU	Hose Length
333-G1540	3 ft



Tank-Style Eyewash Station Cleaning Kits

Features:

- Helps remove contaminants from tank interior.
- For use with all tank-type, eyewash stations.
- Use prior to refilling to remove contamination to interior tank walls.

SKU
203-32-000518-0000



Eye Wash Saline Concentrates

Features:

- Buffered saline eyewash.
- Sterile and pH-balanced solution is more hygienically reliable than conventional tap water which may contain contaminants.
- Simple to use -- just mix with clean, potable water (10:1 ratio).
- For use with Fendall Porta Stream® Eyewash systems.

SKU	Capacity Vol.
203-32-000509-0000	70 oz
203-32-000513-0000-H5	180 oz



Eyewash Wall Stations

Features:

- Mounts to wall with provided screws.
- Overhang protects bottles from dust and debris.
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency.

SKU	Type	Capacity Vol.
203-32-000460-0000	Eyewash Wall Station (Single Bottle)	16 oz
203-32-000461-0000	Eyewash Wall Station (Single Bottle)	32 oz
714-32-000462-0000-H5	Eyewash Wall Station (Double Bottle)	32 oz (2)
203-32-000465-0000	Eyewash Wall Station (Double Bottle)	16 oz (2)

fend-all
 BY PIP


Personal Eye Wash Solutions

Features:

- Portable and readily available for use.
- Designed for flushing nuisance particles such as pollen, dust, sawdust, smoke as well as for immediate treatment.
- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care.
- Blow-fill-seal bottles with extended-flow nozzles are tamper resistant, yet easily removed in an emergency.
- Deliver drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle.

SKU	Capacity Vol.
203-32-000454-0000-H5	16 oz
203-32-000455-0000-H5	32 oz



Personal Eyewash Products

Features:

- Eyesaline® solution delivery.
- Easy open top.
- User-controlled volume delivery.
- Quality assured manufacturing.

SKU	Capacity Vol.
203-32-000451-0000	1 oz
203-32-000452-0000	4 oz
203-32-000445-0000	8 oz



Dust Covers

Features:

- Protects eyewash basin from dirt, dust and debris.
- Attaches to the eyewash activation handle or pull strap.
- Cover and activation handle or pull strap are detached in one motion.

SKU
203-32-001015-0000

fend-all
 BY PIP


Fendall Porta Stream® II Reflective Jackets

Features:

- Protective cover helps maintain fluid temperature.
- Use in environments of high solar energy.
- Flap and pull strap are removed in one quick and easy motion.

SKU	Flow
203-32-000532-0000	15 GPM



Pure Flow 1000® Emergency Eyewash Stations

Features:

- Delivers Eyesaline® Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module.
- Constant fluid flow rate and stream height for 15 minutes.
- Highly visible green color provides easy identification in an emergency situation.
- Sure-grip handle provides instant, simple activation.
- Activation straps display expiration date.
- Integral drain valve allows easy draining of reservoir after use.
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal.

SKU	Flow
203-32-001000-0000	0.4 gpm



Pure Flow 1000® Recommended Refills & Accessories

Features:

- Up to 24 month cartridge life.
- Preserved, buffered, pH balanced, saline solution.
- Cartridge change takes less than 5 minutes.

SKU
203-32-001050-0000-H5



Universal Eyewash Stands

Features:

- Viable alternative to wall mounting.
- Constructed of lightweight, sturdy steel tubing.
- Compact and easy to assemble.

SKU
203-32-001065-0000



Universal Eyewash Station Mobile Cart

Features:

- Use with all portable devices.
- Provides quick, easy portability for self-contained, gravity-fed emergency eyewash devices.

SKU
203-32-001060-0000

First Aid Kits



10 Person First Aid Kits

Features:

- ANSI Standard compliant.
- Durable plastic case.
- Water resistant gasket.

Length: 5.5 in

Width: 8.75 in

Height: 3 in

SKU	Case Material
101-10-9-FAKP	Plastic



25 Person First Aid Kits

Features:

- Come with either a durable plastic or metal case.

Height: 3 in

SKU	Case Material	Length	Width	ANSI Standard
101-25-3-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2003
101-25-9-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2009
101-25-3-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2003
101-25-9-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2009



Bloodborne Pathogen Kits

Features:

- Blood borne pathogen hazardous waste kits include blood spill clean-up tools.
- Kit has a wall mounted bracket and increased mobility case.

Length: 10 in

Width: 8.5 in

Height: 4 in

SKU	Case Material
101-BBPK-1-12	Plastic



10 Person ANSI First Aid Kits

Features:

- Neat, orderly interior packaging makes content easy to locate and use.
- Weatherproof.

Length: 5 in

Width: 3 in

Height: 8 in

SKU	Case Material
579-6060	Weatherproof Plastic



25 Person ANSI Plus First Aid Kits

Features:

- Neat, orderly interior packaging makes contents easy to locate and use.
- Weatherproof gasket keeps contents free from dust and moisture.
- Carry-handle or is wall mountable.

Length: 7 in
Width: 3 in
Height: 10 in

SKU	Case Material
579-6430	Weatherproof Plastic



25 Person Industrial First Aid Kits

Features:

- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Length: 7 in
Width: 3 in
Height: 10 in

SKU	Case Material
579-6084	Weatherproof Plastic



50 Person ANSI First Aid Kits

Features:

- Kit has 50 units that come with a weatherproof plastic case.
- OSHA compliant box is wall-mountable.

Length: 9.38 in
Width: 9.38 in
Height: 3 in

SKU	Case Material
579-6088	Weatherproof Plastic

MEDI-FIRST®



First Aid Kits

Features:

- General purpose first aid kits to treat common workplace injuries and illnesses.
- Kits contain bandages, antiseptics, and other supplies that treat non-critical conditions.

SKU	Case Material
899-740ANSI	Plastic

Antiseptics



Respirator Cleaning Pads

Features:

- Quick and easy answer for cleaning rubber respirator face pieces and other personal safety equipment.
- Individually foil-packaged, non-woven cloths saturated with 70% Isopropanol.

SKU	Quantity
037-1001	100 EA/BX

Pain Relievers

Medique®



Medi-Lyte® Electrolyte Replenishers

Features:

- Relief from heat stress, fatigue and muscle cramping due to minerals lost to heat and perspiration.
- Unit dose, tamper-evident dual layer foil packets.
- English and Spanish labeling.

Quantity: 1 BX / BX

SKU	Quantity	Flavor
899-03013	100 EA/BX	Unflavored

Sunscreens



SunX30 Sunscreen Lotion Packets

Features:

- Contains aloe vera gel & Vitamin E and broad spectrum sunscreen with UVA/UVB protection.

SKU	Packing Type	Quantity
579-18-350	Packets	50 PK/BX

Ointments



BURN JEL® Burn Care Ointments

Features:

- Dissipates heat and protects injuries from infection.
- Thick gels cool and soothe minor burns.

SKU	Quantity	Capacity
899-66622	1 BX / BX	1.8 oz

FIRE, GAS & WATER PROTECTION

Detectors

Honeywell



Clip Single-Gas Detectors

Features:

- One button operation.
- Operates up to two years use without calibration, sensor replacement, or battery recharging/replacement.
- Wide angle flash which alerts simultaneously with audible and vibrating alarm.

SKU	Gas Type
126-BWC2-H	Hydrogen Sulfide
126-BWC2-M	Carbon Monoxide

Fire Extinguishers



FA110 Multipurpose Home Fire Extinguishers

Features:

- Clear instruction label using graphics to show steps required to operate extinguisher.
- Easy-to-read gauge tells you fire extinguisher is charged and ready for use.
- Easy-to-pull safety pin.

Fire Type: Class A, B and C Fires

Mounting Position: Wall

Operating Temp.: -40° F - 120° F

Operating Distance: 6 ft - 8 ft

SKU	Capacity Wt.	Extinguishing Material
408-466142MTL	2.5 lb	Monoammonium Phosphate

LOCKING DEVICES

Lock Boxes



Group Lock Boxes

Features:

- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

SKU	Material	Width	Length	Height
470-498A	Steel	3-3/4 in	9-1/4 in	6 in

Lockouts & Hasps



Electrical Lockout Tagout Kits

Features:

- Safely power down faster when you power up your lockout tagout readiness with one convenient, easily accessible and portable kit.
- Built to last — all kit components meet Brady's highest standards for quality, durability and reliability.

SKU	Includes
262-153670	1: 3-in-1 Plug Lockout; 1: Clamp-on Circuit Breaker Lockout 480/600V; 1: Lockout Toolbox; 1: Wall Switch Lockout; 10: Lockout Tags; 10: Zip Ties; 2: 1in Lockout Hasps; 2: Clamp-on Circuit Breaker Lockout 120/277V; 2: Universal Multipole Breaker Lockout; 3: Nylon Safety Lockout Padlocks



Grip Tight™ Circuit Breaker Lockouts

Features:

- Secure and simple mounting for a solid lockout.
- Grips tight with simple thumb turn and clamping handle.
- Accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

SKU	Length
470-493B	3 in



Portable Lockout Kits

Features:

- Kit includes padlocks and electrical focused high-use products.
- Supplies store securely in a rugged toolbox to help keep important lockout devices and padlocks together.
- For added individual worker convenience, padlocks are supplied keyed alike.

SKU	Includes
470-1457E410KA	(1) S1017 Durable Lockout Toolbox; (3) 410KARED Zenex™ Padlocks; (1) 7C5RED Circuit Breaker Padlock; (1) 427 Red Labeled Snap-On Lockout Hasp; (3) 493B Circuit Breaker Lockouts; (2) 491B Circuit Breaker Lockouts; (1) 496B Wall Switch Cover; (1) 497A Do Not Operate Laminated Safety Tags (12-pack)



Safety Series™ Do Not Operate I.D. Tags

Features:

- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy-duty construction withstands up to 80 lbs. of pullout force (Meets OSHA Requirements).
- Prevents accidental removal.
- Customize with name, department, expected completion.
- 7/16" diameter brass grommet accepts all safety padlocks.

SKU	Includes
470-497A	(12) Tags; (12) Ties

Padlocks & Cables



Solid Aluminum Padlocks

Features:

- Highly corrosion resistant.
- Laser engravable.
- Available in silver, red, blue, black, green, orange, purple, gold, and brown colors.

Shackle Material: Case Hardened Boron Alloy Steel

SKU	Code Format	Shackle Length
045-A1106RED	5-Pin Tumbler Rekeyable Cylinder	1-1/2 in



No. 140 Solid Brass Padlocks

Features:

- Hardened steel shackle for extra cut resistance.
- 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Shackle Material: Hardened Steel

SKU	Shackle Length
470-140D	7/8 in

**Master
Lock.**

No. 1500 Combination Padlocks

Features:

- Hardened steel shackle for extra cut resistance.

Shackle Material: Hardened Steel

SKU	Code Format	Shackle Length
470-1500	3 Step Dial	3/4 in



No. 175 Combination Brass Padlocks

Features:

- Set-your-own combination convenience.

Shackle Material: Hardened Steel

SKU	Code Format	Shackle Length
470-175LH	4 Step Dial	2-1/4 in



No. 178 Solid Brass Combination Padlocks

Features:

- 4 digit dialing allows for thousands of possible combinations.

Shackle Material: Hardened Steel

SKU	Shackle Length
470-178BLK	1 in



Zenex™ Thermoplastic Safety Lockout Padlocks

Features:

- Designed exclusively for lockout tagout applications.

Shackle Material: Metal

SKU
470-410RED

SAFETY STORAGE

Safety Cans



Safety Cans

Features:

- Constructed of 24-gauge hot dipped galvanized steel, stainless steel, or poly.

Material: 24-ga Galvanized Steel

SKU	Capacity Vol.	Type	Dia.	Height	Color
925-U226S	2-1/2 gal	Flammables	11-1/4 in	9-1/2 in	Red
925-UI50FS	5 gal	Flammables	12-1/2 in	13-1/2 in	Red
925-UI50FSY	5 gal	Diesel	12-1/2 in	13-1/2 in	Yellow



Red Oily Waste Cans

Features:

- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.

Material: 24-gauge Premium Coated Steel

SKU	Capacity Vol.	Type
400-09300	10 gal	Foot Operated Cover



Type I Steel Safety Cans

Features:

- Color coding avoids accidents.
- Self-closing lid controls spills.
- Leakproof, auto-venting lid prevents explosion.

Material: 24-ga Galvanized Steel

SKU	Capacity Vol.	Type	Dia.	Height	Color
400-7110100	1 gal	Gas	9.5 in	11.5 in	Red
400-7125100	2.5 gal	Gas	11.75 in	11.5 in	Red
400-7150100	5 gal	Gas	11.75 in	16.875 in	Red
400-7150110	5 gal	Gas	11.75 in	16.875 in	Red
400-7150210	5 gal	Diesel	11.75 in	16.875 in	Yellow
400-7150200	5 gal	Diesel	11.75 in	16.875 in	Yellow



Type II AccuFlow™ Safety Cans

Features:

- Stainless steel flame arrester prevents flashback ignition.
- Easy-to-use Safe-Squeeze® trigger for controlled pouring.

Material: 24 ga Galvanized Steel

SKU	Capacity Vol.	Color
400-7250130	5 gal	Red
400-7250230	5 gal	Yellow

Safety Storage Cabinets



Sure-Grip® EX Flammable Safety Cabinets

Features:

- 18-gauge thick double-wall, welded steel with 1-1/2-in of insulating air space.

Depth: 18 in

Width: 43 in

Height: 65 in

SKU	Capacities	Material
400-894500	45 gal	18 ga Steel

TRAFFIC SAFETY

Safety Cones



DW Series Traffic Cones

Features:

- Rugged and durable for use in a variety of work zones.

Material: PVC

SKU	Height
831-03-500-05	18 in
831-03-500-07	28 in
831-03-500-10	28 in



PVC Traffic Cones

Features:

- Brightly colored for high visibility.
- All-vinyl construction assures durability and flexibility in all weather conditions.

Material: PVC

SKU	Height
831-03-500-21	18 in



Triangle Warning Kit

Features:

- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the fluorescent plastic is bright and provides effective warning, even in daytime.
- The entire kit is easy to erect and break down, with single triangle flares that unfold from a weighted blow-molded tube base.
- A convenient living hinge box allows for quick and compact storage.

SKU	Color	Height
831-95-03-009	Red; Hi-Viz Orange	18 in



W Series Traffic Cones


Features:

- Injection molded PVC.
- Wide body design.
- Colored base.
- Available with reflective collars.
- MASH Approved.

Material: PVC

SKU	Height
831-03-500-100	28 in

Safety Fences



Safety Fences

Features:

- Convenient, highly visible safety fencing.
- Durable safety fences are UV stabilized.
- Rugged and reusable, great for building barriers on the job.

SKU	Height	Length
831-03-900	4 ft	50 ft

Safety Flags & Pennants



Pennants

Features:

- Durable, weather-resistant vinyl pennant is a reliable choice for drawing attention to demarcated areas.
- Suitable for work zones and construction sites.
- Superior tensile strength.

Length: 100 ft (String)

Material: Vinyl

SKU	Color
831-03-400	Red

Safety Guards & Protectors



General Purpose Utility Wheel Chocks

Features:

- Weather-resistant, lightweight polyurethane construction.
- Mounting hole for ropes or chains.


Height: 6.25 in

Length: 8.5 in

Color: Orange

Material: Urethane

SKU	Outside Dia.
916-UC1700	27 in to 35 in



General-Purpose Rubber Wheel Chocks

Features:

- Highly durable rubber construction.
- Resistant to weather elements.
- Resistant to weather elements.
- Either side can be positioned against the tire.
- Ideal for small vehicles and trailers.
- Small design for easy storage.

Material: Rubber

SKU	Length	Used With
916-RC450-S	10 in	Industrial Industry
916-RC815	10.5 in	Trailers and Trucks




EZ Grab Delineator Post

Features:

- Post is made from 100% impact-resistant polyethylene material.
- EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
- The sturdy rubber base ensures that the post stays put.
- Each post comes with two high intensity reflective bands.

SKU	Height
831-03-734RBC	45 in



Wheel Chocks

Features:

- Provides maximum durability and skid protection.
- Constructed to withstand extreme weather conditions.
- Includes zinc-plated eyebolt.

Height: 6 in

Length: 10 in

Color: Black

Material: Rubber

SKU	Outside Dia.
831-2048WC	8 in

Safety Hats



Baseball Style Bump Caps

Features:

- Polyester twill ball cap protects against bumps and scrapes.
- Includes polyurethane bump cap insert.
- Comfortable for extended wear.

Size Group: 6-7/8 to 7-5/8 in

SKU	Material	Color
561-v410-b03	Polyester Twill; Polyethylene	Navy

Safety Signs



Quadra Flex™ Roll-Up Utility Work Ahead Signs

Features:

- Fluorescent color provides maximum visibility.
- Lexan Polycarbonate pockets on all corners.
- Fiberglass Ribsets are included and are ready for use.
- Ribs are coated to prevent splinters and fraying.
- Overlays available for changeable message signs.
- Available in 36 in and 48 in sizes.

SKU	Width	Height
831-07-800-4046-L	48 in	48 in



Safety Paddles

Features:

- Silk screened or reflective Engineer Grade (EG), HI-intensity (HI), or Diamond Grade (DG) sheeting.
- Extremely durable ABS material or 0.080 aluminum with scratch resistant paint finish.

Length: 9 in Polygrip Handle

Dia.: 18 in

SKU	Depicted Text	Color
831-03-851	STOP/SLOW	White Letters on Red; Black Letters on Orange

Safety Tags



Heavy Duty Lockout Tags

Features:

- Constructed of heavy duty polyester, durable tag offers completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures.
- Tags accept pencil, pen and marker (pen and marker can be completely erased using isopropyl alcohol, allowing for repeated use).

SKU	Quantity	Width	Height
262-65520	25 EA/PKG	3 in	5.75 in



Lockout Tags

Features:

- Two-sided tag with warning messages and graphics.
- Both sides have lines for writing additional information.
- Write-on surface allows for authorized signatures, dates and other special instructions.

SKU	Quantity	Width	Height
262-66050	25 EA/PK	3 in	5.75 in

**Master
Lock.**

Do Not Operate Safety Tags, Spanish/English

Features:

- Heavy Duty English/Spanish Safety Tags feature durable polyester laminate to resist water, grease and extreme temperatures.
- The heavy duty construction withstands over 50 lbs.

SKU	Quantity	Width	Height
470-497AX	12 EA/PK	3-1/8 in	5-3/4 in

Safety Tapes



Economy Barrier Tape

Features:

- Sturdy safety tape.

SKU	Depicted Text	Color	Length
101-R10003	Danger	Red	1000 ft
101-Y10003	Caution	Yellow	1000 ft

Safety Vests



GloWear® Safety Vests

Features:

- High visibility.
- Non-Certified and Certified options.

Material: Polyester Mesh

SKU	Size Group	Closure Type	Color
150-20040	One Size	Hook and Loop	Lime
150-21023	Small/Medium	Hook and Loop	Lime
150-21053	Small/Medium	Zipper	Lime
150-21045	Large/X-Large	Zipper	Orange
150-21055	Large/X-Large	Zipper	Lime
150-21295	Large/X-Large	Zipper	Lime/Orange
150-21057	2X-Large/3X-Large	Zipper	Lime

RADIANS®


SV6 Type R Class 2 Two Tone Surveyor Mesh Safety Vests

Features:

- Includes contrasting trim on the stripes and a clear badge holder for the radio pocket.
- Additional sizing available

Material: 100% Polyester Mesh

SKU	Size Group	Closure Type
292-SV6-2ZGM-XL	X-Large	Zipper Front

SPILL CONTROL SAFETY

Sorbents



Oil-Only Sorbent Pads

Features:

- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Packing Type: Bale

Quantity: 100 Sheets/BA

SKU	Length	Width	Absorption
103-AB-BP0500	17 in	15 in	17 gal
103-AB-BP0100	17 in	15 in	20.5 gal




Universal Sorbent Pads

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Packing Type: Bale

SKU	Length	Width	Absorption	Quantity
103-AB-BPU500	17 in	15 in	17 gal	100 Sheets/BA
103-AB-BPU100	17 in	15 in	20.5 gal	100 Sheets/BA
103-AB-BPU200	17 in	15 in	34 gal	200 Sheets/BA



Universal Sorbent Rolls

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Packing Type: Roll

Absorption: 38 gal

SKU	Length	Width
103-AB-BRU120	150 ft	30 in

Sorbent Kits



SPC Allwik® Drum Spill Kits

Features:

- Allwik for oil, water based and chemical spills.
- Tough, secure and highly visible, this top quality screw topped over pack drum meets UN and DOT specifications.
- For large spill response.
- For oil, water based and chemical spills.

Absorption: 41 gal

Includes: (60) Pads 15 in x 19 in; (4) SOC's; 3 in x 12 ft; (8) Pillows; 17 in x 19 in; Goggles; Nitrile Gloves; (5) Disposal Bags; Emergency Response Handbook

SKU	Width
655-SKA55	24 in



SPC® Economy Portable Spill Kits

Features:



- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Absorption: 5 gal

Type: Allwik® Universal

Includes: (10) 15 in x 19 in Pads; (2) SOC's; 3 in x 4 ft; Nitrile Gloves; (1) Disposal Bag; Instruction Sheet

SKU	Length	Width
655-SKA-PP	20 in	16 in



TRACK RESERVE

— TRACK ASSETS. KEEP READY. —

Website: <https://trackreserve.com>

Email: contact@trackreserve.com