



VOL. 3

ENERGY CATALOG



TRACK RESERVE
— TRACK ASSETS. KEEP READY. —

ONE FALL CAN CHANGE EVERYTHING

At Miller, we've made it our business for 80 years to develop best-in-class fall safety equipment and systems to protect workers.



MILLER®

Table of Contents

Adhesive Products	24	Ear Protection	97	Hand Tool Organizers & Belts	51
Adhesives & Glues		Earmuffs		Tool Bags	
Babbit & Ladles	75	Earplug Parts & Accessories		Head/Face Protection	91
Batteries	73	Earplugs		Faceshields & Visors	
Bending & Flaring Tools	52	Extractors & Sets	56	Hard Hat & Cap Parts & Accessories	
Hand Benders		Extractor Sets		Hard Hats & Caps	
PVC Heater Benders		Eye Protection	100	Welder Caps & Doo Rags	
Bonded Abrasives	76	Safety Glass Parts & Accessories		Welding Helmet Parts & Accessories	
Resin Bonded Abrasives		Safety Glasses		Welding Helmets	
Brushing & Sweeping Products	85	Safety Goggles		Heat Stress Protection	132
Brushes & Brooms		Fall Protection	119	Activity Drinks	
Cable Puller Accessories	66	Fall Protection Parts & Accessories		Bandanas	
Chain, Cable, Rope & Accessories	78	Harness Parts & Accessories		Hydration Bottles	
Rope, Line & Twine		Harnesses		Sweat Bands	
Straps & Bungee Cords		Ladder Safety System Parts & Accessories		Antiseptics	
Chisels, Punches & Pins	51	Ladder Safety Systems		Eye Wash and Showers	
Punches		Lanyards		Hex, Torx & Spline Keys	54
Clamps & Vises	43	Rescue Systems		Hex Key Sets	
Clamps & Spreaders		Fastening Products	82	Insect Controlling Products	16
Vises		Reclosable Fasteners		Insect Killers	
Cleaning Products	5	Files	47	Knives & Multi-Purpose Tools	47
Cleaners & Degreasers		Half Round Files		Knives	
Cleaning Products	84	Finishing Tools	71	Knockout Punches Hydraulic	67
Dishwashing Cleaners		Grinders		Lawn & Garden Tools	58
Disinfectants		Fire, Gas & Water Protection	144	Shovels & Spades	
Glass Cleaners		Detectors		Leak Detectors & Penetrants	13
Floor & Carpet Cleaners		First Aid Safety	139	Leak Detectors	
Clothing Protection	127	First Aid Kits		Magnetic Particles	
Coveralls & Overalls		Insect Repellents & Sunscreens		Penetrants	
Rainwear		Ointments		Levels	60
Coco Mats	74	Pain Relievers		Locking Devices	145
Compressors, Blow Guns, Hoses & Fittings	73	Fish Tapes	67	Lock Boxes	
Air Hose Fittings		Flange Pins & Aligners	63	Lockouts & Hasps	
Cordless Tool Batteries & Chargers	72	Foot Protection	127	Padlocks & Cables	
Batteries, Cordless Tool		Boots & Shoes		Lubricants & Penetrants	6
Covering Products	77	Footwear Covers		Oilers & Sprayers	
Tarps		Gage Poles	74	Oils	
Crimping & Stripping Tools	56	Gauging Tape Refills & Parts	62	Anti-Seize Compounds	
Crimpers & Strippers		Gauging Tapes	61	Dry Lubes	
Cutting Tools	71	Gauging Tapes	61	Fluids	
Band Saws		Gauging Tape Wipers	62	Grease	
Chop & Cut-Off Saws		Hammers, Sledges, Mallets & Axes	45	Grease Gun Hoses, Extensions & Adapters	
Cut-Out Tools		Hammers		Grease Guns	
Shears		Hand Protection	107	Multi-Purpose Lubricants	
Derrick Tapes	62	Glove Parts & Accessories		Markers	64
Drilling & Fastening Tools	69	Safety Goggles Protection Parts & Accessories		Meters	68
Crimpers		Gloves		Mopping Products	85
Drills		Hand Pads & Warmers		Squeegees	
Wrench Kits		Handsaws & Sets	60	Multi-Purpose Hand Tool Sets	58
		Handsaws		Multi-Purpose Tool Sets	
				Packing Hooks	74

Paint & Paint Supplies	13	Screwdrivers & Nutdrivers	54	Wire Pulling Grips	68
Coatings		Insulated Screwdriver & Nutdriver Sets		Wrenches	25
Paint Brushes		Insulated Screwdrivers		Adjustable Wrenches	
Paints		Interchangeable Drivers		Chain Tong & Strap Wrench Parts & Accessories	
Spray Guns		Screwdriver Sets		Chain Tong & Strap Wrenches	
Personal Hygiene	83	Slotted Screwdrivers		Combination Wrench Sets	
Hand Cleaners		Sealing Products	16	Combination Wrenches	
Pipe Threading Equipment	37	Sealants		Pipe Wrench Parts & Accessories	
Groovers		Threadlockers		Pipe Wrenches	
Pipe Bevellers		Specialty Products	16		
Tap & Die Sets		Finding Paste			
Taps & Dies		Spill Control Safety	153		
Threaders Manual		Sorbent Kits			
Threaders Manual Accessories		Sorbents			
Threaders Powered		Stands & Ramps	79		
Threaders Powered Accessories		Strapping Products	80		
Pliers & Cutters	30	Cable Ties			
Bolt & Chain Cutter Parts & Accessories		Tie Wire			
Bolt & Chain Cutters		Tape Measures	60		
Cable & Wire Rope Cutters		Tape Products	20		
Diagonal Pliers		Duct Tapes			
Linemans Pliers		Electrical Tapes			
Locking Pliers		Marking Tapes			
Needle Nose Pliers		Pipe Sealant Tapes			
Pipe Cutter Parts & Accessories		Specialty Tapes			
Pipe Cutters		Testers & Indicators	68		
Tongue & Groove Plier Sets		Thermometers	64		
Tubing Cutter Parts & Accessories		Threading Tools	73		
Tubing Cutters		Pneumatic Tappers			
Plumb Bobs	63	Tool Storage	48		
Prying Tools	48	Tool Boxes			
Bars		Torch & Weed Burners	75		
Pumping Equipment	78	Traffic Safety	149		
Fuel Pumps		Safety Fences			
Reaming & Deburring Tools	54	Safety Flags & Pennants			
Reamers & Deburring Tools		Safety Guards & Protectors			
Respiratory Protection	86	Safety Hats			
Cartridge Respirator Parts & Accessories		Safety Signs			
Cartridge Respirators		Safety Tapes			
Disposable Respirators		Safety Vests			
Escape Respirator Parts & Accessories		Tubing	78		
Escape Respirators		Gage Glass			
Powered Air, Supplied Air System Parts, & Accessories		Welding & Cutting Accessories	75		
Powered Air & Supplied Air Systems		Cutting & Burning Guides			
Rig Wash & Creme Beads	74	Wiping Products	82		
Rulers	61	Towels & Wipers			
Safety Storage	148	Wire Brush Abrasives	76		
Safety Cans		Cup Brushes			
Safety Storage Cabinets		Scratch Brushes			
Safety Cones		Wheel Brushes			
Sample Bags	75				
Sand Strainers	75				

APEX®

ASSEMBLY & FABRICATION TOOLS

Honeywell

ITW
PRO
BRANDS

 **MCR**
SAFETY

MSA

The Safety Company

CLEANING PRODUCTS

Cleaners & Degreasers



B-12 CHEMTOL® Carburetor/Choke Cleaners

Features:

- Cleans petroleum residue from fuel systems, fuel injectors, valves, rings and pistons.
- Works to disperse moisture.

SKU	Capacity Vol.	Removes
084-0117	16 oz	Deposits; Fuel Residue; Gum; Varnish
084-0117C	16 oz	Deposits; Fuel Residue; Gum



Brake Cleaners

Features:

- Cleans brake linings, disc brake pads, drums, cylinders, springs, and other related brake parts.
- Non-flammable, quick drying formula leaves no residue.

SKU	Capacity Vol.
084-1820	19 oz



Non-Chlorinated Brake Cleaners

Features:

- Specially formulated to clean as well as chlorinated brake cleaners without chlorinated solvents.
- Dries quickly leaving no residue.

SKU	Capacity Vol.
084-2421	19 oz



Brake Parts Cleaners

Features:

- Maintaining clean brake and disc parts can improve the life of your car's braking system and keep you safe on the roads.

SKU	Capacity Vol.	VOC
125-05084	14 oz	43.9%; 344.6 g/L; 2.87 lb/gal
125-05050	20 oz	9%; 70.2 g/L; 0.59 lb/gal
125-05088	20 oz	84%; 657.2 g/L; 5.5 lb/gal
125-05089	20 oz	0%; 0 g/L; 0 lb/gal



Heavy Duty Degreasers

Features:

- Evaporates quickly.
- Leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners.

SKU	Capacity Vol.
125-03095	20 oz



Lectra Clean® Heavy Duty Electrical Parts Degreasers

Features:

- Evaporates quickly, leaves no residue and has no flash or fire point.
- Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

SKU	Capacity Vol.
125-02018	20 oz



Lectra Motive® Electric Parts Cleaners

Features:

- Non-flammable formula dissolves grease, oil, dirt, and wax without having to remove parts.

SKU	Capacity Vol.
125-05018	20 oz



Industrial Cleaners and Degreasers

Features:

- Non-abrasive, non-corrosive, non-flammable and VOC compliant formula.
- Safe for use in cleaning equipment including floor scrubbers, carpet cleaners and parts washers.

SKU	Capacity Vol.
676-2710001213012	24 oz
676-2710200613005	1 gal
676-2700000113006	5 gal

LUBRICANTS & PENETRANTS

Oilers & Sprayers

GOLDENROD



Heavy Duty Pump Oilers

Features:

- Delivers either a drop or stream of fluid.

Body Material: Steel

Finish: Copper Bronze

SKU	Capacity Vol.
250-120-A	1 qt

Oils



Kroil Penetrating Oils

Features:

- Kroil quickly loosens rusted nuts and bolts, frees frozen shafts, pulleys, and more.
- Will not attack or damage metals.

SKU	Capacity Vol.
885-KS102C	10 oz
885-KS132C	13 oz
885-KS162C	16.5 oz



Deep Penetrating Oils

Features:

- Loosens red and white lead, tar, grease, carbon and graphite deposits.

SKU	Capacity Vol.
296-RE12	11 oz



WORLD-CLASS MAINTENANCE, REPAIR, AND OPERATIONS SOLUTIONS

As a leader in the MRO industry, LPS® delivers superior maintenance chemicals to industrial, aerospace, food processing, military, contractor, and energy development facilities worldwide. These premium-performance chemicals save time and money by extending equipment life, reducing repair time, and lowering frequency of preventative maintenance.



Marvel® Air Tool Oils

Features:

- Specially formulated for use in all piston type and rotary air tools, as well as in-line air lubricators.
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life.

SKU	Capacity Vol.
465-MM085R1	32 oz



Marvel® Mystery Oil Gas and Oil Additives

Features:

- Engine and fuel additive helps prevent oil breakdown caused by extreme temperatures.
- Reduces and prevents valve-sticking by removing harmful sludge and carbon deposits.

SKU	Capacity Vol.
465-013R	1 qt
465-MM14R	128 oz



Thread Cutting Oils

Features:

- Cools threads and pipe during operation.
- Speeds metal removal, improves thread quality, and reduces threading torque.

SKU	Container Size	Color
632-70830	1 gal	Black
632-70835	1 gal	Yellow

Anti-Seize Compounds



Kopr-Kote® High Temperature Anti-Seize and Lubricants

Features:

- Provides a shield against metal-to-metal contact, preventing seizure and corrosion.
- Assures protection against rust, oxidation, and corrosion.
- Specially formulated to prevent excessive over torque issues and has a very high static friction factor of 0.17.

Thickener: Aluminum Complex

Physical Form: Paste or Gel

SKU	Capacity Wt.
399-10004	1 lb



LB 8007™ Copper-Based Anti-Seize Lubricants

Features:

- Typical applications include screws, nuts, pipes, exhaust bolts, and brake caliper bolts.
- Resistant to extremely high temperatures.
- Protects from rust, corrosion, galling and seizing.

Physical Form: Aerosol

SKU	Capacity Wt.
442-1786073	12 oz



LB 8008™ C5-A® Copper Based Anti-Seize Lubricants

Features:

- Protects metal parts from rust, corrosion, galling, and seizing.
- Establishes greater clamp load.

Physical Form: Paste

SKU	Capacity Wt.
442-234263	8 oz
442-160796	1 lb



Nickel Anti-Seize

Features:

- Contains tenacious metals, oils and graphite materials which cannot be burned away or removed by slow moving parts.

Physical Form: Paste

SKU	Capacity Wt.
442-135543	1 lb



Silver Grade Anti-Seize Lubricants

Features:

- Heavy duty, temperature resistant, petroleum-based lubricant compound fortified with graphite and metallic flake.
- Inert and will not evaporate or harden in extreme cold or heat.

NLGI Grade: 1

Physical Form: Paste

SKU	Capacity Wt.
442-199012	8 oz
442-235005	1 lb



Blue Moly Compounds

Features:

- Provides excellent protection against extreme pressure and high temperatures.
- Contains no graphite, lead or copper and can be used in applications where these are undesirable or prohibited.

SKU	Capacity Wt.
535-30801134	16 oz



Pure Nickel Special Compounds

Features:

- Excellent heat dispersing qualities.
- Prevents galling on steel-to-stainless, titanium, magnesium and other hard metals.

SKU	Capacity Wt.
535-30803818	8 oz
535-30801135	1 lb



Regular Grade Compounds

Features:

- Protects against rust, corrosion, carbon fusion and seizure at high temperatures.
- Keeps parts working longer with less wear, and enables faster disassembly when repairs are needed.

SKU	Capacity Wt.	Packing Type
535-30803820	8 oz	Brush Top Can
535-30803827	16 oz	Aerosol Can
535-30803817	1 lb	Brush Top Can

Dry Lubes



Dry Moly Lubricants

Features:

- Withstands high pressures up to 50,000 psi.
- Air dries in 5-to-10 minutes, cures in 2 hours at room temperature.
- Works as boundary lube to as cold as -200 °F.
- Non-conductive.

SKU	Capacity Vol.
425-SC0200000	11 oz

Fluids



EP-Xtra® Cutting Fluids

Features:

- Metal cutting fluid used to increase speed, extend tool life and improve cut quality

SKU	Capacity Vol.
702-10016E	16 oz



Jump Start® Starting Fluids with Lubricity

Features:

- Can be used on diesel engines and gas engines, making it economical and versatile.
- Can also be used on other carburetor fuel systems as well, including snow blowers, lawn mowers, and motorcycles.
- Spray in air intake or air cleaner while engine is off.
- Lubricates upper cylinders.

SKU	Capacity Vol.
125-05671	11 oz

Grease



Red Grease Heavy Duty Formulas

Features:

- Heavy-duty lubricant that withstands high temperature and high pressure.
- Red color allows for easy visual inspection of film coverage.
- Waterproofs and prevents corrosion.

NLGI Grade: 2

Thickener: Aluminum Complex

SKU	Capacity Wt.
125-03079	11 oz



Automotive Lubricants

Features:

- A smooth light-bodied grease made especially for motor assembly.
- Prevents "Dry-Start".
- Provides lubrication during the initial start up before the motor oil has circulated.
- Protects freshly machined engine parts from rust and corrosion.

NLGI Grade: 0

Thickener: Calcium

SKU	Capacity Wt.
293-L0034-094	10 oz



JT-6® Hi-Temp Grease

Features:

- Formulated with a high dropping point for use over a wide temperature range.
- Provides excellent protection in severe service and outstanding shock load protection.

NLGI Grade: 2

Thickener: Lithium Complex

SKU	Capacity Vol.
122-665005002080	14 oz

Grease Gun Hoses, Extensions & Adapters



Button Head Couplers

Features:

- Designed for use with hand operated grease guns only.
- For use with button head fittings.

Operating Pressure: 15,000 psi

Fitting Type: Giant Pull-On

SKU	Fitting Size
025-304300-A	18 in

Grease Guns



Professional Lever Grease Guns

Features:

- Rugged and light weight die cast aluminum head.
- 3 way loading (14 ounce cartridge, suction, or fast refill from Alemite Loader Pump).
- Bleeder valve.

Outlet Type: Rigid Extension/Coupler

SKU	Capacity Vol.	Operating Pressure
025-500	16 oz	10,000 psi




Lever Type Heavy-Duty Grease Guns

Features:

- Flip-over follower is set for cartridge use.
- Extra-heavy follower spring insures positive priming and uninterrupted pumping action.

SKU	Capacity Vol.	Operating Pressure	Outlet Type
438-1142	16 oz Bulk; 14.5 oz Cartridge	6000 psi	6 in Extention/Coupler
438-1147	16 oz Bulk; 14.5 oz Cartridge	6000 psi	18 in Hose/Coupler



Pistol Grip Heavy-Duty Grease Guns

Features:

- Rugged cast pump head with precision-fit, hardened plunger - resists scoring and prevents lubricant bypass for longer life.
- Jam-proof toggle plus extra-heavy follower spring - prevents binding or bent plungers and guarantees positive priming.
- Exclusive "Flip-Over" follower for superior sealing in cartridge or bulk loading; follower rod locks to force prime.
- Tough, lubricant-impervious construction with an accessible check valve for easy cleaning (no gun disassembly).

Outlet Size: 1/8 in

Outlet Type: 18 in Whip Hose/Coupler

SKU	Capacity Vol.	Operating Pressure
438-1133	16 oz Bulk; 14.5 oz Cartridge	7500 psi




M18™ Cordless 2-Speed Grease Guns

Features:

- Pre-set grease counter dial.
- Air bleeder valve for quick priming.
- Lock-on/Lock-off trigger delivers added user convenience.

Outlet Type: 48 in Hose/Coupler

SKU	Capacity Vol.	Operating Pressure
495-2646-22CT	16 oz	10000 psi

Multi-Purpose Lubricants

MICRO-MIST



Foaming Lubricants

Features:

- A special blend of friction seekers, lubricants and corrosion inhibitors.
- Stop rust and corrosion.
- Displaces moisture.

SKU	Capacity Vol.
480-1615	16 oz



Multi-Purpose Lubricants

Features:

- Protects metal surfaces with corrosion-resistant ingredients to shield against moisture and other corrosive elements.
- Loosens rust-to-metal bonds and frees stuck, frozen or rusted metal parts.
- Product displaces moisture quickly and dries out electrical systems to eliminate moisture-induced short circuits.

SKU	Capacity Vol.	Packing Type
780-490040	11 oz	Aerosol Can
780-490057	12 oz	Aerosol Can
780-490088	16 oz	Aerosol Can
780-490118	1 gal	Canister

LEAK DETECTORS & PENETRANTS

Leak Detectors

SNOOP



Leak Detectors

Features:

- Non-Toxic, non-flammable.
- Does not collect dust.
- Does not contain chlorine, aliphatic amines, or ammonium compounds.

SKU	Capacity Vol.
747-80Z-SNOOP	8 oz

Magnetic Particles



Magnavis® WCP-2 Contrast Paints

Features:

- Designed for use in applications where the contrast in color between the part being tested and the magnetic particles being used is insufficient for reliable identification of flaws.
- Can be used with both dry and wet-method magnetic particles.

SKU	Capacity Wt.
387-01-2250-78	12.1 oz

Penetrants



PB™ Penetrating Catalysts

Features:

- Effective rust inhibitor.
- Non-evaporating lubricant.
- Penetrates into hard-to-reach areas.
- Suitable for brake, exhaust and suspension system jobs.

SKU	Capacity Vol.	Physical Form
108-16-PB-DS	11 oz	Aerosol Liquid

PAINT & PAINT SUPPLIES

Coatings



Protective Coatings

Features:

- Excellent under severe corrosive conditions.
- Adaptable to underground and/or underwater installations.

Coverage @ Vol.: 1091 sq ft @ 1 mil; 61 sq ft @ 18 mil

Color: Black

SKU	Capacity Vol.	Full Cure Time @ Temp.
107-50-1	1 gal	12 h @ 75° F; 24 h @ 50° F; 8 h @ 90° F
107-50-5	5 gal	25 h @ 50° F (10 °C); 8 h @ 90° F (32 °C)

Paint Brushes



White Chinese Bristle Paint Brushes

Features:

- Natural wood finish handle with White Chinese bristles.
- Perfect for latex paints, chip, and touch-ups.

Bristle Material: White Chinese

Handle Material: Wood

SKU	Brush Width	Thickness	Trim Length
449-1500-2	2 in	5/16 in	1-1/2 in
449-1500-4	4 in	5/8 in	2 in

Paints



3M™ Scotchrap™ Pipe Primers

Features:

- Quick-dry, non-sag rubber based primer that permeates metal surface pits and irregularities, preparing the surface for tape application.
- Use with 3M™ Scotchrap™ Corrosion Protection Tapes 50 and 51.

SKU	Capacity Vol.	Color
500-427681	1 gal	Gray



ACRYLI-QUIK™ Acrylic Lacquer Paints

Features:

- Provides a tough, long-lasting, protective coating.
- Guards against electrical failures.
- Will not affect resistance values or conduct current.

Application Temp. Range: 50° F - 85° F

Dry Heat Resistance: <150° F

SKU	Capacity Vol.	Color
425-K02001A07	12 oz	Hunter Green



Interior/Exterior Industrial Maintenance Paints

Features:

- VOC-compliant acrylic lacquer formula, free of lead hazards.
- Hard, protective, durable finish.
- Dries fast, in just 12 minutes to the touch.
- No recoat window, recoat anytime.

Application Temp. Range: 50° F - 90° F

SKU	Capacity Vol.	Color	Dry Heat Resistance
425-K01501A07	12 oz	Glossy White	200° F
425-K01601A07	12 oz	Glossy Black	200° F
425-K02101A07	12 oz	Cherry Red	<150° F



Primers


Features:

- Coat any metal, wood, both indoor and outdoors for a hard, protective, durable finish.
- Dry to touch in under 12 minutes.
- No recoat window, recoat anytime.

Application Temp. Range: - Room Temperature

Dry Heat Resistance: <150° F

SKU	Capacity Vol.	Color
425-K01318A07	12 oz	Gray



OSHA Safety Color Spray Paints

Features:

- High visibility cautions for helping workers' safety.

Application Temp. Range: 50° F - 75° F

Dry Heat Resistance: 150° F

SKU	Capacity Vol.	Color
425-K01813777	12 oz	Safety Yellow (OSHA)



Industrial Choice 1600 System Multi-Purpose Enamel Sprays

Features:

- Dries 12 minutes to the touch.
- High solids provides complete, even coverage.

Application Temp. Range: 50° F - 100° F

SKU	Capacity Vol.	Color	Dry Heat Resistance
647-1692830V	12 oz	Gloss White	200 °F
647-1679830V	12 oz	Gloss Black	200 °F
647-1660830	12 oz	OSHA Safety Red	212 °F



Industrial Choice® M1600/M1800 System Precision-Line Inverted Marking Paints

Features:

- Precision tip, virtually no overspray.
- Adheres to hot surfaces, can be sprayed in the cold (to 25° F).
- Dries in under 5 minutes.
- Available in solvent-based (SB) or water-based (WB) formulas.

Application Temp. Range: 40° F - 90° F

SKU	Capacity Vol.	Color	Base Type
647-203027V	20 oz fl oz	Fluorescent Orange	Solvent
647-203036	20 oz fl oz	Fluorescent Orange	Water

Spray Guns



Brass Spray Guns

Features:

- Brass body spray gun used for spraying solvents to clean engines and other machinery.
- Extra wide trigger, lare control knobs, and an ergonomic forged aluminum body.

Flow @ Pressure: 14 CFM @ 50 psi

Inlet Size: 1/4 in (NPSM)

Fluid Inlet: 3/8 in (NPSM)

SKU	Body Material	Feed Type
105-6530-0000-1	Brass	Pressure/Siphon

INSECT CONTROLLING PRODUCTS

Insect Killers



Wasp and Hornet Killer Plus™ Insecticides

Features:

- Fast acting, high strength insecticide.
- Ergonomic trigger that provides control, even with gloved hands.
- Accurate up to 20 feet away.

Insect Type: Crawling Bugs; Hornets; Wasps

SKU	Capacity Vol.
125-14010	14 oz

SPECIALTY PRODUCTS

Finding Paste



Regular Water Finding Pastes

Features:

- Reformulated for better consistency and improved color change.
- Mustard yellow paste turns red upon contact with water.
- Effective with gasoline, diesel and other solutions but not for ethanol blends.

SKU	Capacity Vol.
296-WT25	2-1/2 oz



Water Finding Pastes

Features:

- Golden brown turns red on contact.
- Gauges petroleum for water content, sulphuric acid, nitric acid, hydrochloric acid, ammonia, soap, salt, and other chloride solutions.

SKU	Capacity Vol.
460-KK01	3 oz



BLUE Water Finding Pastes

Features:

- Provides a way to detect water in the bottom of tanks filled with gasoline, gasoline/ethanol blends up to 20% ethanol, diesel, jet fuel, fuel oil, biodiesel, solvents, and other water incompatible materials.
- The orange paste turns navy blue on contact with water.
- Works well in alcohol blend systems.

SKU	Capacity Vol.
927-67228	1 oz

SEALING PRODUCTS

Sealants



Cold Weld Compounds

Features:

- Nontoxic.
- Superstrong and durable.

Temp. Range: - 300° F

Full Cure Time @ Temp.: 4 h @ 70° F

SKU	Capacity
803-8276	1 oz

LOCTITE

515™ Gasket Eliminator® Flange Sealants

Features:

- Makes flexible gaskets for rigid machined flanges with less than .050" gap.
- Flexes with flanges that move in service.

Temp. Range: -65° F - 300° F

Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity Vol.	Color
442-135479	50 ml	Purple



567™ PST® Thread Sealants, High Temperature

Features:

- Instant thread sealant for taper/taper threads and fittings.
- Provides excellent solvent resistance.
- Eliminates galling on stainless steel.

Temp. Range: -65°F - 480°F

Full Cure Time @ Temp.: 24 h @ 72° F

SKU	Capacity	Color
442-2087067	50 mL	Off White
442-2087069	250 mL	White

LOCTITE

SI 596™ High Temp Sealants


Features:

- Cures on exposure to moisture in the air to form a tough, flexible, waterproof, oil-resistant silicone rubber bond.
- This product resists aging, weathering and thermal cycling without hardening, shrinking or cracking.

Temp. Range: - 315° C

Full Cure Time @ Temp.: 24 hr

SKU	Capacity	Color
442-2700556	190 mL	Red



Superflex® Red High Temp RTV Sealants

Features:

- Makes gaskets that resist temperatures to 600°F intermittent.
- Resists aging, weather, and thermal cycling without shrinking, cracking, or hardening.

Temp. Range: -75° F - 600° F

Color: Red

Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity	Packing Type
442-135507	80 ml	Tube
442-198817	300 mL	Cartridge

LOCTITE

Superflex® RTV, Silicone Adhesive Sealants

Features:

- A neutral curing and non-corrosive sealant.
- Superior adhesion and flexibility.
- Adheres to a wide range of material surfaces.

Temp. Range: -65° F - 450° F

Color: Clear

Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity
442-743915	190 mL



Thread Sealants with PTFE

Features:

- A general purpose sealant with the added lubricity of PTFE for metal pipes.

Temp. Range: -65° F - 300° F

Color: White

SKU	Capacity
442-1527514	1 pt


Permatex


Ultra Red® RTV Silicone Gasket Makers

Features:

- High temperature performance.
- Sensor-safe, non-corrosive, RTV silicone.

Temp. Range: -65° F - 650° F

Color: Red

Full Cure Time @ Temp.: 7 days @ 77° F

SKU	Capacity
230-81630	3.35 oz



A CSW Industrials Company



Tru-Blu™ Pipe Thread Sealants

Features:

- Recommended for use on galvanized steel, iron, brass, copper, aluminum, stainless steel, polyethylene, fiberglass reinforced, PVC and CPVC pipe.
- Ideal for use as positive lock and seal on threaded fasteners.

Temp. Range: -50° F - 350° F

Color: Blue

Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity
622-31300	1 qt
622-31431	1 pt



100% Silicone Architectural Grade RTV Sealants

Features:

- Multi-purpose sealant provides a long-lasting, weather-resistant seal to glass, metal, plastic and ceramic surfaces.
- Can be applied at temperatures below freezing.

Temp. Range: -60° F - 400° F

Color: Clear

Full Cure Time @ Temp.: 24 h @ 77 °F

SKU	Capacity
630-0826/OI	9.8 fl oz



RD PRO® Heat Resistant RTV Sealants

Features:

- Offers excellent adhesion to most non-porous building substrates and remains permanently elastic.

Temp. Range: -60° F - 500° F

Color: Red

Full Cure Time @ Temp.: 24 h @ 77 °F

SKU	Capacity
630-0809/OI	10.3 oz

Threadlockers



242™ Threadlockers, Medium Strength

Features:

- Medium strength, medium viscosity, methacrylate-based threadlocking adhesive offering general purpose qualities.
- Provides quick fixture times on steel, brass and stainless steel of 5, 15 and 20 min respectively.
- Thixotropic to reduce adhesive migration.

Temp. Range: -65° F - 300° F

Color: Blue

Thread Size: 1/4 in - 3/4 in

Curing Method: Anaerobic

SKU	Capacity Vol.
442-135354	10 ml
442-135355	50 mL



262™ Threadlockers, Medium to High Strength

Features:

- Steel fixture time is 15 minutes, brass 8 minutes, and stainless steel 180 minutes.
- It fluoresces under UV light to allow monitoring.
- Suitable for all metal fasteners.

Temp. Range: -65° F - 300° F

Color: Red

Thread Size: - Up to 3/4 in

Curing Method: Anaerobic

SKU	Capacity Vol.
442-135374	50 ml

LOCTITE

271™ High Strength Threadlockers

Features:

- High strength, low viscosity, red, methacrylate-based threadlocking adhesive which fluoresces under UV light to allow monitoring.
- With steel fixture time of 10 minutes, brass 5 minutes and stainless steel 15 minutes.
- Suitable for all metal fasteners.
- Breakaway torque on M10 bolts of 26 Nm.

Temp. Range: -65° F - 300° F

Color: Red

Thread Size: - Up to 1 in

Curing Method: Anaerobic

SKU	Capacity Vol.
442-135381	50 ml



272™ Threadlockers, High Temp/High Strength

Features:

- Red, high strength, medium viscosity, methacrylate-based threadlocking adhesive with high temperature resistance.
- With a fixture time on steel of 10 minutes, brass 5 minutes, and stainless steel 15 minutes, it is ideal for applications where any migration of the adhesive must be prevented.
- Suitable for all metal fasteners.

Temp. Range: -65° F - 450° F

Color: Red

Thread Size: - Up to 1-1/2 in

Curing Method: Anaerobic

SKU	Capacity Vol.
442-88442	50 mL

TAPE PRODUCTS

Duct Tapes

3M

3M™ All Purpose Duct Tapes DT8

Features:


- Woven cloth scrim allows tape to tear easily by hand.
- Conformable backing is good for use on contoured surfaces.
- Good tensile strength for light duty bundling, repair, and holding.

Thickness: 8 mil

Adhesion to Steel: 74 oz/in

Tensile Strength: 31 lb-in

SKU	Length	Width
405-689330-17225	60 yd	1.88 in



3M™ Duct Tapes 3900

Features:


- Sturdy polyethylene backing resists moisture, prolonging the tape bond in moist or humid environments.
- Low tack roll edges make the tape easier to unwrap and keeps edges cleaner for less surface contamination and wasted tape.
- Additional colors available.

Thickness: 7.7 mil

Adhesion to Steel: 56 oz/in

Tensile Strength: 22 lb/in

SKU	Length	Width
405-051131-06976	60 yd	1.88 in



3M™ Extra Heavy Duty Duct Tape 6969

Features:

- An industrial strength duct tape that is abrasion- and moisture-resistant.
- The tape consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive.

Thickness: 10.7 mil

Adhesion to Steel: 61 oz/in

Tensile Strength: 34 lb/in

SKU	Length	Width
405-051131-06969	60 yd	1.88 in



3M™ Heavy-Duty Silver Duct Tapes 3939

Features:

- The adhesive bonds immediately and holds for up to one year indoors without deterioration.
- Strong polyethylene backing resists water, wear, and abrasion.
- Easily sticks to irregular surfaces and tight spaces without lifting.

Thickness: 9.0 mil

Adhesion to Steel: 55 oz/in

Tensile Strength: 25 lb/in

SKU	Length	Width
405-051131-06975	60 yd	1.88 in

Electrical Tapes



3M™ Scotchrap™ All-Weather Corrosion Protection Tapes 50 & 51

Features:

- Scotchrap™ 50 and 51 tapes are tough, polyvinyl chloride based tapes with special high tack adhesive.
- Formulated to resist corrosion of metal piping systems above and below ground, fittings and joints on all mill-coated pipe and electrical conduit systems.

Material: PVC

Thickness: 10 mil

SKU	Length	Width
500-106388	100 ft	2 in
500-106463	100 ft	4 in



3M™ Temflex™ Vinyl Electrical Tape 165

Features:

- It is a polyvinyl chloride (PVC) tape that is flame-retardant and conformable.
- Additional colors available.

Material: Polyvinyl Chloride

Thickness: 6 mil

SKU	Length	Width
405-076308-92568	60 ft	3/4 in



General Purpose Vinyl Electrical Tapes

Features:

- Excellent adhesion and elongation properties.

Material: PVC; Vinyl

Thickness: 7 mil

SKU	Length	Width
761-602	60 ft	3/4 in



Scotch® Super 33+™ Vinyl Electrical Tape

Features:

- Premium grade tape that provides electrical insulation for all wires and cables rated up to 600 V.
- Offers electrical and mechanical protection with the combination of a pressure sensitive, rubber resin adhesive and elastic, PVC backing.

Material: Rubber-Based Adhesive; Vinyl (PVC) Backing

Thickness: 7 mil

SKU	Length	Width
405-638060-29035	76 ft	3/4 in



Scotch® Vinyl Electrical Tape Super 88

Features:

- Pressure sensitive rubber based adhesive.
- Compatible with solid dielectric cable insulations, rubber and synthetic splicing compounds, as well as epoxy and polyurethane resins.
- Inhibits corrosion of electrical conductors.

Material: Polyvinyl Chloride (PVC) Backing

Thickness: 8.5 mil

SKU	Length	Width
500-061434	66 ft	3/4 in

Marking Tapes



3M™ General Purpose Vinyl Tapes 764

Features:

- Sturdy, vivid tape is ideal for marking surfaces and objects.
- High quality tape maintains its color over time.
- Adheres and conforms to irregular and uneven surfaces.

Temp. Range: - 85° F

Tensile Strength: 13 lb/in

Adhesion to Steel: 18 oz/in

Material: PVC; Rubber Adhesive

Thickness: 5 mil

SKU	Length	Width
405-021200-43178	36 yd	2 in

3M

3M™ Vinyl Tapes 471

Features:

- Designed with unique stretch properties, this tape conforms to rough, irregular, curved and convex surfaces while remaining stretched and without lifting after application.

Temp. Range: 40° F - 170° F

Tensile Strength: 224 oz/in

Material: Vinyl

Thickness: 5.2 mil

SKU	Length	Width
405-021200-04310	36 yd	2 in



3M™ General Purpose Masking Tapes 234

Features:

- Sturdy general purpose masking tapes are designed to be used in medium temperature paint bake operations.
- Medium thickness crepe paper backing is designed for strength in demanding paint masking applications.

Material: Crepe Paper

Thickness: 5.9 mil

SKU	Length	Width
405-021200-02985	60.14 yd	2.83 in

3M

3M™ High Performance Masking Tapes 232

Features:

- Sticks immediately and resists lifting or curling for paint applications.
- Conforms and maintains integrity when formed around a corner.
- Crepe backing is easy to tear, resists slivering, and provides one piece removal.

Material: Crepe Paper

Thickness: 6.3 mil

SKU	Length	Width
405-021200-04240	60 yd	1.88 in

Pipe Sealant Tapes



PTFE Thread Sealant Tapes

Features:

- Made of 100% PTFE; compatible with almost any process fluid (except molten alkalis and elemental fluorine).
- Unlimited shelf life, no age deterioration, non-hardening.

Thickness: 0.0035 in

SKU	Length	Width
102-1/2X520PTFE	520 in	1/2 in
102-3/4X520PTFE	520 in	3/4 in
102-1X520PTFE	520 in	1 in
102-1X1296PTFE	1296 in	1 in

Specialty Tapes

3M**3M™ Aluminum Foil Tape 425****Features:**

- Withstands exposure to flame, weathering, moisture and UV.
- Thermally conductive tape helps dissipate heat and improves heating and cooling efficiency to protect temperature sensitive materials.
- Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations.

Thickness: 4.6 mil**Base Material:** Aluminum Foil

SKU	Length	Width
405-051125-85311	60 yd	2 in

Scotch**Scotch™ Printable Flatback Paper Tapes****Features:**

- Printable with standard flexographic inks and is also easily marked with ballpoint pens, felt tip pens, pencils and rubber stamps.
- Natural rubber pressure sensitive adhesive bonds to a wide variety of paper, film, fabric and yarn surfaces.
- Thick flatback paper backing creates sharp paint lines when used for masking purposes.

Thickness: 6.7 mil**Base Material:** Rubber

SKU	Length	Width
405-021200-02894	60 yd	3/4 in

ADHESIVE PRODUCTS

Adhesives & Glues

3M**3M™ Scotch-Weld™ Concrete Repair DP600, Gray, Self-Leveling****Features:**

- Fast, convenient repair of cracks and spalls to horizontal concrete surfaces.
- Self-leveling urethane material flows freely into repair areas.

Adhesive Tensile Shear: 2,000 psi

SKU	Capacity vol.
405-021200-96596	8.4 oz

**3M™ Hi-Strength 90 Spray Adhesives****Features:**

- High strength and fast-tack adhesive performance.
- Bonds to concrete, wood, MDF, laminates and polyethylene.

SKU	Capacity vol.
405-021200-30023	17.6 oz



3M™ Hi-Tack 76 Spray Adhesives

Features:

- This is a fast-tacking adhesive with a variable-width lace spray pattern that minimizes waste and overspray, providing fast and clean results.

Adhesive Tensile Shear: 100 psi

SKU	Capacity vol.
405-021200-30026	24 fl oz



3M™ Super 77™ Multi-Purpose Spray Adhesives

Features:

- Versatile, quick drying and transparent.
- Aggressive tack provides high initial grab with enough time to position materials properly.
- Resists dripping or running when used in vertical applications.

Adhesive Tensile Shear: 300 psi

Tensile Strength: 300 psi

Working Time: 15 sec to 15 min

SKU	Capacity vol.
405-021200-21210	16.75 oz



495™ Super Bonder® Instant Adhesive

Features:

- Ensure a super-strong bond, with super bonder, designed to bond rubber, metal, and plastic parts.
- Bonds gaps up to .004".
- Cures rapidly at room temperature without the need for heat or light.

Tensile Strength: 2,750 psi

Gap Fill: 0.004 in

Working Time: 15 sec

SKU	Capacity vol.
442-135467	1 oz

WRENCHES

Adjustable Wrenches



Adjustable Wrenches

Features:

- Hardened, tempered, and plated to resist rust.
- Precision machined jaws and knurled adjusting worm.

Head Angle: 15°

Handle Type: I-Beam

Material: Drop-Forged Alloy Steel

Finish: Chrome Plated

SKU	Opening Size	Overall Length
103-01-010	1-5/16 in	10 in
103-01-012	1-1/2 in	12 in
103-01-015	1-3/4 in	15 in
103-01-018	2-1/16 in	18 in
103-01-024	2-7/16 in	24 in



Adjustable Chrome Wrenches

Features:

- Laser etched scale provides a quick and convenient way to determine fastener size in either SAE or metric.
- Wide capacity jaw provides versatility to accommodate a greater size range of fasteners.
- Wider handle provides more comfort and less hand fatigue.

Head Angle: 22-1/2° +/- 5°

Material: Heat Treated Alloy Steel

Finish: Chrome Plated with Polished Head and Satin Finished Handle

SKU	Opening Size	Overall Length
181-AC28BK	1-1/8 in	8 in
181-AC210BK	1-5/16 in	10 in
181-AC212BK	1-1/2 in	12 in
181-AC218BK	2-1/16 in	18 in



Adjustable-Head Construction Wrenches

Features:

- Industrial black finish for corrosion resistance.
- Heat-treated for long life.
- Rail is ground for precision fit.

Handle Type: Tapered

Material: Forged Alloy Steel

Finish: Black Oxide

SKU	Opening Size	Overall Length	Head Angle	Head Thickness
409-3227	1-5/16 in	11 in	0° Offset Angle	5/8 in
409-3239	1-1/2 in	16 in	15°	13/16 in



Adjustable Wrenches

Features:

- The wrench comes with a slip-resistant grip and is corrosion-resistant.
- Extra wide jaw capacity.
- Rugged I-beam style handle and reinforced stress areas.
- Radius corner design.

Head Angle: 15°

Handle Type: I-Beam

Material: Forged Alloy Steel

Finish: Satin

SKU	Opening Size	Overall Length
577-712B	1-1/2 in	12 in
577-715B	1-11/16 in	15 in



Adjustable Wrenches

Features:

- Forged and Heat-treated for durability.
- Jaw scales in SAE and metric for quick adjustment.

Head Angle: 22.5°

Handle Type: Solid Steel

Material: Chrome-Vanadium Alloy Steel

Finish: Cobalt Plated

SKU	Opening Size	Overall Length	Head Width	Head Thickness
632-86902	3/4 in	6 in	1-3/4 in	10.31 mm
632-86907	7/8 in	8 in	2 in	13.48 mm
632-86912	1 1/8 in	10 in	3 in	15.88 mm
632-86917	1 5/16 in	12 in	3.75 in	19.05 mm
632-86922	1 11/16 in	15 in	4 in	25.40 mm
632-86927	2 1/16 in	18 in	4.75 in	30.94 mm
632-86932	2 7/16 in	24 in	5 in	36.52 mm

Chain Tong & Strap Wrench Parts & Accessories



Chain Wrench Replacement Parts

Features:

- Keeps piping tightly in place without the need to clamp down and the risk of compression.
- Replaces worn or over-stressed chains.

SKU	Used With	Type
632-32570	31320; 31325	Chain Assembly
632-32575	31320; 32575	Hook Jaw w/Screw
632-32605	31330	Chain Assembly

Chain Tong & Strap Wrenches

RIDGID



Chain Wrenches

Features:

- Double jaw gives fast, ratchet-like action in either direction.
- Heavy-duty model has replaceable alloy steel jaws.
- Light-duty model has a one-piece forged alloy steel handle and jaw.

Handle Type: I-Beam

SKU	Opening Size	Overall Length	Handle Length	Chain Length
632-31310	2 in - 4 in	12 in	12 in	15-3/4 in
632-31325	3 in - 5 in	24 in	24 in	20-1/4 in



Strap Wrenches

Features:

- Strong, woven nylon strap gives tight grip.
- Polyurethane-coated strap prevents scratching.
- Replaceable straps available.

SKU	Opening Size	Overall Length	Handle Length	Handle Type
632-31335	Up To 2 in	11-3/4 in	11-3/4 in	Solid Metal
632-31345	2 in - 5-1/2 in	11-3/4 in	11-3/4 in	I-Beam
632-31360	5 in - 7 in	18 in	18 in	I-Beam
632-31365	5 in - 12 in	18 in	18 in	I-Beam

Combination Wrench Sets

CRESCENT



14 Piece SAE Combination Wrench Sets

Features:

- Heat treated for maximum strength.
- Sizes stamped on both sides for easy identification.
- Nickel chrome plated for long lasting protection.

No. of Points: 12

Material: Chrome Vanadium Alloy Steel

Finish: Full Polish Chrome Plated

Measuring System: SAE

SKU	Opening Size
192-CCWS4-05	3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in; 1-1/16 in; 1-1/8 in; 1-1/4 in

Combination Wrenches



Combination Wrenches

Features:

- Polished heads and raised panel.
- 12 Point boxed in for more angles.
- Precision shaped to reduce rounding.

Head Angle: 15° Box End

No. of Points: 12

Offset Angle: 15°

Material: Carbon Steel

Finish: Nickel Chrome Plated

Measuring System: SAE

SKU	Opening Size	Overall Length
103-04-003	7/16 in	6-1/2 in
103-04-004	1/2 in	7 in
103-04-005	9/16 in	7 in
103-04-008	3/4 in	9-3/4 in
103-04-011	15/16 in	12-1/2 in



Jumbo Combination Wrenches

Features:

- Polished heads and raised panel.
- 12-point boxed in for more angles.
- Precision shaped to reduce rounding.

Head Angle: 15° Box End

No. of Points: 12

Offset Angle: 15°

Material: Carbon Steel

Finish: Nickel Chrome Plated

Measuring System: SAE

SKU	Opening Size	Overall Length
103-04-013	1-1/16 in	14-9/16 in
103-04-014	1-1/8 in	14-9/16 in
103-04-016	1-1/4 in	14-9/16 in
103-04-019	1-7/16 in	21-1/4 in
103-04-022	1-5/8 in	21-1/4 in

Pipe Wrench Parts & Accessories



Pipe Wrench Replacement Parts

Features:

- Replacement parts for steel or aluminum pipe wrenches.

SKU	Pipe Cap.	Wrench Size	For Model
Hook Jaw			
632-31670	2-1/2 in	18	E-18
632-31695	3 in	24	E-24
632-31720	5 in	36	E-36
632-31745	6 in	48	48
632-31770	8 in	60	60
Heel Jaw and Pin Assembly			
632-31675	2-1/2 in	18	E-18
632-31700	3 in	24	E-24
632-31725	5 in	36	E-36
632-31750	6 in	48	48
632-31775	8 in	60	60
Nut			
632-31710	3 in	24	E-24
632-31735	5 in	36	E-36
632-31760	6 in	48	—
Strap			
632-32055	—	—	—

Pipe Wrenches



Adjustable Pipe Wrenches

Features:

- Malleable handles with heavy duty enamel finish.
- Accurately machined jaws and adjustment nut.

Jaw Material: Drop Forged Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.	Overall Length	Material
103-01-310	15°	1-1/2 in	10 in	Malleable Alloy
103-01-312	15°	2 in	12 in	Malleable Alloy
103-01-314	15°	2 in	14 in	Malleable Alloy
103-01-318	15°	2-1/2 in	18 in	Malleable Alloy
103-01-324	15°	3 in	24 in	Malleable Alloy
103-01-336	15°	5 in	36 in	Cast Iron



Aluminum Pipe Wrenches

Features:

- Malleable handles with heavy duty enamel finish.
- Accurately machined jaws and adjustment nut.

Jaw Material: Drop Forged Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.	Overall Length
103-01-614	15°	2 in	14 in
103-01-618	15°	2-1/2 in	18 in
103-01-624	15°	3 in	24 in
103-01-636	15°	5 in	36 in



Aluminum End Pipe Wrenches

Features:

- Ideal for jobs in tight quarters and for working on closely spaced lines.
- Aluminum handle makes the wrench 40% lighter than other malleable iron wrenches.

Jaw Material: Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.	Overall Length
632-90117	Straight	2 in	14 in
632-90122	Straight	2-1/2 in	18 in
632-90127	Straight	3 in	24 in



Aluminum Straight Pipe Wrenches

Features:

- Nearly 40% lighter than comparable cast-iron models.
- Jaws and all other parts identical to Ridgid heavy duty wrenches.

Jaw Material: Alloy Steel

Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
632-31090	1-1/2 in	10 in
632-31095	2 in	14 in
632-31100	2-1/2 in	18 in
632-31105	3 in	24 in
632-31110	5 in	36 in
632-31115	6 in	48 in
632-47057	2 in	12 in



Heavy-Duty End Pipe Wrenches

Features:

- For working in restricted places or close to a wall.
- Heat-treated replaceable jaw.
- Fully floating forged hook jaw.

Overall Length: 10 in

Material: Cast Iron

Jaw Material: Alloy Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.
632-31060	Straight	1-1/2 in



Heavy-Duty Straight Pipe Wrenches

Features:

- Instant grip/release.
- Heat-treated replaceable jaw.
- Fully floating forged hook jaw.
- Replaceable hook and heel jaws.

Material: Cast Iron Handle

Jaw Material: Steel

Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
632-31000	3/4 in	6 in
632-31005	1 in	8 in
632-31010	1-1/2 in	10 in
632-31015	2 in	12 in
632-31020	2 in	14 in
632-31025	2-1/2 in	18 in
632-31030	3 in	24 in
632-31035	5 in	36 in
632-31040	6 in	48 in
632-31045	8 in	60 in



Hex Pipe Wrenches

Features:

- Hex jaw design gives multi-sided, secure grip on all hex nuts, square nuts, unions, and valve packing nuts.
- Extra-wide opening offset model is ideal for securing drain nuts on sinks and tubs.

Overall Length: 14-1/2 in

Material: Cast Iron

Jaw Material: Forged Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.
632-31275	Straight	1-1/4 in



RAPIDGRIP™ Pipe Wrenches

Features:

- One handed adjustment.
- Aggressive tooth design for secure grip.
- Thumb trigger for easy application and removal.

Overall Length: 10 in

Material: Forged Steel

Jaw Material: Alloy Steel

Handle Type: I-Beam

SKU	Head Angle	Pipe Cap.
632-10348	Straight	1-1/2 in



Rapwrench Pipe Wrenches

Features:

- Flat surface is ideal for occasional use as a hammer.
- Fully floating forged hook jaw.
- Deep broad hook jaw housing.
- Heat-treated replaceable jaw.

Overall Length: 10 in

Material: Cast Iron

Jaw Material: Alloy Steel

SKU	Pipe Cap.
632-31395	1-1/2 in

PLIERS & CUTTERS

Bolt & Chain Cutter Parts & Accessories



Bolt Cutter Head Assemblies

Features:

- Replacement bolt cutter heads.

Material: Hardened Alloy Steel

SKU	For Model
632-18373	S24 Bolt Cutter
632-18383	S36 Bolt Cutter

Bolt & Chain Cutters



Heavy-Duty Bolt Cutters

Features:

- Hardened alloy steel jaws are designed and manufactured to assure the longest possible blade life.
- One-step internal cam mechanism provides the quickest and simplest way to keep the cutting blades precisely aligned.
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting.

Jaw Material: Alloy Steel

Handle Type: Straight

Handle Material: Steel

SKU	Cutting Cap.	Hardness	Overall Length
632-14223	Soft 7/16 in; Medium 3/8 in; Hard 5/16 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	26 in
632-14228	Soft 1/2 in; Medium 7/16 in; Hard 3/8 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	31 in
632-14233	Soft 9/16 in; Medium 1/2 in; Hard 7/16 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	38 in
632-14238	Soft 11/16 in; Medium 9/16 in; Hard 1/2 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	44 in

Cable & Wire Rope Cutters



Heavy-Duty Ratchet Cable Cutters

Features:

- Two cutting actions, allowing linemen to use it for single motion cutting for small cable and ratchet action for heavy-duty cutting.
- Anti-slip mechanism for positive ratchet action.

Overall Length: 27-3/4 in

SKU	Cable/Wire Size	Cutting Cap.
332-758	Up To 1/2 in	1/2 in Guy-Wire; 1/2 in Mild Steel Rods and Bolts



Performance Ratchet Cable Cutters

Features:

- Two-speed ratchet mechanism adjusts for light/heavy cutting.
- Well-suited for tight work spaces.

Overall Length: 10 in

Cut Type: Shear Cut

Jaw Material: Steel

SKU	Cable/Wire Size	Cutting Cap.
332-45206	Up To 600 MCM (Aluminum); 600 MCM (Copper)	1-3/8 in



Cable Cutters

Features:

- Beveled jaw tips provide proper mating and shearing action, which protects leading jaw edges.
- Through-hardened (not case-hardened) for longer-lasting cutting surfaces.
- Hot-riveted joint ensures smooth action and no handle wobble.

Overall Length: 9.39 in

Cut Type: Shear Cut

Jaw Material: Forged Steel

SKU	Cable/Wire Size	Cutting Cap.
409-63050	Up To 2/0 Soft Copper; 4/0 Aluminum; 24 AWG Comm Cable	4/0 Aluminum; 2/0 Soft Copper; 100-Pair 24 AWG Communications Cable



Ratcheting Cable Cutters

Features:

- Reduced hand force for easier cutting.
- Hardened steel cutting blades.
- Two-step ratchet mechanism requires fewer strokes per cut.

Overall Length: 10.25 in

Cut Type: Shear Cut

Jaw Material: Hardened Steel

SKU	Cable/Wire Size	Cutting Cap.
409-63060	Up To 1-1/8 in cable; 600 MCM Copper; 750 MCM Aluminum	Communication Cable 1-1/8 in; MCM Max 750 Aluminum/600 Copper



Standard Cable Cutters

Features:

- Replaceable hook-jaw blades.
- Make a clean, even cut for ease in fitting lugs and terminals.
- Not designed for cutting steel or ACSR.

Overall Length: 25.5 in

Cut Type: Shear Cut

Jaw Material: Forged Steel

SKU	Cable/Wire Size	Cutting Cap.
409-63041	Up To 1-3/8 in Cable; 500 MCM Copper; 750 MCM Aluminum	MCM Max 500 Copper/750 Aluminum; Soft Cable Max 1-3/8 in



No. 87 ACSR Cable Trimmers

Features:

- Designed for fast, accurate cable splice preparation.
- Trims 85 sizes of ACSR cable from 8 AWG to 1,780,000 cmil (requires bushings, sold separately).

Overall Length: 14 in

Cut Type: Wheel Cut

Jaw Material: Steel

SKU	Cable/Wire Size	Cutting Cap.
632-54135R	Up To 1780000 cmil to 8 AWG ACSR Cable	Interchangeable Bushings for Different ACSR Sizes

Diagonal Pliers



Diagonal-Cutting Angled-Head Pliers

Features:

- Short jaws and beveled cutting edges permit close cutting of wire.
- Hot-riveted joint ensures smooth action and no handle wobble.

Jaw Length: 0.813 in

Jaw Width: 1.25 in

Material: Steel

SKU	Overall Length	Cutting Length
409-D248-8	8.05 in	7/8 in



Electronics Diagonal-Cutting Pliers

Features:

- Hot-riveted joint ensures smooth action and no handle wobble.

Jaw Length: 0.696 in

Jaw Width: 0.5 in

Material: Steel

SKU	Overall Length	Cutting Length
409-D244-5C	5.1 in	0.696 in



Electronics Precision Flush Cutter Pliers

Features:

- Flush cutter with improved knife design snips wire up to 16 AWG, producing a flat, flush cut.
- Steel return spring for increased comfort during repetitive cutting.

Jaw Length: 0.45 in

Jaw Width: 0.26 in

Cable/Wire Size: Up to 16 AWG

Material: Steel

SKU	Overall Length	Cutting Length
409-D275-5	5.05 in	1/2 in



Heavy-Duty Diagonal Cutter Pliers

Features:

- Tapered nose.
- Hot riveted joints.
- Standard-bevel cutting knives.

Jaw Length: 1 in

Jaw Width: 0.969 in

Material: Steel

SKU	Overall Length	Cutting Length
409-D220-7	7.65 in	1 in



High-Leverage Diagonal Cutting Pliers

Features:

- Short jaws and beveled cutting edges permit close cutting of wire.
- Hot-riveted joint ensures smooth action and no handle wobble.

Jaw Width: 1.25 in

Overall Length: 7.98 in

Material: Steel

SKU	Cutting Length	Jaw Length
409-D2000-28	7/8 in	0.83 in
409-D228-8	1-3/16 in	0.781 in

Linemans Pliers



Lineman's High-Leverage Pliers

Features:

- Hot-riveted joint ensures smooth action and no handle wobble.
- Streamlined design with sure-gripping, cross-hatched knurled jaws.

Jaw Length: 1.594 in

Jaw Width: 1.25 in

Overall Length: 9.33 in

Material: Steel

SKU	Cutting Type	Color	Cutting Length
409-D2000-9NE	Side cut	Royal blue	0.781 in
409-D213-9NE	Side cut	Dark blue	0.797 in
409-HD213-9NE	Cross cut	Light red	0.797 in

Locking Pliers



VISE-GRIP® Straight Jaw Locking Pliers

Features:

- Straight jaws provide maximum contact on flat, square, or hex work.

Throat Depth: 1-3/4 in

Material: Alloy Steel

SKU	Jaw Opening	Overall Length
586-10R-3	1-5/8 in	10 in



VISE-GRIP® The Original™ Curved Jaw Locking Pliers with Wire Cutters

Features:

- Includes convenient wire cutter.
- Turn screw to adjust pressure and fit, stays adjusted for repetitive use.
- Hardened teeth are designed to grip from any angle.
- Hex key adjusting screw offers controlled release and draws materials tightly together.

Throat Depth: 2-5/8 in

Material: Alloy Steel

SKU	Jaw Opening	Overall Length
586-10WR-3	1-7/8 in	10 in



Locking Chain Clamps

Features:

- Chain holds and locks around any shape or size.
- Turn screw to adjust pressure and fit.
- Replacement chain available and sold separately.

Material: High-Grade Heat Treated Alloy Steel

Chain Length: 18 in

SKU	Jaw Opening	Overall Length
586-20R	18 in	9 in

Needle Nose Pliers



All Purpose Pliers with Crimper

Features:

- Strip 10-18 AWG Solid and 12-20 AWG Stranded wire and shear 6-32 and 8-32 screws.
- Crimping feature works on non-insulated connectors, lugs and terminals.

Jaw Thickness: 0.5 in

Jaw Width: 1 in

Overall Length: 8.48 in

Cutting Length: 1/2 in

Point Thickness: 0.15 in

SKU	Material	Jaw Length
409-J207-8CR	Steel	2 3/16 in



Midget Slim Long-Nose Pliers

Features:

- Knurled jaws for sure wrapping and looping of wire.
- Curved handles provide greater tool control.
- Spring-loaded for self-opening action.

Jaw Thickness: 0.27 in

Jaw Width: 0.44 in

Overall Length: 4.82 in

Point Thickness: 0.04 in

SKU	Material	Jaw Length
409-D321-41/2C	Forged Steel	1.063 in



Standard Long-Nose Pliers

Features:

- Slim head design for working in confined areas.
- Knurled jaws for sure wrapping and looping.
- Curved handles provide greater tool control.

Jaw Thickness: 0.375 in

Jaw Width: 0.688 in

Overall Length: 6.68 in

Cutting Length: 0.572 in

Point Thickness: 0.094 in

SKU	Material	Jaw Length
409-D203-6	Steel	1 7/8 in

Pipe Cutter Parts & Accessories



Pipe Cutter Replacement Wheels

Features:

- These wheels are precision-machined from high-grade steel.
- Engineered for long life and maximum cutting accuracy.

Material: Steel

SKU	For Model
632-33105	1A; 202; 2A; 360; 42A; 732; 820/364
632-33110	1A; 202; 2A; 360; 42A; 732; 820/364
632-33125	44S; 466C; 466S; 468S; 764
632-75567	424CI; 424S

Pipe Cutters



Heavy-Duty Pipe Cutters

Features:

- Extra long shank protects adjustments threads, while an extra-large handle is provided for quick, easy adjustment.
- Can be converted to 3-wheel cutter by replacing rollers with cutter wheel.
- 2A and 4S can be ordered as 3-wheel model for use in areas where a complete turn is not possible.

No. of Wheels: 1

Cutting Direction: Straight

Material: Cast Iron

Handle Type: T-Handle

Mechanism: Adjustable Screw

SKU	Pipe Cap.
632-32820	1/8 in - 2 in
632-32840	2 in - 4 in

RIDGID

Hinged Pipe Cutters

Features:

- Designed for rapid cutting of 2 in through 12 in steel pipe.
- Equipped with four cutter wheels.

No. of Wheels: 4

Cutting Direction: Straight

Material: Cast-Iron

Mechanism: Adjustable Screw

SKU	Pipe Cap.
632-73162	2 in - 4 in



Pipe and Tubing Cutters

Features:

- X-CEL™ blade for fast single stroke cutting, no twisting or ratcheting required.
- Durable construction for heavy duty use.

Material: Aluminum

Applicable Materials: PVC; CPVC; PEX; PE; PB; Rubber Hose

SKU	Pipe Cap.
632-23493	1/8 in - 1 3/8 in



Ratcheting Pipe and Tubing Cutters

Features:

- Ergonomic grips on bottom handle are spaced at 1/2" increments to act as a quick pipe measuring scale.
- X-CEL™ quick change blade.

Material: Aluminum

Mechanism: Ratchet

SKU	Pipe Cap.
632-30088	1/2 in - 2-3/8 in

Tongue & Groove Plier Sets

CHANNEL LOCK

SpeedGrip™ Tongue and Groove Plier Sets

Features:

- Strong, laser heat-treated crosshatch teeth.
- Safe-T-Stop® feature prevents finger pinch.
- Forged high-carbon US steel for ultimate strength is specially coated for rust prevention.

Jaw Shape: Straight Jaw with Laser Heat-Treated Crosshatch Teeth

Material: High Carbon Steel

Includes: (1) 428X; (1) 430®X; Safe-T-Stop® Feature

SKU	Overall Length
140-GS1X	8.45 in (428X); 9.51 in (430®X)



Tongue and Groove Straight Jaw Plier Sets

Features:


- PERMALOCK® fastener eliminates nut and bolt failure with increased joint strength.
- Strong 90-degree, laser-hardened teeth for superior grip and longevity.
- Forged high carbon steel for maximum strength and durability is specially coated for ultimate rust prevention.

Jaw Shape: Straight

Material: Forged High Carbon Steel

Includes: (1) 420®; (1) 426; (1) 440®

SKU	Overall Length
140-PC-1	(420®) 9.5 in; (426) 6.5 in; (440®) 12 in

CHAN NEL LOCK

CODE BLUE® GRIPLOCK® Tongue and Groove Pliers

Features:

- Ergonomically designed offset head that provides even more leverage.
- Laser-hardened teeth to provide a better, longer lasting grip.
- Forged from high carbon US steel that is specially coated for ultimate rust prevention.

Jaw Shape: Hex

No. of Adjustments: 5

SKU	Overall Length	Jaw Opening
140-GL10CBBULK	9.5 in	1.25 in



Griplock® Pliers

Features:

- Special jaw shape accommodates many shapes.
- Ergonomically designed offset head for greater leverage.

Jaw Shape: Hex Jaw

No. of Adjustments: 5

SKU	Overall Length	Jaw Opening
140-GL10-BULK	9-1/2 in	1-1/4 in



SpeedGrip™ Tongue and Groove Pliers

Features:

- Strong, laser heat-treated crosshatch teeth.
- Safe-T-Stop® feature prevents finger pinch.
- Reaming feature for easily deburring pipe.
- Forged high-carbon US steel for ultimate strength is specially coated for rust prevention.

Jaw Length: 1.05 in

Jaw Shape: Straight Jaw with Laser Heat-Treated Crosshatch Teeth

No. of Adjustments: 9

SKU	Overall Length	Jaw Opening
140-428X	8.45 in	1.2 in

CHAN NEL LOCK

Tongue and Groove Pliers

Features:

- Undercut tongue and groove design won't slip.
- PermaLock® fastener eliminates nut and bolt failure.

SKU	Overall Length	Jaw Opening	Jaw Length	Jaw Shape	No. of Adjustments
140-412-BULK	6.50 in	0.94 in	0.81 in	412 V-Jaw	5
140-420-BULK	9.50 in	1.50 in	1.12 in	420® Straight	5
140-430-BULK	10 in	2 in	1.38 in	430® Straight	7
140-440-BULK	12 in	2.25 in	1.50 in	440® Straight	7
140-480-BULK	20.25 in	5.50 in	3 in	Bigazz® Straight	12

Tubing Cutter Parts & Accessories

RIDGID

Replacement Cutter Wheels

Features:

- Precision-machined from high-grade steel.

SKU	Blade Exp.	Fits Model
632-33175	0.292	30/133; 40
632-96397	0.12 in	15-SI

Tubing Cutters

GREENLEE

PVC Cutters

Features:

- Ratchet action for fast, easy cutting.
- Rugged metal alloy frame for durability.
- Heat-treated, replaceable steel blade for long cutting life.

Cutting Cap.: - 1-1/4 in

Applicable Materials: PVC

SKU	Blade Material
332-864	Steel



Heavy-Duty Tube Cutters

Features:

- Unique design eliminates spiraling for clean cuts.

Cutting Cap.: 1/8 in - 1-1/8 in

SKU	Cutting Cap
389-TC-1000SP	1/8 in - 1-1/8 in



Constant Swing Tubing Cutters

Features:

- Features an enclosed feed screw to eliminate clogging and jamming, grooved rollers for close-to-flare cuts, and a fold-away reamer.
- X-CEL® Wheel Pin, ball detent design, allows users to change cutter wheel quickly, no tool needed.
- Spare cutter wheel included in the knob.
- Cuts copper, brass, aluminum tubing, and thin-wall conduit.

Cutting Cap.: 1/8 in - 1-1/8 in

Jaw Material: Zinc Alloy

SKU	Cut Type
632-31622	Wheel Cut
632-31627	Heavy-Duty Wheel Cut



Quick-Acting Tubing Cutters

Features:

- X-CEL® Wheel Pin, ball detent design, allows users to change cutter wheel quickly, no tool needed.

SKU	Cutting Cap
632-31652	1-7/8 in - 4-1/2 in



Screw Feed Tubing Cutters

Features:

- Clean, square cuts are easily made on copper, brass, aluminum, and thin-wall steel.

SKU	Cutting Cap
632-32940	1 in - 3-1/8 in



Stainless Steel Tubing Cutters

Features:

- Contoured frame allows for easy alignment while adjusting the cutter to make a cut.

SKU	Cutting Cap.
632-29963	1/4 in - 1-3/8 in
632-31803	1/4 in - 2-5/8 in



Glass Tube Cutters

Features:

- Designed to cut glass tube and brittle tubular materials from 1/4 in to 1-1/2 inch.
- Replaceable chain.

SKU	Cutting Cap.
828-69012	1/4 in - 3/4 in
828-79014	1/4 in - 1 in

PIPE THREADING EQUIPMENT

Groovers

RIDGID



915 Portable Roll Groovers

Features:

- Cam-type feed actuation — translate into minimum operator effort to form roll grooves.
- Depth adjustment screw separate from feed mechanism allows for consistent groove depth.
- Integral feed handle is part of overall unit.
- No extra tools required.

Power Source: Manual

Capacities: 1-1/4 in to 6 in Schedule 10 and Schedule 40 Steel/ Aluminum/PVC pipe; 2 in to 8 in Copper Tube Type(K/L/M/DWV); 1-1/4 in to 6 in Schedule 10; 1-1/4 in to 2 in Schedule 40 Stainless Steel Pipe; 1 1/2 in to 3 in Schedule 80 PVC pipe

SKU	Includes
632-88232	2 in to 6 in Sch. 10; 2 in to 3-1/2 in Sch. 40 Roll Set; Ratchet Wrench



975 Combo Roll Groovers

Features:

- Can be mounted onto the RIDGID 300 Power Drive or be used manually.
- New patented auto-tracking technology for easier grooving.
- Includes a permanently-fixed depth setting gauge for quicker, repeatable set-up.

Power Source: Manual; Ridgid 300 Power Drive

Capacities: 1-1/4 to 6 in Schedule 10/Schedule 40 Steel/Aluminum/PVC Pipe; 1-1/4 in to 6 in Schedule 10; 1-1/4 in to 2 in Schedule 40 Stainless Steel Pipe; 1-1/2 in to 3 in Schedule 80 PVC pipe; 2 in to 8 in Copper Tube(Type K/L/M/DWV)

SKU	Includes
632-25638	Shaft, Drive; Roll Groove; Ratchet, 1/2" Drive with 90° Bend; Extension, 1/2" Drive, Locking; (2) Support Bars

Pipe Bevelers

RIDGID



B-500 Transportable Pipe Beveller

Features:

- Accurate bevel level around diameter of the pipe allows for the optimal number of cover passes.
- Clamp system firmly secures tool to the pipe.
- Spark-free operation.
- Pipe is cool to the touch immediately afterward.

Body Material: Steel

Capacities: 4 in Pipe and Larger, Flat Plate

Cutting Thickness: .188 in - .50 in

Power Source: 1.2 HP

Frequency: 950 RPM

Bevel Angles: 37-1/2° (Standard); 30° and 45° (with Optional Cutter Heads)

SKU	Includes
632-49298	Beveler; Manual Crank Handle; 37-1/2° Cutter Head; 6 - 4 Edged Inserts; Torque Driver and Screws

Tap & Die Sets

GREENLEE



Drill/Tap Sets

Features:

- Deburr/Countersink also provided on bit beyond the back taper.
- Drill point - split point with web thinning.

Material: Hardened High Speed Steel

SKU	Thread - TPI or Pitch
332-DTAPKIT	6-32; 8-32; 10-32; 10-24; 12-24; 1/4-20

Taps & Dies

RIDGID



Pipe Taps

Features:

- Made from carbon steel in right hand configuration only.
- These taps are especially suited for restricted area work.
- All taps have taper of 3/4 inch per foot.
- Marked with drill size for pilot hole.

Thread Standard: NPT

Cutting Direction: Right

SKU	Drill Bit Dia.	Thread Size	Threads Per Inch	No. of Flutes
632-35820	7/16 in	1/4 in	18	4
632-35830	45/64 in	1/2 in	14	4
632-35835	29/32 in	3/4 in	14	5
632-35840	1-9/64 in	1 in	11-1/2	4
632-35850	1-47/64 in	1-1/2 in	11/01/2002	7
632-35855	2-13/64 in	2 in	11-1/2	7

Threaders Manual

RIDGID



65R-C Manual Receding Threaders

Features:

- Threads 1 inch to 2 inch pipe.
- Jam-proof drive pawl.
- Right-hand only.
- NPT with one set high speed dies.

SKU	Pipe Cap.
632-36565	1 in NPT - 2 in NPT

RIDGID



Exposed Ratchet Threader Sets

Features:

- All threader sets use same 12-R dies in die head.
- All matched threader/sets include die heads, ratchet assembly, ratchet handle and alloy dies.

SKU	Pipe Cap.
632-36475	1/2 in (NPT) - 2 in (NPT)



Manual Ratchet Threaders with Handle Only

Features:

- Die heads snap in from both sides and lock in place.
- Ratchet knob indicates forward and reverse.

SKU	Pipe Cap.
632-38540	1/8 in NPT - 1 in NPT
632-30118	1/8 in NPT - 2 in NPT

Threaders Manual Accessories

RIDGID



Manual Threader Die Heads

Features:

- All die heads complete come with selected dies and are set at the factory.
- Precision threading.

Cutting Direction: Right

SKU	Thread - TPI or Pitch	Used With
632-36890R	1/2 in NPT	00-R
632-36895	3/4 in NPT	00-R
632-37395	3/4 in NPT	12-R
632-37405	1-1/4 in NPT	12-R
632-37415	2 in NPT	12-R



Manual Threading/Pipe and Bolt Dies Only

Features:

- Precision threading.

Cutting Direction: Right

Used With: 12-R

SKU	Thread - TPI or Pitch	Type
632-37835	1 in - 11-1/2 NPT	Alloy NPT
632-37880	1 in - 11-1/2 NPT	High Speed NPT
632-37885	1-1/4 in - 11-1/2 NPT	High Speed NPT
632-37845	1-1/2 in - 11-1/2 NPT	Alloy NPT
632-37895	2 in - 11-1/2 NPT	High Speed NPT

Threaders Powered



Manual Receding Geared Threaders

Features:

- Jaw clutch prevents jamming.
- Cam-type workholder sets instantly.
- Fully enclosed gearing.
- Right-hand only.

SKU	Pipe Cap.
632-36620	2-1/2 in NPT - 4 in NPT



Model 1224 Threading Machines

Features:

- An induction motor helps minimize noise.
- Reverse/Off/Forward, heavy-duty rotary-type and integral foot switch.
- Cam action, rear centering device.
- Two-speed gear box with a 3:1 ratio.
- Hammer-type chuck with replaceable rocker-action jaw inserts.
- Self-priming, gerotor-type, automatic-reversing, constant-flow oiling pump.
- Constant and proper lubrication of dies and workpiece with through-head oiling.

Speed: 36/12 RPM

Power Cap.: 1-1/2 hp

Phase: Single

SKU	Pipe Cap.
632-26092	1/4 in at 36 RPM; 2-1/2 in at 12 RPM - 2 in at 36 RPM; 4 in at 12 RPM



Model 300 Power Drive Threading Machines

Features:

- Cam-action rear centering device turns with chuck.
- Two heavy-duty support bars.
- Speed grip chuck with replaceable jaw inserts.
- Forward/Off/Reverse switch and integral On/Off foot switch.
- Self-contained oil system with adjustable flow control.
- Ideal for use with RIDGID® roll groovers.

Speed: 36 RPM

Power Cap.: 1/2 hp

Phase: Single

SKU	Pipe Cap.
632-15682	1/8 in - 2 in



Model 535 Threading Machines

Features:

- Large chip tray and oil reservoir makes the 535 ideal for longer, uninterrupted threading.
- Generous top cover for keeping tools and fittings handy.
- Speed Chuck™, with three replaceable rocker-action jaws inserts, grips work piece instantly.
- Length gauge for quick, accurate cut-off.
- Cam-action, rear turning device, turns with chuck.
- Forward/Off/Reverse switch with integral foot switch.

Speed: 36 RPM

Power Cap.: 1/2 hp

Phase: Single

SKU	Pipe Cap.
632-93287	1/8 in - 2 in



Model 700 Power Drive/Hand Held Threaders

Features:

- Heavy-duty hand-held power drive.
- Designed for RIDGID® Model 12-R die heads.
- Other RIDGID® die heads (00-R, 00-RB, 11-R) can be used using adapters.
- It can also be used with 258/258XL pipe cutters.
- Double-throw reversible switch.
- Spur gear reduction face gear drive, spring-loaded adapter pawls, and hardened steel spindle gear.
- Cast aluminum body.

Speed: 26 to 30 RPM

Power Cap.: 1/2 hp

Phase: Single Phase; Universal

SKU	Pipe Cap.
632-41935	1/8 in - 2 in

Threaders Powered Accessories



Bolt Dies for Use in Universal Machine Die Heads

Features:

- Applicable to a wide variety of die heads.
- A convenient replacement to keep systems functioning for longer.

SKU	For Model
632-48225	504A; 711; 811A; 815A; 816; 817; 911



Jaw Replacements Threading Machines

Features:

- Designed for use with Ridgid® Threading Machines.
- Convenient replacement part helps keep threading machines functioning for longer.

Pipe Cap.: 1/8 in - 2 in

SKU	For Model
632-44090	300; 535



Manual Receding Threader Pipe Dies

Features:

- High speed.
- Replacement pipe dies.

For Model: 65R-C/65R-TC

SKU	Thread - TPI or Pitch	Type
632-38100	1 in thru 2 in-11-1/2 NPT	High Speed NPT
632-38105	1 in thru 2 in-11-1/2 NPT	High Speed for Stainless Steel NPT



Model 1224 Power Threading Machine Pipe Dies

Pipe Cap.: 2-1/2 in - 4 in

SKU	For Model
632-33057	1224



Model 141 Manual Receding Geared Threader Pipe Dies

Features:

- High-Speed (HS) RH.
- (NPSM) National Pipe Straight Mechanical - Use (NPT) Dies and Rotate Threader Guide Post 180°.
- (BSPP) British Standard Pipe Parallel - Use (BSPT) Dies and Rotate Threader Guide Post 180° requires BSPT threader.

SKU	For Model
632-38120	141



Model 700 Replacement Parts

SKU	For Model
632-44815	700 Portable Power Drive



Oilers

Features:

- An ergonomic 2-finger trigger design that reduces user fatigue.
- Twist and lock drip pan that easily locks in place.
- Die cast heavy duty body with swivel nozzle with no exposed parts for longer life.

Container Size: 1 gal

SKU	For Model
632-10883	300 PD



Pipe Dies for Machine Die Heads

Features:

- Strong and durable pipe dies for use in universal die heads.

Pipe Cap.: 1 in - 2 in

For Model: Universal Die Heads Nos 504A/711/713/811A/815A/816/817/842

SKU	Type
632-47750	Alloy RH
632-47770	High-Speed RH
632-47790	High-Speed for Stainless Steel RH

RIDGID

Pipe Threader Foot Switch Assemblies

Features:

- Safely and quickly starts and stops the machine by depressing or releasing foot pedal.
- Durable replacement foot switch assembly.

SKU	For Model
632-36642	300 and 535



Power Threading Die Heads for 2 in Threading Machines

Features:

- All die heads are through-head oiling.
- No 500A Die Head replaces the No 500 Mono Die Heads.

Pipe Cap.: 1/8 in - 2 in

SKU	For Model
632-97065	1215, 1233, 535, 535A, 300 Compact Machines and 300 Power Drive



Power Threading Machine Die Heads

Features:

- All die heads are through-head oiling.
- Dies sold separately.
- Not for use with stainless steel.

SKU	For Model	Pipe Cap.	Style
632-26132	1224	1/4 in - 2 in	Model 711
632-26152	1224	2-1/2 in - 4 in	Model 714

RIDGID

Power Threading/Pipe Dies for Machine Die Heads

Features:

- High Speed.
- NPT Threading.

SKU	For Model	Thread Style
632-50770	500A Mono Die Heads	1 in NPS
632-50785	500A Mono Die Heads	2 in NPS



Roller Head Pipe Stands

Features:

- Locking ring allows for quick vertical height adjustments.
- Ideal for use with threading machines, roll grooving, or other pipe working applications.

Height Adjustment: 32 in - 55 in

Pipe Cap.: - Up to 12 in

SKU	Wt. Cap.
632-56672	1000 lb



V-Head Pipe Stands

Features:

- Locking ring allows for quick vertical height adjustments.

Height Adjustment: 28 in - 52 in

Pipe Cap.: 1/8 in - 12 in

Wt. Cap.: 2500 lb

SKU	For Model
632-22168	VF-99
632-56662	VJ-99

CLAMPS & VISES

Clamps & Spreaders



Ultra Clamps

Features:

- Smooth new roller clamping action for positive gripping.
- Stainless steel contacts and alignment screws.
- Operating handle repositions for close work.
- Fine adjustment screws for quick fit-up.

SKU	Opening Size
432-781150	2 in - 6 in
432-781170	5 in - 12 in

Vises



Mechanics Vises

Features:

- Swivel base rotates 360 degrees and has double lockdowns ensuring maximum stability.
- Powder coat paint resists scratches and provides a tough durable finish.
- Replaceable hardened steel top and pipe jaws.
- Large anvil work surface.

Jaw Opening: 8-1/4 in

Throat Depth: 4-3/4 in

Pipe Jaw Cap.: 1/4 in - 3-1/2 in

Jaw Material: Steel

SKU	Base Type	Jaw Width
825-21800	Swivel	8 in



Tradesman Vises

Features:

- Large anvil surface.
- 60,000 PSI tensile ductile iron body parts.
- 360° swivel base with double lockdowns.
- Wider jaws provide greater clamping surface.
- Fully enclosed spindle increases the life of the vise.

Jaw Opening: 6 in

Throat Depth: 4 in

Pipe Jaw Cap.: 1/4 in - 3-1/2 in

Jaw Material: Steel

SKU	Base Type	Jaw Width
825-28807	Swivel	6-1/2 in



Utility Bench Vises

Features:

- Powder coat paint resists scratches and provides a tough durable surface.
- Replaceable hardened steel jaws with a serrated pattern ensure grip and a long life.
- Dual lock-downs and a 360° swivel base.
- Built-in pipe jaws handle a range of pipe sizes.
- Large anvil work surface for forming and shaping materials.

Jaw Opening: 6 in

Throat Depth: 4 in

Pipe Jaw Cap.: 1/4 in - 2 in

Jaw Material: Hardened Steel

SKU	Base Type	Jaw Width
825-28820	360° Swivel	6-1/2 in

RIDGID

Bench Chain Vise Replacement Parts

Features:

- Helps keep piping tightly in place without the need to clamp down and the risk of compression.
- Replaces old or worn parts to keep chain vise working like new.

SKU	Type
632-41125	Handle with Nut



Portable 450 TRISTAND® Chain Vise Replacement Parts

Features:

- Authentic OEM sourced components which are specially made for use with a Ridgid® chain vises.

SKU	Type
632-41050	Handle Assembly



Bottom Screw Bench Chain Vises

Features:

- Rugged cast-iron base.
- Pipe bender and rest.
- Crank handle is anchored to base.

SKU	Pipe Cap.
632-40180	1/8 in - 4 in

RIDGID

Top Screw Bench Chain Vises

Features:

- Rugged cast-iron base has handy pipe rest and bender.
- Crank handle is anchored to base.

SKU	Pipe Cap.
632-40195	1/8 in - 4 in
632-40210	1/4 in - 6 in
632-40215	1/2 in - 8 in



TRISTAND® Portable Chain Vises

Features:

- Benders are located at the rear of the base and three tool hangers are provided.
- Integrated ground lug provides a conductive surface to connect the weld ground.
- Leg chain retains legs even when subjected to rugged use during operation and transport.
- Rugged tool tray offers prolonged stability before requiring a leg adjustment.

SKU	Pipe Cap.
632-16703	1/8 in - 2-1/2 in
632-36273	1/8 in - 6 in
632-36278	1/8 in - 12 in



Bench Yoke Vises

Features:

- Yoke and base made of strong, dependable iron.
- Hardened alloy steel jaws and convenient pipe rest and bender.

Jaw Material: Alloy Steel

SKU	Pipe Cap.
632-40110	1/8 in - 6 in

HAMMERS, SLEDGES, MALLET & AXES

Hammers



Estwing Drilling Hammers

Features:

- Molded on Shock Reduction Grip™ reduces shock up to 50%.
- Forged in one piece.

Material: Steel

SKU	Length	Head Weight
268-B3-4LBL	16 in	4 lb



Blacksmith/Engineer Hammer Handles

Features:

- Top quality replacement blacksmith/engineer's hammer handle.

Used With: Used with 2 to 4 lb hammers, blacksmith, engineers, cross pein, sledge

SKU	Length	Material
027-2046200	16 in	Hickory



Sledge Hammer Handles

Features:

- Replacement sledge handle.
- Provides ergonomic hand comfort and absorbs shock.

Used With: 6 lb to 16 lb Sledge Hammer Head

SKU	Length	Material
027-2036200	36 in	Hickory



Classic Nuplaglas® Non-Sparking Brass Hammers

Features:

- Heavy non-spark striking face with soft impact.
- Malleable brass material will not fracture or shear when striking hard surfaces.
- Classic Nuplaglas® super-duty handle is made tough from thousands of strands of fiberglass encased in a proprietary resin.

Handle Type: Super Grip (SG)

Handle Material: Fiberglass

SKU	Head Weight	Handle Length
545-30-040	4 lb	12 in Handle



Toughstrike American Hickory Engineer Hammers

Features:

- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Wedge/ring connection for trusted head retention.

Handle Material: American Hickory

SKU	Head Weight	Handle Length
027-20184100	2 lb	15 in
027-20184300	3 lb	15 in
027-20184600	4 lb	15 in

TRUE TEMPER

Toughstrike Fiberglass Engineer Hammers

Features:

- Fiberglass handle for increased handle strength.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Epoxy connection for trusted head retention.

Handle Material: Fiberglass

SKU	Head Weight	Handle Length
027-20184500	4 lb	15 in



TOUGHSTRIKE™ American Hickory Sledge Hammers

Features:

- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Wedge/ring connection for trusted head retention.

Handle Type: Straight**Handle Material:** American Hickory

SKU	Head Weight	Handle Length
027-20184800	6 lb	36 in
027-20185000	8 lb	36 in
027-20185200	10 lb	36 in
027-20185400	12 lb	36 in

B.A.S.H.
UNBREAKABLE
HANDLE TECHNOLOGY

B.A.S.H.® Unbreakable™ Handle Sledge Hammers

Features:

- Unbreakable™ Technology—steel core eliminates breaking during overstrikes.
- Safety Plate—secures head to handle preventing head dislodging.
- Ergonomic Handle—shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip—vulcanized rubber handle for secure grip while striking.

Handle Type: Ergonomic and Unbreakable™

SKU	Head Weight	Handle Length
825-20212	2-1/2 lb	12 in
825-20412	4 lb	12 in
825-20416	4 lb	16 in
825-20616	6 lb	16 in
825-20624	6 lb	24 in
825-20824	8 lb	24 in



B.A.S.H.® Unbreakable™ Handle Sledge Hammers

Features:

- Unbreakable™ Technology—steel core eliminates breaking during overstrikes.
- Safety Plate—secures head to handle preventing head dislodging.
- Ergonomic Handle—shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip—vulcanized rubber handle for secure grip while striking.

Handle Type: Ergonomic and Unbreakable™

SKU	Head Weight	Handle Length
825-20816	8 lb	16 in
825-21030	10 lb	32 in
825-21230	12 lb	32 in



Unbreakable™ Handle Brass Sledge Hammers

Features:


- Non-sparking brass head for safe use near combustible materials.
- Non-marring brass head helps absorb impact and reduce work damage.
- Patented Unbreakable Technology - steel core eliminates breaking during overstrikes.
- Ergonomic Handle is shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip - vulcanized rubber handle for secure grip while striking.
- Safety plate secures head to handle preventing head dislodging.

Handle Type: Ergonomic and Unbreakable™

SKU	Head Weight	Handle Length
825-90212	2-1/2 lb	12 in
825-90412	4 lb	12 in
825-90416	4 lb	16 in
825-90616	6 lb	16 in
825-90816	8 lb	16 in
825-90830	8 lb	30 in

FILES

Half Round Files



Bastard Files

Features:

- Versatile applications for concave, convex or flush surfaces.
- Double-cut flat side.
- Handy for filing down sharp edges.

Tooth Pattern: Flat - Double Cut

Tool Shape: Taper to Point

Style: American

SKU	Length
100-14HRBF	14 in



Half-Round Files

Features:

- Used on concave, convex and flat surfaces.
- Rounded on one side, flat on opposite.
- Backs of all half-round bastard files are double-cut.

SKU	Cut Type	Length	Style
183-05094N	Bastard Cut	12 in	American Pattern
183-05190N	Double-Cut Bastard	14 in	Pipeliners File; American Pattern
183-05194N	Double-Cut on Flat Side; Bastard Cut	14 in	American Pattern

KNIVES & MULTI-PURPOSE TOOLS

Knives



Utility Knife with Blades

Features:

- Utility knife with retractable three position serrated blade.
- Over-molded grip for secure comfortable grip.
- Front-loading design for quick blade change.
- Blade storage located in pop-up holder.

Blade Material: Stainless Steel

Width: 1 in

SKU	Overall Length
332-0652-22	7 in



Spring-Assisted Open Pocket Knives

Features:

- Pocket Knife has 440A stainless steel, versatile drop point blade knife with both a fine and serrated edge.
- Liner lock keeps the knife open.
- Spring-loaded opening.
- Low-carry pocket clip allows the knife to sit low and out of the way.
- Safety lock keeps knife closed when stored.
- Dual thumb studs for both left- or right-hand opening

Blade Length: 3.5 in

Blade Style: Half-Serrated Drop Point

Blade Material: 440A Stainless Steel

SKU	Handle Length	Overall Length
409-44223	4.6 in	8.1 in

STANLEY



Self-Retracting Utility Knives

Features:

- Spring-loaded blade retracts into knife automatically when pressure on slide button is released.
- Knife can't be left around or put in a pocket with the blade exposed.
- INTERLOCK® nose secures blade safely between knife halves.

Blade Length: 2-1/8 in

Blade Style: Self-Retracting

Handle Material: Carbon Steel

Blade Tip Shape: Round Point

SKU	Overall Length
680-10-189C	5-7/8 in

TOOL STORAGE

Tool Boxes



PACKOUT™ Plumbers Kits

Features:

- Designed with durability in mind, this uninsulated tool set is perfect for both professional and home users alike.
- The sturdy blow-molded case provides easy storage and portability.

Includes: (1) Long-Nose Pliers, (2) Locking Pliers, (2) Tongue and Groove Pliers, (1) Multi-Bit Screwdriver, (4) Nut Drivers, (2) Adjustable Wrenches, (2) Pipe Wrenches, (1) Hammer, (1) Knife, (1) Sheet Metal Snips, (2) Hand Saws, (3) Pipe Cutters, (1) Level, (1) Tape Measure, 2-Piece Torque Lock

SKU

495-48-22-0141

PRYING TOOLS

Bars



Pinch Point Crowbars

Features:

- Hardened, drop-forged steel construction.
- Heavy-duty tool for stubborn prying tasks and heavy lifting.

Stock Size: 1-1/4 in

Tip Width: 1-1/4 in

Material: Heat Treated Carbon Steel

SKU	Overall Length
027-1160100	60 in

Milwaukee®

PACKOUT™

MOST VERSATILE
DURABLE
MODULAR STORAGE SYSTEM

MILWAUKEE® PACKOUT™ is the industry's most versatile and durable Modular Storage System. With over 100 solutions, this system revolutionizes tool transportation, organization, and storage for the trades on the jobsite, in transit, and in shops.

The PACKOUT™ Modular Storage System is made up of Tool boxes, Organizers, Totes, Bags, Mounting Plates, Racks, Power Tools, and much more. All of these solutions are impact resistant and have modular connectivity to build your system providing maximum productivity, performance, and safety on the job.



SITE



TRANSIT



SHOP



SITERUNNER

3 Shelf Jobsite Cart - Keep Your Jobs Moving

**A JOBSITE CART THAT HOLDS YOU WHEN
NEED IT FOLDS WHEN YOU DON'T**

Versatile Palm Grip

Optimized control and maneuverability. Doubles as hanging notch for tool belt, jacket, hard hat etc.

Tradesmen Work Shelf

Shelf geometry optimized for tradesmen end use applications

Lift Handle

Enables lifting over small objects on the jobsite

T-Lock

For secure storage between jobs

Tool Strap


Looped webbing for convenient tool storage and quick access

Holds up to 300 lbs 136kg

100 lb. capacity per shelf
(300 lb. total)

Carry Handle

Durable handle supports easy transport



Item No.

F3SCBL

Description

SITERUNNER 3 Shelf Jobsite Cart



CHISELS, PUNCHES & PINS

Punches



Keyway Punches

Features:

- Eliminates hand sawing and filing when making keyways for push button switches.
- For 7/8" or 1-7/32" push button holes.

Overall Length: 14.75 in

Material: Steel

SKU
332-720

HAND TOOL ORGANIZERS & BELTS

Tool Bags



Bull-Pin and Bolt Bags

Features:

- Built from sturdy canvas with a double layer of canvas on the bottom where it's needed most.
- This Tool Pouch is stitched and riveted for added strength.

No. of Compartments: 3

Width: 10 in

Material: No 4 Canvas

Carrying Method: Tunnel Loop for Sliding Over Belts up to 3 in

Shape: Rectangular

SKU	Height
409-5416T	9 in



Flame-Resistant Canvas Bolt Bags

Features:

- Stitched and riveted with a double-bottom for added durability.
- Bolt bag with bull-pin loop on each side.
- Double-bottom for added protection on the job.

No. of Compartments: 3

Width: 10 in

Material: Flame-Resistant No 4 Canvas

Carrying Method: Tunnel Loop for Sliding Over Belts up to 3 in

Shape: Round

SKU	Height
409-5416TFR	9 in



Lift Buckets

Features:

- Load rated 150 lb 14 in diameter accommodates standard 5 gallon bucket.
- Durable steel rim.
- Leather reinforced bottom extends 3 in up the side.
- Top of bucket zips closed.
- Web strap extends down the side of the bucket.

No. of Compartments: 1

Depth: 22 in

Material: No 1 Canvas

Carrying Method: Strap

Shape: Bucket

SKU	Height
409-5104CLR22	22 in



Load Rated Leather-Bottom Buckets

Features:

- Leather coated bottom extends 3 in around sides.
- Polypropylene rope handle, reinforced with leather for water resistance and strength.
- Durable, straight-wall and tapered-wall buckets are made of heavy-duty canvas.
- High-density polyethylene top ring for strength and chemical resistance.
- 100-pound (45.4 kg) Maximum Load Rating.

No. of Compartments: 1

Height: 17 in

Width: 12 in

Material: No. 1 Canvas

Shape: Round

SKU	Depth	Carrying Method
409-5104S	12 in	Handle w/ Swivel Snap
409-5104	17 in	Handle



No. 8 Canvas Tool Bags

Features:

- Rivet-reinforced for durability.
- Steel-frame mouth with hinge for rugged use.
- Stitched and riveted leather handles for comfort and strength.
- Two retaining straps with buckles provide secure closure.
- Moisture resistant vinyl bottom.
- Non-scratch feet on base protect against wear.

No. of Compartments: 1

Width: 6 in

Material: No. 8 Natural Canvas; Steel Frame Mouth; Vinyl Bottom

Carrying Method: Handles; Removable Shoulder Strap Kit Sold Separately

Shape: Rectangular

SKU	Height
409-5102-14	14 in
409-5102-24	15 in



Straight Wall Buckets

Features:

- Canvas Straight-Wall Bucket.
- Cyclac top ring.
- Molded bottom.
- Polypropylene rope handle.

No. of Compartments: 2

Material: No 6 Canvas

Carrying Method: Handle

Shape: Round

SKU	Height
409-5106	14 in

BENDING & FLARING TOOLS

Hand Benders



364-FHA Lever Type Tube Benders

Features:

- Open side type which slips over tube at any point.
- Makes smooth tight radius bends up to 180° with minimum effort.
- For bending annealed copper and aluminum tubing only; no scoring or flattening of tubing.
- Calibrated to show angle of bend.
- Wide hook grips tubing securely.

Body Material: Steel

SKU	Radius	Tube O.D.	Overall Length
389-364-FHA-06	15/16 in	3/8 in	13-1/2 in
389-364-FHA-08	1-1/2 in	1/2 in	18-1/2 in



400 Series Instrument Benders

Features:

- Offset cushion grip handles eliminate knuckle cracking when forming 180° bends.
- A 90° start angle and unique oil absorbing shoe minimize bending effort while forming accurate bends in copper, steel and stainless steel tubing.

Jaw Width: 1 in

Body Material: Steel

SKU	Radius	Tube O.D.	Overall Length
632-36097	15/16 in	3/8 in	13 in
632-36132	1-1/2 in	1/2 in	17 in



600 Series Instrument Benders

Features:

- Two-stage design allows for in-place bending from 90° to 180° without ever crossing handles, lock/unlock with a half turn rotation of the bending handle.
- Extra long 16 inch (40 cm) handles increase leverage and roll dies in the bending form reduce force needed.
- Vise clamp built into bending form for extra stability.

Overall Length: 16 in

Body Material: Carbon Steel

SKU	Radius	Tube O.D.
632-38043	15/16 in	3/8 in
632-38048	1-1/2 in	1/2 in



Geared Ratchet Tube Benders

Features:

- These tools, with high geared mechanical ratios, bend heavy-wall steel tube (up to 1/8" wall thickness), stainless steel tube (up to 3/32" wall thickness), and hard copper water tube (types K and L).
- Benders produce uniform bends up to 180°, with no need to anneal tubing or use special temper grade tubing.

Overall Length: 21 in

Jaw Width: 1 in

Body Material: Aluminum

SKU	Tube O.D.
632-35175	3/4 in

PVC Heater Benders



Electric PVC Heater/Benders

Features:

- Make bends, offsets or saddles in PVC fast and easy.
- Easy to use: wrap blanket around PVC, secure with hook and loop strap; built-in stiffeners help keep the blanket tight to the PVC surface; remove blanket and form bend by hand.

SKU	Amps
332-851	20 A

REAMING & DEBURRING TOOLS

Reamers & Deburring Tools



Pipe Reamers

Features:

- No. 2-S spiral ratchet reamer is self-feeding spiral design for extra-fast and easy hand reaming.
- For manual reaming only, cannot be used with power drives.

Overall Length: 18 in

SKU	Tube O.D.
632-34955	1/4 in - 2 in

HEX, TORX & SPLINE KEYS

Hex Key Sets



Journeyman™ T-Handle Ball-Hex Key Sets

Features:

- Blade-through-handle design for high torque applications.

Tip Type: Ball-End

Tip Size: 2 mm; 2.5 mm; 3 mm; 4 mm; 5 mm; 6 mm; 8 mm; 10 mm

Handle Type: T-Handle

SKU	Measuring System
409-JTH68MB	Metric

SCREWDRIVERS & NUTDRIVERS

Insulated Screwdriver & Nutdriver Sets



8-in-1 Insulated Interchangeable Screwdriver Sets

Features:

- Features an insulated handle, 5 interchangeable insulated blades, and a carrying pouch.
- Handle and blade have a 1000 V insulation rating.
- Layer of orange impact and flame resistant insulation protects from electric shock.

Tip Size: (2) #2 Phillips; (2) 1/4 in Slotted; (1) #1 Phillips; (1) #1 Square; (1) #2 Square; (1) 3/16 in Slotted

Handle Material: Rubber High-Dielectric Plastic

Shank Material: Induction Hardened Steel

SKU	Tip Type
409-32288	Multiple

Insulated Screwdrivers



Insulated Screwdrivers

Features:

- Durable, two-layer, molded insulation.
- Flame retardant and impact resistant-handle.

Tip Type: Cabinet

Shank Material: Induction Hardened Steel

SKU	Overall Length
409-602-4-INS	8.313 in

Interchangeable Drivers



11-in-1 Magnetic Screwdrivers/Nut Drivers

Features:

- Integrated screwdriver/nut driver magnetic barrel holds eight popular tips and converts to three nut driver sizes.
- Strong, rare earth magnets securely hold bits and fasteners.
- Interchangeable shaft for quick and easy switch out.
- Cushion-grip handle for greater torque and comfort.

Includes: (1) #1 Phillips and 3/16 in Slotted Double End 32482; (1) #2 Phillips and 1/4 in Slotted Double End 32483; (1) #1 Square and #2 Square Double End 32484; (1) Torx® T10 and T15 Double End 32485; (3) Nut Drivers 1/4 in, 5/16 in, 3/8 in Single End

SKU	Overall Length
409-32500MAG	7-3/4 in



32-Piece Tamperproof Screwdriver Sets

Features:

- Multi-bit screwdriver / nut driver with sturdy bit and screw holding magnet that allows for screws to fit securely in place for easy use.

Includes: Hex Bits: 2, 2.5, 3, 4 and 5mm; Hex Bits: 3/32, 7/64, 1/8, 9/64, 5/32, and 3/16 in; Spanner Bits: 4, 6, 8, and 10; TORQ-SET® Bits: 6, 8 and 10; TORX® Bits: T7, T8, T10, T15, T20, T25, T27, T30 and T40; Tri-Wing® Bits: 1, 2, 3 and 4

SKU	Overall Length
409-32510	7-1/2 in

Screwdriver Sets



7-Pc Cushion-Grip Screwdriver Sets

Features:

- General-purpose selection of the most frequently used screwdriver tips and sizes.
- Special heat-treated shafts.
- Tip-Ident® quickly identifies the screwdriver type and tip orientation.

Tip Type: Phillips; Slotted

Measuring System: SAE

Includes: 1/4 in Square; 3/16 in 5/16 in with 3 in Shank Cabinet Tip; 3/16 in Cabinet Tip with 6 in Shank; 1/4 in Cabinet Tip; #1 and #2 Phillips

SKU	Tip Size
409-85076	#1; #2; 3/16 in; 1/4 in; 5/16 in

Slotted Screwdrivers



Keystone-Tip Cushion-Grip Screwdrivers

Features:

- Handle resists slippage, oil, gas, and water.
- Premium chrome-plated for smooth feel and corrosion resistance.
- Internal flanges inside handle provide solid, twist-resistant blade anchor.
- Patented Tip-Ident® quickly identifies the screwdriver type and tip orientation.

Tip Type: Slotted

Overall Length: 8.344 in

Shank Length: 4 in

Shank Type: Round

SKU	Tip Size
409-602-4	1/4 in

EXTRACTORS & SETS

Extractor Sets



Extractor Sets

Features:

- Corresponding drill-bit size stamped on each tool.
- Corrosion-resistant finish.

Extractor Screw Diam.: 1/8 in; 3/16 in; 7/32 in; 5/16 in; 3/8 in; 7/16 in; 17/32 in; 5/8 in; 3/4 in; 1 in

SKU
577-9500B



Pipe Extractor Sets

Features:

- Securely grips and turns pipe from the inside.
- Each is plainly marked showing drill size used when solid ends of plugs and fittings must be drilled to receive extractor.

Extractor Screw Diam.: 1/8 in; 1/4 in; 3/8 in; 1/2 in; 3/4 in; 1 in

SKU
632-35685



Screw Extractor Sets

Features:

- Extractor spiral flutes are designed to embed themselves deeper into metal as you turn the tool.

Extractor Screw Diam.: 1 in; 1/8 in; 2 in; 3/16 in; 3 in; 1/4 in; 4 in; 5/16 in; 5 in; 11/16 in

SKU
632-35585

CRIMPING & STRIPPING TOOLS

Crimpers & Strippers



Cable Strippers

Features:

- Eliminates need for cable scoring.
- Suitable for most jacket materials.
- Precision ground stripping holes offer easy, consistent jacket removal.

Length: 7 in

SKU	Capacities	Cable/Wire Size
332-1903	8 AWG to 1250 KCMIL	0.18 in - 1.57 in



Kwik Stripper® Wire Strippers

Features:

- Strips and cuts flat and round wire.
- Self-adjusts to different wire gauges.
- Laminated steel blades minimize the risk of nicking conductors.
- Front entry jaws have an adjustable strip length guide.

Length: 10 in

SKU	Cable/Wire Size
332-45000	28 AWG - 10 AWG



Micro Crimping Tools

Features:

- Electromechanical crimping tool minimizes hand fatigue and stress that can lead to injuries such as Carpal Tunnel Syndrome.
- Intelligent Crimping System Technology monitors amp draw for each crimp and provides a visual alert if a crimp does not complete a full cycle.

SKU	Cable/Wire Size
332-EK50ML13811	Up To 10 AWG



Crimpers/Cutters

Features:

- Cut and crimp 10 AWG to 22 AWG wire.
- Tapered nose design for working in confined spaces.
- Crimping die marked for insulated and non-insulated solderless terminals and connectors.

Length: 9-3/4 in

SKU	Cable/Wire Size
409-1005	10 AWG - 22 AWG



Katapult® Wire Stripper/Cutters

Features:

- Removes up to 1-Inch (25 mm) in length of the insulation layer (jacket layer) in a single step.
- Compound action stripping: grip and strip via single-action squeezing motion.
- Precision machined stripping holes easily remove jacket insulation without damaging the wire.

SKU	Cable/Wire Size
409-11063W	8 AWG - 22 AWG



Multi-Purpose Electrician's Tools

Features:

- Two wire cutters—one at tip, the other halfway back near stripping holes—double the utility of this tool.
- Crimps 7-8 mm insulated and non-insulated terminals, lugs and splices.
- Cleanly shears bolts.
- Left- and right-hand wire-looping holes near tip.

Length: 8-1/2 in

SKU	Cable/Wire Size
409-1001	10 AWG - 26 AWG



Ratcheting Crimpers

Features:

- The full cycle ratcheting crimper crimps insulated wire terminals.
- Design provides low effort to crimp while maintaining a high terminal pull off force.

SKU	Cable/Wire Size
409-3005CR	10 AWG - 22 AWG

MULTI-PURPOSE HAND TOOL SETS

Multi-Purpose Tool Sets



41-Pc Journeyman's Tool Kits

Features:

- Comfortable and durable tools for the professional.

Includes: 39-Pocket Tradesman Pro Tool Bag Backpack (55421BP-14), Canvas Zipper Bag (5139), 8 in Diagonal-Cutters (D2000-48), 8 in Long Nose Side-Cutters (D203-8N), 9 in Lineman's Pliers/Fish Tape Pulling (D2000-9NETP), 10 in Pump Pliers (D502-10), Cable Cutter (63225), Crimping/Cutting Tool (1005), Klein-Kurve Wire Stripper/Cutter (11055), Klein-Kurve Dual NM Cable Stripper/Cutter (K1412), 3/16 in Cabinet Tip Screwdriver 3 in Round Shank (601-3), 3/16 in Cabinet Tip Screwdriver 6 in Round Shank (601-6), 1/4 in Cabinet Tip Screwdriver 6 in Round Shank (605-6), Scratch Awl (650), 1/4 in Keystone Tip Screwdriver 4 in Square Shank (600-4), 5/16 in Keystone Tip Screwdriver 6 in Round Shank (602-6), #2 Square-Recess Tip Screwdriver 4 in Round Shank (662), Power Conduit Reamer #2 Square Bit (85091), #1 Phillips Wire Bending Screwdriver 3 in Round Shank (603-3), #2 Phillips Wire Bending Screwdriver 4 in Round Shank (603-4B), 14-in-1 Precision Screwdriver/Nut Driver (32314), 6-in-1 Stubby Screwdriver/Nut Driver (32561), Pro Folding Hex Key Set (70550), 3/16 in Nut Driver 3 in Hollow Shaft (630-3/16), 1/4 in Nut Driver 3 in Hollow Shaft (630-1/4), 5/16 in Nut Driver 3 in Hollow Shaft (630-5/16), 11/32 in Nut Driver 3 in Hollow Shaft (630-11/32), 3/8 in Nut Driver 3 in Hollow Shaft (630-3/8), 7/16 in Nut Driver 3 in Hollow Shaft (630-7/16), 1/2 in Nut Driver 3 in Hollow Shaft (630-1/2), Non-Contact Voltage Tester with Flashlight (NCVT-3P), GFCI Receptacle Tester (RT210), Digital AC/DC Voltage and Continuity Tester (ET250), ACCU-BEND 4 Vial Level (935AB4V), 50 ft Fish Tape (56331), Folding Utility Knife (44131), Folding Jab Saw (31737), 25 ft Tape Measure/Magnetic Double Hook (9225), Rechargeable Headlamp (56049), Safety Glasses (60159), Magnetizer/Demagnetizer (MAG2)

SKU
409-80141

LAWN & GARDEN TOOLS

Shovels & Spades



Eagle™ Shovels

Features:

- Steel collar for added strength at the handle/socket connection.
- Lightweight fiberglass handle resists splintering, cracking, and weathering.

Blade Type: Open-Back

Blade No.: #2

Handle Material: White Ash

Handle Length: 46 in

Blade Material: Steel

SKU	Blade Width
027-1554300	8-1/4 in
027-1554500	9 in



Forged Round Point Shovels

Features:

- Features comfort step and cushion end grip.
- Digging shovel with long handle for maximum leverage.
- Effective tool for gardening and loosening hard, rocky soil.

Blade Type: Comfort Step

Handle Material: Fiberglass

Blade Material: Forged Steel

SKU	Handle Length
027-2584300	47 in



MADE TO HANDLE IT ALL



TRUE TEMPER

UnionTools

Jackson 
PROFESSIONAL TOOLS

RAZORBACK
PROFESSIONAL TOOLS

HANDSAWS & SETS

Handsaws

RIDGID**Pro Arc Hacksaw****Features:**

- High-strength bow design resists twisting.
- Accepts 12" blade either at 45° or 90° cut angles.

Throat Depth: 4 1/4 in

SKU	Blade Length	Teeth Per Inch
632-20238	12 in	24

STANLEY**Tape Rulers****Features:**

- Polymer-coated blade for long life.
- High-contrast colors for easy readability.

Graduations: 1/16 in**No. of Scales:** 1**Blade Material:** Steel**End Type:** 3-Rivet Hook

SKU	Blade Length	Blade Width
680-30-455	25 ft	1 in

TAPE MEASURES

STANLEY**Powerlock® Tape Rulers Wide Blade****Features:**

- Mylar® polyester film extends life of entire blade.
- Corrosion-resistant Tru-zero end hook for accurate measurements.

Graduations: 1/16 in**No. of Scales:** 1**Blade Material:** Steel**End Type:** Hook

SKU	Blade Length	Blade Width
680-33-425	25 ft	1 in

LEVELS

Empire**True Blue® Heavy-Duty Magnetic Torpedo Levels****Features:**

- High contrast e-BAND™ vials highlight the edge of the bubble.
- V-Groove working edge for accurate alignment on pipe or conduit.
- Aluminum frame with top read window.

Accuracy: 0.0005 in per in**No. of Vials:** 3**Vial Positions:** 45°; Level; Plumb**Base Type:** Magnetic; V-Groove

SKU	Length
272-em81.9	9 in



Pocket Pro Levels

Features:

- 2.5° Increments.
- With protractor degree dial.
- Extra strong magnets hold it firmly to any steel surface.
- There are two (2) stationery vials placed at 90° angles of each other and can be read from any surface of the level.

Accuracy: 0.5 degree

No. of Vials: 3

Vial Positions: (1) Level; (1) Plumb; (1) Rotating

Base Type: Flat; Magnetic

Width: 5/8 in

Height: 1-1/2 in

SKU	Length
496-PP-200	10 in



Torpedo Levels

Features:

- Heavy duty structures are machined from a solid block of aluminum.
- The NEW RIDGID® professional levels are designed and built to last the toughest job conditions.
- These levels provide accuracy, stability and provide the trade professional the ability to read 1/8 in to 1/2 in slope per foot.

Accuracy: 1.0 mm/m

No. of Vials: 3

Vial Positions: 1: Plumb; 1: Level; 1: 45°

Base Type: Magnetic; V-Grooved

Width: 5/8 in

Height: 1-1/4 in

SKU	Length
632-20233	9 in

RULERS



Fiberglass Folding Rulers

Features:

- Precision made of flexible heavy-duty fiberglass with embedded, easy-to-read boldface figures and graduations with 16 inch stud marks and positive locking joints.
- No. 1602 is graduated on one side in millimeters with red markings every 10 cm, reverse side reads in inches.

Increment @ Scale: 1/16 in @ 1 in

No. of Scales: 1

Measuring System: Metric; SAE

SKU	Length	Width
632-73360	6 ft	5/8 in

GAUGING TAPES



Atlas® Oil Gauging Tapes

Features:

- All frames include a grounding strap.
- Plumb bob must be ordered separately.

SKU	Blade Style	Blade Length	Blade Width	Increment @ Scale
182-CN1290SF590N	D1	25 ft	1/2 in	1/8 in @ 1 ft
182-CN1291SF590N	D1	33 ft	1/2 in	1/8 in @ 1 ft
182-CN1293SF590N	D1	50 ft	1/2 in	1/8 in @ 1 ft
182-CN1293SMEF59N	D3	15 m; 50 ft	13 mm; 1/2 in	1 mm @ 1 m; 1/8 in @ 1 ft
182-CN1294SMEF59N	D3	20 m; 66 ft	13 mm; 1/2 in	1 mm @ 1 m; 1/8 in @ 1 ft
182-C1290SF590N	D4	25 ft	1/2 in	1/8 in @ 1 ft
182-C1291SF590N	D4	33 ft	1/2 in	1/8 in @ 1 ft

US TAPE

Oil Tank Gauging Tapes

Features:

- Safety yellow handle with grounding wire.
- Large hub flange protects tape tail for Pop Out.
- New stronger core/handle interface has more threads per inch.
- Longer crank arm speeds retraction.

Increment @ Scale: 0.01 ft @ 1 ft

SKU	Blade Length	Blade Width	Blade Style
700-58814	25 ft	1/2 in	Chrome Plated
700-59625	100 ft	1/4 in	Derrick

GAUGING TAPE WIPERS

"LITTLE JOE"



Wipers

Features:

- Framework constructed of tough light weight die cast aluminum alloy.
- Stainless Steel screws, nuts, and heavy duty pin.

SKU	Body Material
708-LITTLE-JOE	Aluminum

GAUGING TAPE REFILLS & PARTS

CRESCENT
Lufkin



Oil Gauging Tape Replacement Blades

Features:

- Replacement measurement blade for oil gauging tape.
- Durable finish.

Measuring System: Inches; Feet

SKU	Blade Style	Length	Width
182-OCN1290SF590N	D1	25 ft	1/2 in
182-OCN1293SF590N	D1	50 ft	1/2 in
182-OCN1295SF590N	D1	75 ft	1/2 in
182-OC1290SF590N	D4	25 ft	1/2 in

DERRICK TAPES

CRESCENT
Lufkin



Derrick Surveying Tapes

Features:

- Chrome Clad® blade.
- Extra large winding drum provides rapid line recovery and permits tape line to be easily detached from reel.
- Special hook ring with ribbed face at zero.

Blade Thickness: 0.019 in

Increment @ Scale: 0.01 ft @ 1 ft

No. of Scales: 1

Blade Material: Steel

End Type: Hook w/Ring

SKU	Blade Length	Blade Width
182-C2276DN	100 ft	1/4 in



Derrick Tape Refills

Features:

- Replacement blade for Derrick Chrome Clad® Tape.
- Durable steel construction.

Blade Style: E1

Blade Type: Chrome Clad®

For Model: C2276D

SKU	Blade Length	Blade Width
182-OC2276DN	100 ft	1/4 in

FLANGE PINS & ALIGNERS



Two Hole Pins

Features:

- Sturdy two hole pins are machined from hardened steel.
- Utilize fast double lead threads instead of ACME threads for a more reliable hold over time.

Material: Alloy Steel

SKU	Pin Type	Hole Diam
496-42050-TM	Threaded Mini	5/16 in - 63/64 in
496-42050-T	Threaded	1/2 in - 1-7/16 in
496-42050-TL	Large Threaded	1/2 in - 1 15/16 in

PLUMB BOBS



Inage Oil Gauging Plumb Bobs

Features:

- Use to check amount of liquid left in tank.
- For use in heavy oils.

Shape: Cylindrical; Tapered End

Material: Brass

SKU	Length	Graduation(s)
182-590GN	6.75 in	Inches to 1/8ths
182-TT590N	6.75 in	Unmarked



Tank Gauging Plumb Bobs

Features:

- Etched readings.
- Rugged construction for durability.

Shape: Cylindrical; Tapered End

Graduation(s): Inches to 1/8ths

Material: Brass

SKU	Length	Material
700-58899	6-3/4 in	Brass

THERMOMETERS



12:1 Dual Laser Infrared Thermometers

Features:

- Optical resolution (distance-to-spot) is 12:1.
- Features include dual-laser targeting, auto-scan, max/min/avg/diff, high/low alarm, backlit display, auto power-off.
- Measurement Range of -22° F to 752° F (-30° C to 400° C).
- Adjustable emissivity.
- For ambient temperatures above freezing, the accuracy is +/- 4° F or +/- 2-percent; Accuracy below freezing is +/- 4° F plus 0.2° per degree below 32° F.

Response: <0.25s

Power Source: Battery

Batt. Type: 9 V

Accuracy: +/- 4° F or +/- 2%; Accuracy Below Freezing is +/- 4° F Plus 0.2 Degrees per Degree Below 32° F

SKU	Temp. Range
409-IR5	-22° F - 752° F

MARKERS



Paintstik® Original B® Solid Paint Markers

Features:

- Solid paint marker combines the durability of paint in the convenience of a crayon.
- Superior marking performance on oily, icy, wet, dry, or cold surfaces.
- Weather-resistant and UV-resistant for long-lasting marks.

Length: 4-3/4 in

Temp. Range: -50° F - 150° F

Flash Point: 204° C

Dia.: 11/16 in

SKU	Color
434-80220	White
434-80221	Yellow



Quik Stik® All Purpose Solid Paint Markers

Features:

- Fast-drying, permanent, vibrant paint marks dry in 5 to 7 minutes.
- New Easy Grip Airtight Cap for convenient pocket storage, self-storing cap keeps the marker clean and fresh between uses.
- Weather-resistant and UV-resistant paint for long-lasting marks.
- Solid paint marker advances and retracts in plastic holder by turning twist-up knob.

Length: 6 in

Temp. Range: 0° F - 392° F

Flash Point: 67.8° C

Dia.: 11/16 in

SKU	Color
434-61051	White
434-61053	Yellow



Mean Streak Permanent Marking Sticks

Features:

- Specially formulated to mark on wet and oily surfaces.
- Extra bold tip marks dark surfaces with an opaque line.
- Waterproof formula resists fading and adheres to virtually any surface.
- Quick-drying ink is waterproof, smearproof and fade-resistant.

Tip Size: Extra Bold

Tip Type: Bullet

SKU	Color
652-85005	Yellow
652-85018	White



Paint Markers

Features:

- Permanent, durable, fast-curing, industrial-strength paint.
- Lead- and xylene-free paint.

Tip Type: Poly; Reversible Bullet/Bullet

Temp Range: -50° F - 150° F

Capacity Vol.: 10 ml

SKU	Color	Tip Size
900-PAINTMKR-WHT	White	2 mm; 4 mm
900-PAINTMKR-YEL	Yellow	3 mm; 5 mm

YOUR WORKSITE IS NO OFFICE.

Your marker shouldn't be either.

Would you use an office stapler to rivet steel? Then why reach for an "everyday" marker, only for it to fail when you need it most? A marker that isn't designed for the grit, the grime, or the demanding surfaces you encounter daily creates a performance gap that isn't just noticeable—it's critical.

Markers prone to smudging, fading, fraying, and poor adhesion, lead to errors and rework. Markal® markers feature specialized inks for adhesion to virtually any material, and unparalleled resistance to the elements. From the fabrication shop to the construction site, ensure your critical marks last as long as your work does.



Bold, long-lasting marks

Lay down bold, visible marks on virtually any surface. Marks even on rough or dirty metals and pipes.



Built to endure

Extra-tough tips won't spread or mush. Long cap-off time prevents premature dryout. Impact-resistant barrel withstands drops and bangs.



Weather Resistant

Marks won't fade or disappear from wear, water, or extreme weather conditions.



Fast Drying

Industrial-strength ink creates clear, crisp lines that won't smudge or smear.

Available Colors

434-96022  Red
434-96023  Black

434-96025  Blue
434-96026  Green



MARKAL

THE MARK OF WORK.®



BRITE-MARK® Medium Permanent Paint Markers

Features:

- Formula is not xylene-based.
- Valve actuated mechanism prevents paint in barrel from drying when cap is left off.
- Bullet tips are replaceable to ensure complete use of paint in each marker.
- Drying Time: 25 – 35 seconds.

Tip Size: Medium; Felt #15

Tip Type: Bullet

SKU	Color
253-84003	White
253-84004	Yellow



High Purity Markers

Features:

- Paint will not contaminate or adversely affect surface being marked.
- Dye and pigment based ink.
- Pen cap clip fits on pocket or clipboard.
- Threaded end can be screwed into a jig or apparatus for continuous identification application.

Tip Size: Medium; Felt #38

Tip Type: Threaded Cap

Temp Range: 0° F - 300° F

SKU	Color
253-44729	White



Paint-Riter® Valve Action® Paint Markers

Features:

- Fast-drying, permanent paint for immediate handling reduces work downtime.
- Dura-Nib medium bullet tip resists wear to provide long marking life.
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket.

Tip Size: 1/8 in

Tip Type: Round Bullet

Temp Range: -50° F - 150° F

Capacity Vol.: 10 mL

SKU	Color
434-96820	White
434-96821	Yellow
434-96822	Red
434-96823	Black

CABLE PULLER ACCESSORIES



Hook Sheaves

Features:

- For use with any Greenlee® cable puller.
- Forged steel closure type hooks with 1 in (25.4 mm) opening.
- All three sheaves are aluminum alloy with self-lubricating bearings.

Load Cap.: 8000 lb

Material: Steel Frame; Aluminum Alloy Sheave

SKU	Dia.
332-8018	18 in



Hook Type Sheaves

Features:

- Aluminum alloy sheave with self-lubricating bearings.

Load Cap.: 4000 lb

Material: Aluminum Alloy

SKU	Dia.
332-652	18 in

FISH TAPES



MagnumPRO Fish Tapes

Features:

- Nylon fish tapes are non-conductive, curl resistant for fast, clean fishing.
- Steel fish tape is oil-tempered spring steel for excellent fishing performance.

Blade Material: Steel

Reel Diam: 13 in

SKU	Blade Length	Blade Width
332-FTS438-240	240 ft	1/8 in



Steel Fish Tapes

Features:

- Durable, high strength 1/8 inch (0.3 cm) wide spring fish tapes are firm yet flexible for long runs and large wire pulls.
- Descending laser etched markings in 1-foot (0.3 m) increments.
- Tempered, high quality tape keeps its stability as it glides between surfaces.

Blade Material: High Carbon Steel

Reel Diam: 13 in

SKU	Blade Length	Blade Width
409-56334	240 ft	1/8 in

KNOCKOUT PUNCHES HYDRAULIC



Quick Draw® Hydraulic Punch Kits

Features:

- Develops eight tons of hydraulic force for easy punching.
- Quick Draw 90®'s right angle driver head rotates over 180 degrees for maximum flexibility in tight working areas.

Capacity Wt.: 8 ton

SKU	Cutting Diam.
332-7906SB	1/2 in - 2 in



Slug-Buster® Manual Knockout Sets

Features:

- Unique punch profile splits slugs allowing for easy slug removal.
- Knurled edge for better grip.
- Laser markings for quick part identification.
- Alignment markings for improved accuracy.

SKU	Conduit Size
332-K2BB-1/2	1/2 in

METERS



Digital Clamp Meters

Features:

- Measures AC current via the clamp and AC/DC voltage, resistance and continuity via test-leads.
- Thermocouple probe measures temperature.

Voltage Type: AC; DC

Electrical Resistance: - 60 MOhm

Capacitance: 6000 μ F

Frequency: 1 Hz - 500 kHz

Display Type: LCD

SKU	No. of Functions
409-CL800	5



Dual Range Non-Contact Voltage Testers

Features:

- Automatically detects and indicates low voltage (12-48V AC) and standard voltage (48-1000V AC) allowing broad application.
- High intensity, bright green LED indicates the tester is operational and aids in illuminating the workspace.
- Auto power-off feature conserves and extends battery life.

Frequency: 50 Hz - 500 Hz

Height: 1.09 in

Length: 5.82 in

Width: 0.86 in

Power Source: (2) AAA Batteries

SKU	Voltage
409-NCVT2P	12 V AC - 1,000 V AC

TESTERS & INDICATORS



Non-Contact Voltage Detectors

Features:

- Use to detect voltage in outlets, lighting fixtures, circuit breakers, wires, and cables or to find a break in a wire.
- Patented automatic self-test verifies the integrity of the unit.
- Bright LEDs flash and audible alarm sounds if voltage is present.
- Automatically turns off after five minutes of non-use to conserve battery life.

Frequency: 50 Hz - 60 Hz

Function: Adjustable Non-Contact

No. of Batteries: 2

Power Source: AAA Battery

SKU	Voltage
332-GT13	50 V - 1000 V

WIRE PULLING GRIPS



Pulling Grip Sets

Features:

- Select pulling grips with a maximum-rated capacity that meets or exceeds the cable pulling tool's maximum pulling force.

SKU	Cable/Wire Size	Load Cap.
332-629	5/8 in	6500 lb



Haven® Grips

Features:

- For use when light, compact grip is desired and where conductor damage is not a factor.
- Swing latch to help hold cable in the jaw.
- Gripping pressure of the knurled jaw is applied to 1/4 inch (635 mm) cable area.

SKU	Cable/Wire Size	Load Cap.	Length	Width
409-1604-20L	0.5 in - 0.125 in	5000 lb	6.3 in	4-3/4 in
409-1625-20	0.28 in - 3/4 in	8000 lb	6-1/2 in	4 in

DRILLING & FASTENING TOOLS

Crimpers



GATOR® 6-Ton In-Line Cordless Indenters

Features:

- Two-stage telescopic ram design identifies correct pressure to apply.
- Single trigger operation for controlling all tool functions.
- PVC coated head for brush protection.
- Equipped with Bluetooth™ Communication enabled via the Greenlee Gator Eye app.
- LED display screen communicating pressure and battery levels as well as tool diagnostics with real-time tool feedback.

SKU	Voltage	Batt. Type
332-EK6IDLX11	120 V	Lithium-Ion

Drills



Step Bit Sets

Features:

- Durable split-point tip for fast, accurate material penetration. Patented split-step design optimizes chip load for fast, smooth cutting, and more holes per charge. Progressive cutting edges provides power tool accessory balanced aggression to maximize torque efficiency and minimize stalling.
- Laser markings for quick, easy product and size identification.

Includes: GSB01 1/2 in bit, GSB04 7/8 in bit, GSB09 1-1/8 in bit, Carrying Case

SKU	Shank Diam.
332-GSBSET3	1/2 in



GSB Series Step Bits

Features:

- Durable split-point tip for fast, accurate material penetration.
- Patented split-step design optimizes chip load for fast, smooth cutting, and more holes per charge.
- Progressive cutting edges provide balanced aggression to maximize torque efficiency and minimize stalling.
- Improved double flute design for superior chip evacuation, cutting speeds, and tool life.

Measurement Type: SAE

SKU	Cutting Diam.	No. of Steps
332-GSB12	3/16 in - 1/8 in	5
332-GSB09	3/16 in - 1/8 in	3

Wrench Kits



M18 FUEL™ w/ONE-KEY™ High Torque Impact Wrenches 3/4 in Friction Ring

Features:

- ONE-KEY™ compatible to customize, track and manage tool's performance and location.
- POWERSTATE™ brushless motor delivers up to 1200 ft-lb of fastening torque and 1500 ft-lb of nut-busting torque.
- Features a friction ring with thru-hole design to ensure quick and easy socket changes.
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool.

Voltage: 18 V

Batt. Type: Lithium Ion

Speed: 1800 RPM

Torque: 1600 ft-lb

Control Type: Trigger

Handle Type: Pistol Grip

Includes: (1) M18 FUEL™ w/ONE-KEY™ High Torque Impact Wrench 3/4 in Friction Ring Bare Tool (2864-20), (2) M18™ REDLITHIUM™ XC5.0 Resistant Capacity Battery Pack (48-11-1850R), (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812)

SKU	Drive Size	Drive Type
495-2864-22R	3/4 in	Square



M18™ Impact Wrench Kits with Friction Rings

Features:

- Featuring a Milwaukee® built four-pole frameless motor and optimized impact mechanism.
- This impact driver delivers up to 2,450 RPM, 3,350 IPM and 167 ft-lb of fastening torque for excellent performance.
- REDLINK™ intelligence provides optimized performance and overload protection using total system communication between tool, battery and charger.
- The impact wrench features a friction ring anvil.

Batt. Type: 18 V

Speed: 2,450 RPM

Cycle Rate: 2400 IPM

Torque: 1100 ft-lb

Control Type: Trigger

Handle Type: Pistol Grip

Includes: (1) M18 FUEL™ 1/2 in High Torque Impact Wrench w/Friction Ring (2967-20), (2) M18™ REDLITHIUM™ XC5.0 Resistant Battery (48-11-1850R), (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812), (1) Hard Case

SKU	Drive Size
495-2967-22	1/2 in

FINISHING TOOLS

Grinders



High Performance Angle Grinders with E-Clutch®

Features:

- E-Clutch® Activates in less than a tenth of a second when a pinch/stall event is detected.
- Dust Ejection System™ provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents.
- Power Loss Reset® prevents accidental restarts following a power disruption when the tool is left in the "on" position.
- Power tool shuts off before overheating with Power-Off® Advanced Overload Protection.

Watts: 1,700 MWO

Speed: 9,000 RPM

Control Type: Paddle; No Lock-On

Spindle Thread: 5/8 in to 11 in

SKU	Wheel Dia	Amps
115-DWE43144N	6 in	13 A



Small Angle Grinders

Features:

- 11 Amp AC/DC 11,000 RPM motor designed for faster material removal and higher overload protection.
- Quick-Change™ Wheel Release provides easier and quicker wheel removal without the need for a wrench.

Watts: 1400 W

Speed: 11000 RPM

Spindle Thread: 5/8 in - 11

SKU	Wheel Dia	Amps	Control Type
115-DWE402	4-1/2 in	11 A	Paddle Switch with Lock-Off
115-DWE402N	4-1/2 in	11 A	Paddle Switch with No Lock-On

CUTTING TOOLS

Band Saws



Portable Band Saw Deep Cut Blades

Features:

- Precision-formed teeth create fast, clean cuts.
- Alloy backing steel for extended blade life.
- The aggressive tooth form ensures fast and clean cuts in medium, thick, and thin metals.

Width: 1/2 in

Thickness: 0.020 in

Teeth Per Inch: 18

Cutting Edge Material: Metal

SKU	Cutting Cap.	Cutting Length
495-48-39-0521	Up To 5 in	44-7/8 in

Chop & Cut-Off Saws



Metal-Cutting Saw Blades

Features:

- Evolution saw blades are designed to deliver maximum performance by using the highest grade carbide, hardened blade bodies, and ultra high-grade brazing techniques.

Arbor Diam: 1 in

No. of Teeth: 66

Speed: 1600 rpm

Cutting Edge Material: Carbide

SKU	Blade Diam	Thickness
510-14BLADEST	14 in	0.079 in

Cut-Out Tools



20V MAX* XR® Brushless Cordless Cut-Off Tools

Features:

- Designed for metal, tile, stone, plastic, and drywall/fiber cement.
- Offering quick wheel changes and both forward and reverse capability, this tool delivers optimized performance depending on the application.
- Dust shroud with adjustable shoe and AirLock™ connection allows for convenient attachment to DEWALT extractors.
- Integrated LED to work in dark spaces.

SKU	Voltage	Blade Diam
115-DCS438B	20 V	3 in

Shears



STRUTSLAYR™ Strut Shear Head Kits

Features:

- Burr-free cuts eliminate the need for extra filing.
- Clean, consistent cuts in 5 seconds or less.
- Built-in measuring guide allows accuracy of cut on job site.

Includes: (1) STRUTSLAYR™ Head (64118), (1) 1-5/8 in x 1-5/8 in Dedicated Die (64038), (1) Carrying Case (64048)

SKU	For Model
632-64058	Some 32kN Press Tools; Excludes 320-E and CT-400

CORDLESS TOOL BATTERIES & CHARGERS

Batteries, Cordless Tool



M18™ REDLITHIUM™ HIGH OUTPUT™ XC Battery Packs

Features:

- REDLINK™ Intelligence provides optimized performance and overload protection using total system communication between tool, battery, and charger.
- Fuel gauge onboard displays remaining runtime for less downtime on the job.
- Powers more than 150 Milwaukee M18™ cordless power tools.

Batt. Type: Rechargeable Lithium-Ion

For Model: Milwaukee® M18™ Cordless Power Tools

SKU	Voltage	Batt. Cap.
495-48-11-1880	18 V	8.0 Ah



M18™ REDLITHIUM™ XC 5.0 Ah Extended Capacity Battery 2-Pack

Features:

- REDLINK™ Intelligence provides optimized performance and overload protection using total system communication between tool, battery and charger.
- Onboard fuel gauge displays remaining runtime for less downtime on the job.
- Its all-weather performance capability delivers fade-free power in extreme jobsite conditions.

Batt. Type: Lithium-Ion

For Model: Milwaukee® M18™ Cordless Power Tools

SKU	Voltage	Batt. Cap.
495-48-11-1852	18 V	5.0 Ah

BATTERIES

DURACELL®



Procell® Batteries

Features:

- AA, AAA, C and D batteries are guaranteed for 7 years in storage, 9V batteries are guaranteed for 5 years in storage.
- Economically packaged in bulk and individually date-coded for effective inventory management.

SKU	Batt. Size	Voltage	Quantity
243-PC1300	D	1.5 V	12 Batteries Per Pack
243-PC1400	C	1.5 V	12 Batteries Per Pack
243-PC1500BKD	AA	1.5 V	24 Batteries Per Pack
243-PC1604BKD	9.0 V	9V	12 Batteries Per Pack
243-PC2400BKD	AAA	1.5 V	24 Batteries Per Pack



Procell® Intense Batteries

Features:

- Excellent resistance to corrosion.
- Designed to meet all major quality, safety, and environmental standards.

Voltage: 1.5V DC

SKU	Battery Type	Batt. Size
243-PX1300	Alkaline	D

COMPRESSORS, BLOW GUNS, HOSES & FITTINGS

Air Hose Fittings



King Cable® Safety Cables

Features:

- Highly resistant to rust and corrosion.
- No tools needed - easy to install and remove.

Body Material: Galvanized Carbon Steel

Operating Pressure: 200 psi

Cable/Wire Size: 1/8 in

SKU
238-WB1

THREADING TOOLS

Pneumatic Tappers



RT3422 Tapping Tools

Features:

- Built-in bleed valve allows for easy purge of chips.
- Independent cutter feed gives the operator total independent control of the cutter feed rotation for optimal saw life.
- Taps a variety of materials including steel, cast iron, ductile iron and plastic pipe.
- Coupon retaining bits - exclusive pilot bits provide confidence that the coupon will not be dropped in the pipe, preventing medium contamination or possible damage of downstream equipment.

SKU	Overall Length
632-76027	1/4 in

COCO MATS



Coco Mats

Features:

- Heavy-duty.
- Tough absorbent fibers hold up under any type of foot traffic.
- Mildew resistant.

Height: 1-1/2 in

SKU	Length	Width
103-AB-GDN-5	36 in	22 in

RIG WASH & CREME BEADS



Creme Beads Granular Detergents

Features:

- Surfactants are biodegradable.
- Spray dried to homogenize ingredients and produce hollow beads that are extremely soluble even in cold water.
- Averages 5.6 phosphorus.

Capacity Wt.: 100 lb

SKU
103-AB-CB100



Rig Washing Detergents

Features:

- Super Heavy-Duty Concentrate.
- Cuts through heavy oils, grease and drill muds.
- Eliminates residue on pumps, pads and jacks, platforms, derricks, liners, casings, crown and traveling blocks and blow out preventers.
- Can be diluted and used in spray bottles.

SKU	Capacity
103-500801	1 gal
103-500805	5 gal
103-AB-RW50	50 lb

GAGE POLES



Gage Poles

Features:

- Dependable measurement.

Material: Wood

SKU	Length
030-AG8-1	8 ft
030-AG12-1	12 ft
030-AG16-1	16 ft

PACKING HOOKS

C.S. OSBORNE & CO.



Flexible Packing Hooks

Features:

- Two spiral steel shafts, one inside of the other, wound in opposite directions.
- Handle is solid zinc.
- Hook is tempered and permanently pointed.

SKU	Size Group	Overall Length	Shank Diam	Spiral Diam	Spiral Length
565-1204-1	1	7-1/4 in	5/32 in	1/4 in	3/4 in
565-1204-2	2	10-3/4 in	1/4 in	5/16 in	1-1/8 in
565-1204-3	3	15-1/4 in	3/8 in	3/8 in	1-5/8 in

SAMPLE BAGS



Geological Sample Bags and Parts Bags

Features:

- High count cloth, bleached and back filled.
- Strong white drawstring.

SKU	Width	Length
485-41/2X6	4-1/2 in	6 in

BABBIT & LADLES

METALS



Babbitts

Features:

- General purpose bar.
- Industrial high strength and corrosion-resistant.

Wt.: 50 lb

SKU	Wt.
612-4-BABBITT	50 lb

SAND STRAINERS



Sand Strainers

Features:

- 8 in opening.
- Plastic handle.

SKU	Dia.
103-1046017	8 in

TORCH & WEED BURNERS



Hotspotter All Purpose Propane Torches

Features:

- Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes.
- Ergonomic handle with adjustable trigger.
- Hooks up to standard 20-pound propane tank.

Gas Type: Propane

Handle Length: 31 in

Hose Length: 10 ft

SKU	Output Power
312-WB-101	500000 Btu

WELDING & CUTTING ACCESSORIES

Cutting & Burning Guides



Rap-Around Pipe Templates

Features:

- Has a tough edge to protect from fraying and splitting which extends the life of the product.
- Clear vinyl container for protection in between jobs.

SKU	Size Group	Width	Length	Pipe Capacity
900-RA150	Small	2-1/2 in	2 ft	1 in - 3 in
900-RA160	Large	4 in	4 ft	3 in - 6 in
900-RA170	Large	4 in	6 ft	3 in - 10 in
900-RA179	Large	4 in	9 ft	6 in - 16 in
900-RA177	X-Large	4 in	7 ft	4 in - 12 in

BONDED ABRASIVES

Resin Bonded Abrasives



Original Slicer® Cutting Wheels

Features:

- Extremely fast rate of cut.
- Designed with two full layers of high strength fiberglass for safety.
- Burr-free, cool cutting.

Thickness: 0.040 in

Arbor Size: 7/8 in

Grit: 60

Speed: 10200 RPM

SKU	Tool Shape	Dia.
469-655339000	Type 1	6 in



Wolverine® Grinding Wheels

Features:

- Designed for general purpose rough grinding on steel, iron and other ferrous metals.
- Effective for aggressive stock removal.
- Reinforced with fiberglass webbing for added stability.

Thickness: 1/4 in

Arbor Size: 5/8 in

Grit: 24

Speed: 13300 RPM

SKU	Tool Shape	Dia.
804-56454	Type 27	4-1/2 in

WIRE BRUSH ABRASIVES

Cup Brushes



Knot Cup Brushes

Features:

- Quickly completes rough surface-prep and debris-removal tasks.
- Features a threaded nut, making for smooth, efficient operation on angle grinders.

Wire Material: Carbon Steel

SKU	Dia.	Wire Size	Trim Length	Arbor Size
102-3KC14	2-3/4 in	0.014 in	7/8 in	5/8 in - 1 1/2 in
102-R3KC58	3 in	0.012 in	7/8 in	5/8 in - 1 1/2 in
102-3KC58	3 in	0.02 in	1 in	5/8 in - 1 1/2 in
102-4KC58	4 in	0.02 in	1-1/4 in	5/8 in - 1 1/2 in

Scratch Brushes



Hand Scratch Brushes

Features:

- Heavy-duty industrial brushes.
- Durable wood handle.


Handle Type: Shoe

Handle Material: Wood

Bristle Rows: 4 X 16

SKU	Bristle Material
102-387	Carbon Steel
102-387SS	Stainless Steel

Wheel Brushes



Stringer Bead Wheel Brushes

Features:

- Very narrow face design primarily for weld cleaning and to access hard-to-reach areas.

Arbor Diam: 5/8 in - 11

Arbor Thread: 5/8 in - 11

Bristle Diam.: 0.02 in

SKU	Bristle Material	Dia.	No. of Knots	Face Width
102-4S58S	Stainless Steel	4 in	30	1/4 in
102-4S58	Carbon Steel	4 in	30	3/16 in
102-6S58	Carbon Steel	6 in	48	1/4 in



Roughneck® Max Stringer Bead Wheels

Features:

- Recommended for cleaning root pass welds, surface prep, and other cleaning applications.

Dia.: 4 in

Arbor Diam: 5/8 in

No. of Knots: 32

Face Width: 3/16 in

Arbor Thread: 11 UNC

SKU	Bristle Material	Bristle Diam
804-13131	Steel	0.020 in

COVERING PRODUCTS

Tarps



Multiple Use Tarps

Features:

- Reinforced hem.
- Heat-sealed seams.
- Grommets every 3 ft.

Material: Polyethylene

Thickness: 5 mil

Resistance: Fade; Rot and Rust Proof; Sun

SKU	Length	Width
101-0608	8 ft	6 ft
101-0810	10 ft	8 ft
101-1012	12 ft	10 ft
101-1016	16 ft	10 ft



Protective Tarps

Features:

- All double-stitched seams and hems with brass tie-down grommets spaced approximately 24 inches apart all around.

Material: Canvas

Thickness: 25 mil

Resistance: Mildew; Water

SKU	Length	Width
103-92561	10 ft	8 ft
103-92562	12 ft	10 ft

TUBING

Gage Glass



Sight Glasses

Features:

- Allows the pumper and water hauler to see what is flowing through drain lines at all times.
- Clear view nipple is made from a tough, shatter-resistant polycarbonate.
- This type of plastic has more than 30 times the impact resistance of safety glass.
- Withstands prolonged exposure to ultraviolet rays.

Material: Polycarbonate

SKU	Outside Diam	Length
306-SG0500-3	3 in	8 in

PUMPING EQUIPMENT

Fuel Pumps

FILL-RITE



Piston Hand Pumps

Features:

- Anti-siphoning valve.
- Check valve and strainer.
- Steel handle and wood grip.
- Pump can be set up for reverse flow.

Outlet Size: 3/4 in (NPT)

Inlet Size: 1 in (NPT)

Hose Length: 8 ft

Housing Material: Aluminum Body w/Stainless Steel Liner

Seal Material: Stainless Steel

Designated Fluid: Oil; Fuel

SKU	Flow	Vol. @ No. of Strokes
285-FR152	20 gal/min	20 gal @ 100

CHAIN, CABLE, ROPE & ACCESSORIES

Rope, Line & Twine



General Purpose 12-Strand Cords

Features:

- Exclusive Samson 12-strand interlocked construction.
- Stays flexible.

Load Cap.: 1250 lb

Resistance: Rot; Mildew; Mold; Most Chemicals

SKU	Dia.	Length
650-019016001060	1/4 in	100 ft



Spot Cord®

Features:

- High tenacity nylon core adds extra strength and reduces stretch.

Load Cap.: 1000 lb

Resistance: Chemical; Heat; Weather

SKU	Dia.	Length
650-001016001060	1/4 in	100 ft



Tiger Sash Cord™

Features:

- Sleek and sturdy cord designed with a smooth, non-scoring surface for use with gaskets and packing.
- Solid braided cover with cotton core.
- Non-spliceable, for added strength.

SKU	Dia.	Length	Load Cap.
650-004016001060	1/4 in	100 ft	200 lb
650-004020001060	5/16 in	100 ft	450 lb

Straps & Bungee Cords



Hold-Zit™ Rubber Tie-Down Straps

Features:

- Custom-compound rubber construction.
- Reinforced ends prevent hooks from pulling out.
- Excellent flexibility at low temperatures and resistance to ozone and aging.

Load Cap.: 120 lb

End Type: Hook

Resistance: Aging; Ozone; Weather

SKU	Width	Length
615-R722B	3/4 in	22 in
615-R731B	3/4 in	31 in



Ratchet Tie-Down Straps

Features:

- Webbing is abrasion-resistant, won't rot or mildew, and maximizes strength.
- Ratchet provides greater tension with minimal force.
- Safety-first, spring-loaded release mechanism prevents ratchet from opening accidentally.

SKU	End Type	Width	Length	Load Cap.	Break Strength
130-05514	Vinyl-Coated S-Hooks	1 in	14 ft	500 lb	1500 lb
130-05516	Double J-Hooks with D-Ring	1 in	16 ft	1000 lb	3000 lb
130-04622	Steel Double J-Hooks	2 in	27 ft	3333 lb	10000 lb
130-04623	Zinc-Coated Steel Flat Hooks	2 in	27 ft	3333 lb	10000 lb

STANDS & RAMPS



Heavy Duty Pipe Stands

Features:

- Effectively holds pipe and tubing in position during pipe welding applications.
- Adjustable height.

Height: 28 in - 49 in

Head Style: V-Head

Material: All Steel

SKU	Load Cap.	Pipe Diam.
900-PIPE-STAND-HDJ	2500 lb	1/2 in - 18 in



Hi-Jack Style Pipe Stands

Features:

- Features durable folding frame.
- Effectively holds pipe and tubing in position during pipe welding applications.
- Adjustable height.

Height: 28 in - 49 in

Head Style: V-Head

Material: All Steel

SKU	Load Cap.	Pipe Diam.
900-PIPE-STAND-HJ	2500 lb	1/2 in - 18 in



Fold-A-Jack® Style Hi Jacks

Features:

- Quick-action lock washer for fast height positioning.
- Fall Guard™ feature allows 1 in safety zone around lock washer.
- Set screw can lock jack head to stand for transportation.

Height: 28 in - 49 in

Head Style: V-Head

Material: Carbon Steel

SKU	Load Cap.	Pipe Diam.
432-781300	2500 lb	1/8 in - 24 in



Fold-A-Jack® Style Lo Jacks

Features:

- 1" square tube base construction.
- Quick action lock washer for fast height positioning.
- Patented Fall Guard™ feature allows 1" safety zone around lock washer.

Height: 21 in - 36 in

Head Style: V-Head

Material: Steel

SKU	Load Cap.	Pipe Diam.
432-781310	2500 lb	1/8 in - 24 in



Heavy-Duty Style Hi Jacks

Features:

- Quick action lock washer for fast height positioning.
- Patented Fall Guard™ feature allows 1" safety zone around lock washer.
- Set screw can lock jack head to stand for transportation - no loose pieces.
- Jack independently load tested for quality assurance.

Height: 28 in - 49 in

Head Style: V-Head

Material: Carbon Steel

SKU	Load Cap.	Pipe Diam.
432-780375	2500 lb	1/8 in - 36 in

STRAPPING PRODUCTS

Cable Ties



General Purpose Cable Ties

Features:

- Even at higher than recommended temperatures or exposure to flame, nylon does not give off toxic or irritating by-products.

Thickness: 0.054 in

Tensile Strength: 50 lb

Material: Nylon 6/6

SKU	Length	Width	Bundle Diam
102-1150N	11.1 in	0.18 in	3 in
102-1450N	14.6 in	0.18 in	4 in



UV Stabilized Cable Ties

Features:

- Contains increased resistance to UV light (does not totally eliminate the destructive effects of the light).

Material: Nylon 6/6

SKU	Length	Width	Thickness	Tensile Strength	Bundle Diam
102-1150UVB	11.1 in	0.18 in	0.054 in	50 lb	3 in
102-12120UVB	12 in	0.298 in	0.069 in	120 lb	3 in
102-1450UVB	14.6 in	0.18 in	0.054 in	50 lb	4 in
102-15120UVB	15 in	0.298 in	0.069 in	120 lb	4 in
102-24175UVB	24.5 in	0.350 in	0.087 in	175 lb	7.2 in



Standard Cable Ties

Features:

- Patented DoubleLock™ design has teeth on both sides of the tie, ensuring 50% greater strength than industry standards.
- Serviceable through temperatures of 32° - 185° F.

Thickness: 0.055 in

Tensile Strength: 75 lb

Material: Nylon 6/6

SKU	Length	Width	Bundle Diam
623-46-308UVB	8 in	0.17 in	2 in
623-46-310UVB	11 in	0.17 in	3 in
623-46-315UVB	14 in	0.17 in	4 in



Heavy-Duty Cable Ties

Features:

- DoubleLock™ design has teeth on both sides of the tie.
- Great for bundling wire, cable, hose, ducts and countless other applications.

Material: Nylon 6/6

SKU	Length	Width	Thickness	Tensile Strength	Bundle Diam
623-46-415UVB	15 in	0.25 in	0.072 in	120 lb	4 in
623-46-418UVB	18 in	0.35 in	0.07 in	175 lb	4.9 in
623-46-424UVB	24 in	0.35 in	0.07 in	175 lb	7 in

Tie Wire



Mechanics Wires

Features:

- Controlled in production to secure full gauge, good finish and high quality.

SKU	Wire Size	Material
132-77552	16 ga	Steel

IDEAL by **REEL**

Tie Wires

Features:

- Made of stainless steel or black annealed finish, the tie wires are essential for fastening items together.
- Wires have a high level of strength and are capable of handling heavy items.

SKU	Wire Size	Material	Wt.
132-77532	14 gauge	Black Annealed	3 1/2 lb
132-71572	16 gauge	Black Annealed	3-1/2 lb
132-16-SS	16 gauge	Stainless Steel	3 1/2 lb

FASTENING PRODUCTS

Reclosable Fasteners

3M

3M™ Hook Fasteners

Features:

- Simply press together and the tiny, stiff hooks mesh with pliable loops to create a quick, secure fastening system.
- Backed with a variety of 3M adhesive technologies, you can easily meet application demands that require thousands of easy opening and closings.

Length: 50 yd

Base Material: Nylon w/ Acrylic Adhesive

SKU
405-021200-86286

WIPING PRODUCTS

Towels & Wipers



Multi-Purpose Scrubbing Wipes

Features:

- Dual textured wipe, a textured side and a smooth side.
- Contains no harsh chemicals.
- Leaves hands feeling clean and refreshed.

Quantity: 72 wipes per dispenser

SKU	W x L per sheet
103-360726	10 in x 12 in



Premiere Kitchen Paper Towel Rolls

Features:

- Cloth-like towel is powerful enough for scrubbing and wiping up spills, yet gentle enough for drying hands.
- Perforated for easy dispensing.

SKU	W x L per sheet
993-13964	10.4 in x 11 in



Original™ Multi-Purpose Shop Towels

Features:

- Works well when wet.

SKU	W x L per sheet
993-75130	11 in x 9.4 in



X60 Cloth Wipers

Features:

- Tough enough for big jobs, soft enough for face and hands if skin is uncompromised.
- Portable, convenient point-of-use options enhance productivity.

Quantity: 126 wipes per dispenser

SKU	W x L per sheet
993-34790	8.34 in x 16.8 in

PERSONAL HYGIENE

Hand Cleaners



Natural Orange™ Pumice Hand Cleaners

Features:

- Pumice scrubbing particles get hands clean fast.
- Lotion formula provides powerful yet gentle cleaning performance.

Capacity Vol.: 1 gal

SKU	Packing Type
315-0955-04	Bottle w/Pump



Scrubbing Wipes

Features:

- These extra large, dual textured wipes contain a scrubbing side for removing tough grease, tar and adhesives and a smooth side for quick dirt absorption.
- Contains skin conditioners to help prevent dryness and irritation.

Quantity: 72 wipes per dispenser

SKU	W x L Per Sheet
315-6396-06	12 in x 10-1/2 in



All Purpose Waterless Hand Cleaners

Features:

- Works equally well with or without the use of water.
- Leaves hands looking and feeling clean, conditioned, and without the greasy feeling associated with most hand cleaners.

SKU	Capacity Vol.
407-105	14 oz
407-101P	4 lb 5 oz



WypAll® Waterless Hand Wipes

Features:

- Dual textured: smooth side for wiping and abrasive side for scrubbing.
- Won't damage or fade tools, equipment or parts.
- Removes oil, grease, grim and dirt with ease.

Quantity: 75 wipes per dispenser

SKU	W x L Per Sheet
993-91371	12 in x 10 in

SCRUBS®

Hand Cleaner Towels

Features:

- Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces.
- Hands are left feeling clean with no sticky residue and no rinsing required.

Quantity: 72 wipes per dispenser

SKU	W x L Per Sheet
253-42272	10 in x 12 in



Multi-Purpose Towels

Features:

- No water necessary.
- Contains lanolin, aloe vera & vitamin E.
- Kills germs.

Quantity: 90 wipes per dispenser

SKU	W x L Per Sheet
296-TW90	10 in x 12 in

CLEANING PRODUCTS

Dishwashing Cleaners



Manual Pot and Pan Dish Detergents

Features:

- New and improved formula with more of Dawn® Professional's powerful and proprietary grease-fighting dish-washing surfactants.
- Long lasting suds provide greater cleaning capacity with less sink changeover.

SKU	Capacity Vol.
608-45112	38 oz
608-70681	5 gal

Disinfectants



Disinfectant Wipes


Features:

- Bleach-free formula kills 99.9% of bacteria, including staph and salmonella.

Quantity: 35 wipes per dispenser

SKU	W x L Per Sheet
863-CLOX01594	7 in x 8 in

Floor & Carpet Cleaners



Oil-Based Non-Sanded Floor Sweeping Compounds

Features:

- Non-abrasive sweeping compound safe to use on any floor.

SKU	Capacity
103-FLOORSWEEP	50 lb

Glass Cleaners



Glass Cleaners

Features:

- Won't streak or leave a film.
- Also cleans chrome, stainless steel, Plexiglas® and other hard surfaces.
- Contains no phosphates.

SKU	Capacity Vol.
889-322338	32 oz

MOPPING PRODUCTS

Squeegees



Non-Sparking Floor and Driveway Squeegees

Features:

- Frame is made of 1 inch angle aluminum to which a 2 inches wide x 1/4 inch thick strip of high-grade flexible black squeegee rubber or neoprene is attached with cadmium plated screws.

Blade Material: Black Rubber

Handle Material: Wood

Handle Finish: Lacquered

Frame Material: Aluminum

Includes: Handle

SKU	Blade Length	Handle Length
455-4124	24 in	60 in

BRUSHING & SWEEPING PRODUCTS

Brushes & Brooms



Deck Scrub Brushes

Features:

- One tapered and one threaded handle hole.

Block Material: Hardwood


Block Finish: Smooth Tumbled

Handle Length: 60 in

Bristle Length: 2 in

Block Length: 10 in

SKU	Bristle Material
455-10DT	White Tampico



Dope Brushes

Features:

- Useful for applying pipe dope and other industrial applications.
- Choose from wire or wood handle styles.

Block Material: Wood

Bristle Material: Grey Tampico Fiber

Handle Length: 16 in

Block Length: 16 in

Includes: Guards

SKU	Bristle Length
455-4-DOPE	2 in
455-2-DOPE	2-1/2 in



Fender Wash Brushes

Features:

- Safe, scratch-resistant natural bristles (except for chrome or clear coat paint surfaces).

Block Material: Hardwood

Block Finish: Wax Tumbled

Handle Length: 20 in

Bristle Length: 2 in

Block Width: 3 in

SKU	Bristle Material
455-20T	White Tampico



Utility Brushes

Features:

- Angled handle protects hands and knuckles.
- Finger grip handle.

Block Material: Plastic

Bristle Length: 2 in

Block Length: 20 in

SKU	Bristle Material
455-73-N	White Nylon

RESPIRATORY PROTECTION

Cartridge Respirator Parts & Accessories



Combination Gas and Vapor Cartridges

Features:

- Convenient cartridge/P100 filter combination.
- Color coded for quick and easy identification.
- Filters out different vapors.

Filtration Grade: P100

SKU	For Model
068-7581P100L	5500, 7700 Half Masks; 5400, 7600 Full Facepieces
068-7583P100L	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series



Gas and Vapor Cartridges

Features:

- Lower profile so cartridges don't intrude into the work zone.
- Easy user seal check.
- Threaded connectors that fit North® half masks and full facepieces.

SKU	For Model
068-N75001L	5500, 7700, 8500, 8800 Half Masks; 5400, RU6500, 7600 Full Facepieces



Comfo® Respirator Cartridges

Features:

- Cartridges fit Comfo®, Comfo® Classic, and certain half-mask and full-face Advantage Respirators with Adapter (809999).
- Choose from a variety of Comfo® line of chemical and combination cartridges.

Resistance: Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Particulates; Sulfur Dioxide (SD)

SKU	Filtration Grade
454-815182	P100



Particulate Filters

Features:

- The MSA air-line filter removes a minimum of 99 percent of 0.3 micron and larger particulates, including dusts, mists, fumes, smokes and petroleum vapors.
- Caution: It does not remove carbon monoxide.
- The air-line filter can be used at inlet pressures up to 125 psig.
- The pressure drop is one psig at a maximum rated air flow of 25 cubic feet per minute.

Resistance: Dust; Mist; Fumes

SKU	Filtration Grade	For Model
454-10153412	P100	Comfo® Classic Half Mask; Ultra-Twin Full-Facepiece

Cartridge Respirators



3M™ 5000 Series Half Facepiece Respirators

Features:

- Low profile design provides wider field of vision and greater comfort while wearing goggles or glasses.
- Can be used with NIOSH P95 and P100 filters for oil and non-oil particles.

Body Material: Thermoplastic Elastomer

Resistance: Organic Vapors

SKU	Size Group
142-53P71	Large



3M™ Half Facepiece Reusable Respirator 6000 Series

Features:

- Used with 2000, 6000 and 7000 Series filters and cartridges.
- Reusable.
- Just dispose of the cartridges/filters when used to capacity.

Body Material: TPE

Resistance: Gases; Vapors; Particulates

SKU	Size Group
142-6300	Large



5400 Series Low Maintenance Full Facepiece Respirators

Features:

- Lightweight design offers a level of comfort that ensures greater worker acceptance.
- Provides comfort and protection.
- The facepiece seal is made from a soft and pliable elastomer material with high chemical resistance to assure excellent comfort, fit and performance.

Body Material: Elastomer

Resistance: Chemical; Contamination; Gas; Particulates

SKU	Size Group
068-54001	Medium/Large



7700 Series Half Mask Respirators

Features:

- Silicone facepiece conforms to facial features.
- Contoured sealing flange and cradle suspension system eliminates discomfort.
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

Body Material: Silicone

Resistance: Particulates; Chemical; Contamination; Gas

SKU	Size Group
068-770030M	Medium
068-770030L	Large



Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Wide viewing area provides distortion-free visibility and optical clarity.
- Industrial mesh head net option provides another choice for user comfort preference and can be used under hard hat.
- Threaded cartridge connector secures cartridges and filters to avoid accidental disconnections.

Body Material: Silicone

Resistance: Gases; Particulates; Toxic Chemicals; Vapors

Includes: 5-Point Strap; Cartridge; Center Port Connections; Mesh Headnet Suspension

SKU	Size Group
068-RU65001M	Medium



RU6500 Full Face Respirators

Features:

- Silicone seal provides excellent facepiece seal, creating a barrier against contaminants.
- Polycarbonate lens with wide field of vision maximizes peripheral vision plus downward view.

Body Material: Silicone

Resistance: Contamination

SKU	Size Group
068-RU65001L	Large

Disposable Respirators

MOLDEX



2200 Series N95 Particulate Respirators

Features:

- Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter.
- Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

Size Group: Medium/Large

Resistance: Non-Oil Based Particulates

Suspension: 2-Strap

SKU	Filtration Grade
507-2200N95	N95



2300 N95 2-Strap Particulate Respirators with Exhale Valve

Features:

- Dura-Mesh® shell resists collapsing in heat and humidity.
- Facepiece is naturally contoured for less pressure.
- Straps are securely attached so they don't break at the seal.
- Softspun® lining for increased comfort and durability.
- Soft foam nose cushion for added comfort.

Size Group: Medium/Large

Resistance: Non-Oil Based Particulate Aerosols

Suspension: 2-Strap

SKU	Filtration Grade
507-2300N95	N95

MOLDEX



AirWave® N95 Plus Organic Vapor Relief Disposable Respirators

Features:

- Added carbon layer helps filter out nuisance levels of ozone and organic vapors.
- FlexFit® design moves easily with your face and stays in place.
- Can be used against most welding fumes (free of oil).

Size Group: Medium/Large

Resistance: Oil-Free Particulates

Suspension: SmartStrap® Adjustable Strap with Full Flange

SKU	Filtration Grade
507-4800	N95

Escape Respirator Parts & Accessories

NORTH
BY PIP



Mouthbit Escape Respirators

Features:

- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations.
- Large, soft and flexible nose pads hold securely without pinching.
- Silicone mouthpiece is more comfortable to wear over long periods.

Resistance: Chlorine; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Sulfur Dioxide; Chloride Dioxide

Depth: 9 in

Height: 3 in

Width: 4-1/2 in

SKU
068-7902

Escape Respirators



W65 Self-Rescuer Respirators


Features:

- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions.
- One time use device for escape purposes only.
- Protected by a rugged stainless steel case.

Includes: Protective Steel Case

Body material: Hopcalite Pre-Filter

SKU	Resistance
454-455299	Carbon Monoxide



3000 PAPR HEPA Filters

Features:

- Provides respiratory protection against fine dusts, and oil- and water-based mists.
- Lightweight design, high capacity filter media and low pressure drop respiration, enables filters to provide complete protection with optimal longevity.

SKU	Used With
343-PF3000-02-002	3000 PAPR



3000 Pre-Filters

Features:

- To provide respiratory protection against dusts, mists and aerosols.

SKU	Used With
343-PF3000-04-005	3000 PAPR



3000 Filter Cover Retaining Clips

Features:

- Great for keeping your air-purifying protection systems running in peak condition.
- Eliminate snag hazards to allow work in tight spaces.

SKU	Used With
343-PF3000-03-061	3000 PAPR

Faceshield Retaining Clips

Features:

- These low-profile retaining clips eliminate snag hazards to allow work in tight spaces while keeping the ANSI-rated visor securely in place.

SKU	Used With
343-PF3000-03-016	3000 PAPR



Helmet Storage Bags

Features:

- Durable tear-resistant nylon shell bag to protect your PureFlo products from damage and scratches.
- Inside pocket allows you to store the batteries and charger.

SKU	Used With
343-PF3000-03-046	PureFlo ESM+ and 3000 PAPR



Tychem® QC Disposable PAPR Hoods

Features:

- Fully disposable, eliminating the need for decontamination.
- Helps protect the head from limited liquid chemical splashes and dusts when worn with the PureFlo ESM+ PAPRs.

Size Group: One Size

Used With: 3000 PAPR

SKU	Type
343-PF3000-03-022	Disposable Drawstring Hood
343-PF3000-03-023	Disposable Slipover Hood

Powered Air & Supplied Air Systems



3000 Welding Powered Air Purifying Respirators

Features:

- Ergonomic modern design for continuous comfort even with the welding shield.
- No fit test, beard approved.
- No hose or PAPR worn interference when using a fall protection harness.
- Exposed ears for hearing protection and communications.

Includes: Blue Hard Hat; Pro Deluxe Welding ADF; Spark Arrestor; FR Face Seal, HEPA Filter, Lithium-Ion Battery

Size Group: 63/4 in to 8 in Head Range

SKU	Batt. Type
343-PF3000-H2SB-03	Lithium-Ion

HEAD/FACE PROTECTION

Faceshields & Visors



Visors

Features:

- Durable and high-performance.

Binding: Aluminum Bound

Length: 15-1/2 in

Height: 9 in

Thickness: 0.040 in

SKU	Lens Coating/Shade	Lens Material
101-3440-B-CL	Clear	PETG

FIBRE-METAL®
 BY PIP


High Performance® Faceshield Windows

Features:

- Injection molded from propionate.
- Heat and scratch resistant.
- Fits easily and comfortably over required protective spectacles or respirators.

Thickness: 0.06 in

Lens Material: Propionate

SKU	Lens Coating/Shade	Used With	Length	Height
280-4178DGN	Dark Green	F-400; F-500; FH-66, FM-70, FM-71 Series; 400500667071	16-1/2 in	8 in
280-4199IRUV5	Shade 5	F-400, F-500 & FH-66 Series; 40050066	19-3/4 in	9 in

UVEX®
 BY PIP


Bionic® Face Shield Replacement Visors

Features:

- Provides reliable protection from airborne debris.
- Curved window provides unobstructed view.
- Reinforced polycarbonate construction.

Used With: Bionic® Shield face shield

Color: Shade 5

Height: 9-1/2 in

Thickness: 0.040 in

Lens Material: Polycarbonate

SKU	Lens Coating/Shade
763-S8565	Uncoated/Shade 5.0

UVEX®
 BY PIP


Bionic™ Faceshields

Features:

- Shell offers built-in chin protection and extended top-of-head coverage.
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application.
- Comfortable cell foam on back of headgear.
- Breathable, removable, washable headband.
- Comfortably worn with most goggles and respirators.

Used With: Safety eyewear or goggles

Length: 14-1/2 in

Height: 9-1/2 in

Thickness: 0.040 in

Lens Material: Polycarbonate

SKU	Lens Coating/Shade
763-S8500	Uncoated/Clear

JACKSON®


F30 Acetate Faceshields

Features:

- Ideal for scratch resistance and premium optics.
- High-grade cast sheet acetate protects against splash.
- 99.9% UV protection.

Binding: Aluminum Bound

Used With: Jackson® Safety Headgear

Style: D Shape

Color: Clear

Length: 15.5 in

Height: 9 in

Thickness: 0.040 in

Lens Material: Acetate

SKU	Lens Coating/Shade	Model
138-29079	Uncoated	34-40



Universal Faceshields

Features:

- Superior face protection from dangerous liquid splashes and flying debris.
- Compatible with a variety of brackets and face shield sizes and materials.

Style: Universal

Color: Clear

Length: 16 in

Height: 8 in

Thickness: 0.04 in

Lens Material: PETG

SKU	Lens Coating/Shade
135-181640	Uncoated



3000 Faceshields

Features:

- Faceshield with optional tear-off layers.

Used With: PureFlo® 3000 PAPR

Color: Clear

SKU	Lens Coating/Shade
343-PF3000-03-044	Clear

Hard Hat & Cap Parts & Accessories



High-Heat Series Suspension Replacements

Features:

- Used with high-heat series cap style or full brim hard hats.

Material: ABS/HDPE; Nylon Straps; Cotton Brow Pad

SKU	Used With	Suspension
216-FRS6RC	High-Heat Series Cap Style and Full Brim Hard Hats	Sure-Lock® 6-point Ratchet



Fas-Trac® III Replacement Suspensions

Features:

- Ratchet suspension and flush rear lug attachments eliminate pressure points for additional wearer comfort.
- Three levels of nape strap adjustment ensure a customized fit.
- Graspable ratchet with ultra-smooth rotation and steadfast hold.

Material: Plastic/Nylon

SKU	Used With	Suspension
454-10148708	V-Gard®, V-Gard 500; V-Gard GREEN; SmoothDome®	4-Point Ratchet



Sun Shields

Features:

- Front portion is Lexan tinted.
- Protects wearer's ears and neck from sun rays.
- Extends brim all the way around.

Material: Polyurethane

SKU	Used With
454-697410	V-Gard



V-Gard® H2™ Safety Helmet Replacement Parts

Features:

- Provides superior comfort and versatility while incorporating the latest technology to help protect against lateral impacts.

Material: Nylon

SKU	Used With
454-10242641	V-Gard H2™ Safety Helmet

Hard Hats & Caps



SuperEight® E1 Hard Hats

Features:

- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Adjusting Method: Ratchet

Material: Thermoplastic

Type: Full Brim Hard Hat

Size Group: One Size Fits Most

SKU	Suspension
280-E1RW01A000	8 Point Ratchet



Skullgard® Protective Caps and Hats

Features:

- Strong, protective hats offer outstanding protection in hot, dangerous industries.
- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350° F.
- Smooth crown allows easy use of MSA welding equipment.

Adjusting Method: Ratchet

Suspension: Fas-Trac® Ratchet

Material: Phenolic

Type: Non-Slotted

SKU	Color	Style	Size Group
454-475407	Natural Tan	Full Brim	Standard; 6-1/2 to 8
454-475408	White	Full Brim	Standard; 6-1/2 to 8
454-475395	Natural Tan	Cap	Standard; 6-1/2 to 8
454-475405	Natural Tan	Cap	Large; 7-1/2 to 8-1/2



V-Gard® H1 Trivent Safety Helmets

Features:

- Non-contact foam liner maximizes air flow and breathability for optimal cooling and hygiene.
- Field replaceable 4-point chinstrap with multiple adjustment points for customized fit and comfort.
- Premium moisture wicking sweatband with breathable foam and hook and loop attachment for easy field replacement.
- Patent pending "push-button" accessory attachment rail and universal lighting clips for quick installation and removal.
- Convenient rescue whistle integrated into the chin strap buckle.

Adjusting Method: 4-Point Chinstrap

Suspension: Fas-Trac® III Pivot Ratchet

Material: HDPE

Size Group: 6-1/2 to 8

SKU	Color	Type
454-10194796	Hi-Viz Yellow/Green	No-vent
454-10194783	White	Tri-vent
454-10194797	Orange	No-vent



V-Gard® H2™ Safety Helmets

Features:

- Optional Mips® brain protection system offers additional rotational impact protection to help reduce the risk of traumatic brain injury.
- Antimicrobial treatment of sweatband, crown pad & ratchet pad with Ionic+® high purity silver to eliminate odor-causing bacteria.

Suspension: Full Contact Ratchet

Material: ABS

Type: Type II

SKU	Color
454-10242637	Yellow
454-10242813	White



V-Gard® Protective Hats

Features:

- Convenient caps and hats provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.

Adjusting Method: Ratchet

Material: Polyethylene

Size Group: Standard; 6-1/2 to 8

SKU	Color	Suspension	Type
454-475369	White	Fas-Trac®	Slotted
454-475370	Green	Fas-Trac® Ratchet	Non-Slotted

Welder Caps & Doo Rags



Series 2000 Reversible Caps

Features:

- 6 panel, round crown, super soft brim reversible welders cap with custom print on 1 side and solid color on other.
- Cap measures approximately 7-1/4 inches from the top of the crown to the bottom of the cap.
- Caps are medium-crowned in order to cover welder's ears and neck, as well as round-crowned for that great look and fit.

Material: Cotton

SKU	Color	Size Group
118-2000E	Assorted Prints	One Size Fits Most

Welding Helmet Parts & Accessories

FIBRE-METAL®
 BY PIP


Custom-fit Replacement Headgear

Features:

- Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position.
- Exclusive “free-floating” arms balance and stabilize the helmet while minimizing pressure points.
- Strip-proof ratchet head size adjustment provides small increment sizing.

Adjustment Method: Ratchet**Style:** Ratchet

SKU	Used With
280-1CR	F300 Series

JACKSON®
SAFETY


HDG10 Face Shield Headgear

Features:

- Has spark deflector.
- Soft, absorbent, wrap-around, foam cushioned sweatband gently hugs natural shape of head.

Adjustment Method: Ratchet

SKU	Used With
138-14381	12 in or 15-1/2 in Face Shield



Cover Lens

Features:

- Convenient protective cover lens is resistant to abrasion, pitting, spatter, chemicals and solvents.
- Optically correct and balanced.

Window Size: 2 in x 4-1/2 in**Material:** 100% CR-39 Plastic

SKU	Lens Coating/ Shade
901-SP-2	Clear



Spatter Lenses

Features:

- Works with the PureFlo 3000 PAPR.
- External spatter lens is for welding only.

SKU	Lens Coating/ Shade	Type
343-PF3000-03-013	Clear	External Spatter Lens
343-PF3000-04-016	ADF	Internal ADF Spatter Lens

Welding Helmets

FIBRE-METAL®
BY PIP



Pipeliner™ Welding Helmets

Features:

- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work.

Window Size: 2 in x 4-1/4 in

Material: Fiberglass

Suspension: Rubber Headband

SKU	Lens Coating/Shade
280-110PWE	#10



Tigerhood™ Classic Welding Helmets

Features:

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, and fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.

Window Size: 2 in x 4-1/4 in

Size of Cartridge: 2 in x 4-1/4 in

Material: Thermoplastic

Suspension: 3-C Ratchet

SKU	Lens Coating/Shade
280-906GY	#10

EAR PROTECTION

Earmuffs

**HOWARD
LEIGHT**
BY PIP



QM24PLUS® Earmuffs

Features:

- QM24PLUS® features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin.
- Soft foam cushions are easy-to-clean with soap and water, and can be replaced for extended use.

SKU	Noise Reduction Rate (NRR)
154-QM24PLUS	25 dB

MSA
The Safety Company



SoundControl® SH Cap Earmuffs

Features:

- Three distinct wearing positions for ease of use.
- Provides maximum space for the ears inside the cup.
- Soft ear cup material for extended wear.
- Easy ear cup height adjustment.

Mounting: Cap-Mounted

SKU	Noise Reduction Rate (NRR)	Used With
454-10129327	25 dB	MSA Slotted Caps/Full-Brim Hats

Earplug Parts & Accessories

MOLDEX



PlugStation® Earplug Dispensers

Features:

- Compliance — High visibility to increase awareness for your hearing conservation program.
- Convenience — Hang a PlugStation® anywhere plugs are needed.
- Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.
- When PlugStation® is empty, simply dispose of it and hang a new one.

SKU	Used With
507-6645	SparkPlugs® Earplugs; Uncorded

3M



3M™ E-A-R™ Ultrafit™ Earplugs

Features:

- Conforms to oval shape of ear.
- No rolling or touching plug portion during insertion.
- Proprietary, premolded, triple-flange earplug design inserts easily and provides a comfortable fit for a reusable earplug.

Type: Corded

SKU	Noise Reduction	Body Material
247-340-4004	25 dB	Elastomeric Polymer

Earplugs

3M



3M™ E-A-R™ Skull Screws™ Earplugs

Features:

- Screws combine the tough look of threaded metal with the soft, comfortable feel of foam.
- Push-to-fit convenience.

Type: Corded

SKU	Noise Reduction	Body Material
247-P1301	32 dB	Polyurethane

**HOWARD
LEIGHT**
BY PIP



AirSoft® Reusable Earplugs

Features:

- Rounded flanges, tapered shape fits better in the ear canal.
- Firm stem facilitates easy insertion and removal.
- Four-flange profile creates better seal in the ear canal.

Type: Corded

SKU	Noise Reduction	Body Material
154-DPAS-30W	27 dB	Thermoplastic Elastomer




MAXIMUM Disposable Earplugs

Features:

- Contoured design easier to insert, resists tendency to back out of ear canal.
- Polyurethane foam enhances comfort, especially for long-term wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bell shape delivers maximum in-ear comfort.

Type: Uncorded

SKU	Noise Reduction	Body Material
154-MAX-1-D	33 dB	Foam



MAXIMUM LITE Disposable Earplugs

Features:

- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

Type: Corded

SKU	Noise Reduction	Body Material
154-LPF-30	30 dB	Foam



Quiet® Reusable Earplugs

Features:

- Patented "no-roll" design is easy to handle and fit.
- Contoured shape comfortably matches contours of the ear canal.
- Built-in insertion stem makes insertion quick and easy.
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use.

Type: Corded

SKU	Noise Reduction	Body Material
154-QD30	26 dB	Foam



SparkPlugs® Foam Earplugs


Features:

- Extra soft foam and tapered design fit snugly and comfortable in the ear.
- Bright, fun colors provide easy compliance checks.

Type: Uncorded

SKU	Noise Reduction
507-6604	33 dB

MOLDEX



SparkPlugs® Metal Detectable Foam Earplugs

Features:

- Bright, fun colors provide easy compliance checks.
- Metal detectable for food processing applications.
- The ball bearing and cord are in separate holes so that the ear plugs remain detectable even if the cord is removed.
- Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure.

Type: Metal Detectable with Cord

SKU	Noise Reduction	Body Material
507-6615	33 dB	Foam

EYE PROTECTION

Safety Glass Parts & Accessories



Lens Cleaning Towelette Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.

Width: 5 in

Length: 8 in

SKU	Quantity
101-70-AB	100 Towelettes per Dispenser

UVEX®
BY PIP


Fog Eliminator Plus

Features:

- Uvex® Fog Eliminator Plus now delivers 8 hours of anti-fog protection based on an extreme environment effectiveness (EEE) test at 122° F and 80% humidity for one hour.
- Fog Eliminator Plus Cloth and Gel on AF coating represents a minimum ~60X extension of the fog free time vs. AF coating alone.

Width: 5.25 in

Length: 2.25 in

SKU	Quantity
763-S479	100 Towelettes per Dispenser

RADIANS®



VisionAid™ Slip-On Sideshields

Features:

- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.

Width: 2 in

SKU
292-99705

Safety Glasses



Clear Frameless Safety Glasses

Features:

- Lightweight glasses that are good for long term wear.

Lens Material: Polycarbonate

Resistance: Scratch Resistant

SKU	Frame Color
101-VSC110	Clear



Rush+ Series Safety Glasses

Features:

- Features high impact 2.2 mm polycarbonate lens.
- High-contour, single-piece lens with 180° distortion-free viewing.
- Provides upper brow protection.
- Platinum® anti-fog/anti-scratch coating on both sides.
- Anti-slip silicone nose pads.

Lens Material: Polycarbonate

Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

Resistance: Fog; Scratch

SKU	Frame Color	Temple Color	Lens Tint
286-40208	Black	Gray/Red	Gray
286-41080	Black/Red	Gray/Red	Clear
286-40256	Green/Blue	Blue	Clear



A800 Series Safety Glasses

Features:

- Soft padded inserts run down the length of the temple.
- Soft nosepiece for added comfort.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
812-A800	Clear	Clear	Hard Coat	Scratch
812-A805	Clear	Clear	Fog-Ban® Anti-Fog	Fog; Impact



Astrospec OTG® 3001 Eyewear

Features:

- Contemporary, lightweight unilens offers panoramic vision.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
763-S2500	Black	Black	Anti-Scratch; Hard Coat	Scratch
763-S2500C	Black	Black	Anti-Fog	Fog



Hypershock™ Safety Eyewear

Features:

- Design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit.
- Lightweight, wraparound frame is engineered to fit a wide range of workers, providing increased coverage, side protection, and superior peripheral vision.
- 100% dielectric, can be worn in environments where accidental exposure to electrical charge is possible.

Lens Tint: Gray

Lens Material: Polycarbonate

Lens Coating/Shade: HydroShield™ AF

Resistance: Fog

SKU	Frame Color	Temple Color
763-S2941HS	Matte Black	Matte Black



Protégé Eyewear

Features:

- Proprietary Floating Lens™ design offers increased flexibility for better fit.
- Secure wrap-around brow expands to fit a wide range of users.
- Soft temple tip pads.
- Soft and clear nose pads prevent slipping.

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: HydroShield™ Anti-Fog

Resistance: Fog

SKU	Frame Color
763-S4200HS	Black



Uvex Genesis® Safety Eyewear

Features:

- Dual 9-base wraparound lens provides uncompromised peripheral vision and protection.
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage.
- Soft elastomer brow guard diffuses and deflects impact.

Lens Tint: Clear

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Coating/Shade	Resistance
763-S3200HS	Black	Black	HydroShield™ Anti-Fog	Fog
763-S3200	Black	Black	Ultra-dura® HC	Scratch



V30 Nemesis™ Polarized Safety Glasses

Features:

- Tinted lenses are polarized for superior optical clarity, even outdoors as sunglasses in bright sunlight.
- Reduces the glare of reflected light, decreasing the risk of eye stress and eye fatigue.
- Wraparound frame has a base curve of 8 that extend the range of peripheral protection, as well as soft touch temples for comfort.
- Resistant to surface damage by fine particles, features superior anti-scratch performance.

Lens Tint: Smoke

Lens Material: Polycarbonate

Lens Coating/Shade: Polarized

Resistance: 99% UVA/UVB/UVC; Scratch

SKU	Frame Color	Temple Color
412-28635	Gunmetal	Gunmetal



V30 Nemesis™ Safety Glasses

Features:

- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/Shade
99.9% UVA/UVB/UVC				
412-14481	Black	Black	Blue Mirror	Mirror
412-19639	Blue	Black	Light Blue	Uncoated
412-19644	Camouflage	Camouflage	Bronze	Uncoated
412-25659	Black	Black	Amber	Uncoated
412-25676	Black	Black	Clear	Uncoated
412-25685	Black	Black	Indoor/Outdoor	Uncoated
412-25688	Black	Black	Smoke Mirror	Mirror
412-25692	Black	Black	IRUV Shade 3	Uncoated; IRUV Shade 3
99.9% UVA/UVB/UVC; Fog				
412-22475	Black	Black	Smoke	Anti-Fog
412-22611	Red	Red	Smoke	Anti-Fog
412-25679	Black	Black	Clear	Anti-Fog

THE COMPLETE SOLUTION FOR EYE SAFETY

UVEX®

UVEX Avatar™ Plus with
HydroShield™ Anti-Fog Coating





V40 Hellraiser™ Safety Glasses

Features:

- Comfortable eye protection helps drive compliance, so these feature flex point temples for comfort and stability.
- Features single-lens wraparound protection that's designed for use at work or home.

Lens Tint: Smoke

Lens Material: Polycarbonate

Lens Coating/Shade: Uncoated

Resistance: 99.9% UV Protection (UVA/UVB/UVC)

SKU	Frame Color	Temple Color
412-25714	Black	Black



V60 Nemesis™ Rx Readers Prescription Safety Glasses

Features:

- Wraparound frame has a base curve of 8 that extends the range of peripheral protection, as well as soft touch temples for comfort.
- Corrective lenses are hard coated for scratch resistance and longer life.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.

Lens Tint: Clear

Lens Material: Polycarbonate

Lens Coating/Shade: Hard Coated

Resistance: 99.9% UVA/UVB/UVC; Scratch

SKU	Frame Color	Temple Color	Diopter Strength
412-28621	Black	Black	+1.5
412-28624	Black	Black	+2.0



BearKat® BK1 Series Safety Glasses

Features:

- The BearKat® BK1's super well thought-out construction combines the best in safety, comfort, and affordability.
- Your vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety.

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint	Lens Coating/Shade	Resistance
135-BK110	Clear	Clear	Duramass® Scratch-Resistant	Scratch
135-BK110AF	Clear	Clear	Anti-Fog; Duramass® Scratch-Resistant	Anti-Fog; Scratch
135-BK112	Gray	Gray	Duramass® Scratch-Resistant	Scratch



Checklite® CL1 Frameless Safety Glasses

Features:

- Rugged polycarbonate lens.
- Smaller frame sized to fit smaller faces.

Lens Tint: Clear

Lens Material: Polycarbonate Lens with Nose Piece

Lens Coating/Shade: Duramass® Hard Coat

Resistance: 99.9% UV; Scratch

SKU	Temple Color
135-CL110	Clear Polycarbonate



Elite® Safety Glasses

Features:

- Dual lens offer wrap-around protection, and the wide temple provides structural integrity and stability.

Lens Tint: Smoke

Lens Material: Polycarbonate

Lens Coating/Shade: Uncoated

Resistance: 99.9% UVA/UVB/UV

SKU	Frame Color	Temple Color
412-21303	Black	Black

Safety Goggles



Flex Seal™ Goggles

Features:

- Cured silicone body stays soft and supple in extreme temperatures.
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears.
- Fits over most prescription eyewear.

Lens Coating/Shade: Anti-Fog; Hydrophilic; Hydrophobic; Scratch-Resistant

Lens Material: Polycarbonate

Frame Material: Silicone

Ventilation: Indirect

Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3400HS	Navy	Clear



Stealth® Goggles

Features:

- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.

Lens Coating/Shade: HydroShield® Anti-Fog

Lens Material: Polycarbonate

Frame Material: Polypropylene with Elastomer

Ventilation: Indirect Vent

Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3960HS	Gray	Clear
763-S39610HS	Teal	Clear



Stealth® OTG Goggles

Features:

- Low profile, wrap-around design fits comfortably over most prescription eyewear.
- Pivoting headband clip and wide adjustable slide headband provides flexibility and all-day comfort.
- Easy lens replacement system.

Lens Coating/Shade: Uvextreme Anti-fog; Ultra-dura Anti-scratch

Lens Material: Polycarbonate

Frame Material: Elastomer

Ventilation: Indirect

Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3970HS	Navy	Clear



Uvex Sub-Zero™ Goggles

Features:

- Top and bottom ventilation help create airflow to further minimize fogging.
- Soft face foam and a wide adjustable headband provide a comfortable fit.
- Easy and economical lens replacement system.
- Not for chemical splash.

Lens Coating/Shade: HydroShield® Anti-Fog

SKU	Frame Color	Lens Tint
763-S2380	Black	Clear



GPL500 Series Premium Goggles with Detachable Face Shield

Features:

- Ultra-soft body design conforms to your face for superior comfort, fit and safety.
- Made with indirect vents for added protection from dust and chemical splash.
- Optically correct lens delivers exceptional panoramic view.
- Extra-wide flame retardant strap is swivel mounted to goggle for easy positioning.

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate

Frame Material: PVC

Ventilation: Indirect

Strap Material: Silicone

SKU	Frame Color	Lens Tint
138-21000	Blue	Clear



V80 Wildcat™ Goggles

Features:

- Extreme heat resistance, will not melt, drip, ignite at 350°.
- Adjustable side vents help increase airflow.
- Lightweight and comfortable with a pivot headband for optimal placement.
- Metal-free design to minimize electrical transference risk.

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate

Frame Material: Styrene-Butadiene Rubber (SBR) Foam; Thermoplastic Elastomer (TPE)

Ventilation: Adjustable Side Vents

Strap Material: Nylon Button; Polyester and Natural Rubber

SKU	Frame Color	Lens Tint
412-20529	Black	IRUV Shade 5.0



V90 Shields with Monogoggle™ XTR OTG Goggles

Features:

- The shield features the Monogoggle™ XTR OTG goggles, so there is no need to wear primary eye protection, like with other face shields.
- The shield has a D3 rating for droplet and splash protection.
- The goggles portion has a soft, pliable frame that conforms to the face for comfort, a cylindrical lens for increased visibility, indirect ventilation, and fit over most prescription glasses.
- The face shield mask is curved to conform to the shape of face for added protection and includes an adjustable strap.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.

Lens Coating/Shade: Anti-Fog

Lens Material: Polycarbonate Face Shield and Goggles

Frame Material: PVC Frame and Nose Piece

Ventilation: Goggles with Indirect Ventilation

Strap Material: Polyester/Rubber Weave

SKU	Frame Color	Lens Tint
412-18629	Blue	Clear

Safety Goggles Protection Parts & Accessories



Stealth® Replacement Lenses with HydroShield™

Features:

- Keeps lenses clear by first absorbing and then repelling moisture to the sides of the lens once a saturation point has been reached.
- Coating is permanently bonded to the lens.
- Also provides 99.9% UV protection.

Lens Material: Polycarbonate

Material: Polycarbonate

Color: Clear

For Model: Uvex Stealth

SKU	Lens Coating/Shade	Lens Tint
763-S700HS	Anti-Scratch; Anti-Fog	Clear

HAND PROTECTION

Glove Parts & Accessories



Squids® 3400 Glove Clip Holder with Dual Clips

Features:

- Holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready.
- Dual clip model connects to clothing, belt loops, tool belts, D-rings, and more.
- Safely separates and allows for individual clips to be used independently on key chains, D-rings, and more.

SKU	Color
150-19113	Red
150-19112	Black
150-19117	Blue
150-19118	Hi-Viz Orange
150-19119	Hi-Viz Lime Green

Gloves



Ninja® BNF Gloves

Features:

- Sturdy gloves made with a breathable nitrile foam (BNF) coating on palm and fingertips for added protection.
- Gloves provide great dexterity, flexibility, and protection.
- Gloves ensure excellent grip, wet or dry.

Coating: Nitrile

Style: Work

Cuff Style: Knit-Wrist

Material: Nitrile; Nylon

SKU	Size Group
127-N96793L	Large



Ninja® Ice HPT® Fully Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- Coating remains soft in temperatures as low as -4° F.
- Encapsulated air molecules provide a cushioning effect to minimize impact.
- Fully coated for maximum protection.
- HPT® (Hydropellent Technology®) coating provides a 360 anti-wet treatment that keeps the liquids away from the glove.
- Treated with ActiFresh® to help control bacteria and odor.

Coating: Porous HPT®

Cuff Style: Knit-Wrist

Material: Acrylic; HPT®; Nylon

Lining: 7 ga Acrylic Terry

SKU	Size Group
127-N9690FCL	Large
127-N9690FCXL	X-Large



Ninja® Ice HPT® Palm/Fingertip Coated Insulated Work Gloves

Features:

- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- Coating remains soft in temperatures as low as -4° F.
- Encapsulated air molecules provide a cushioning effect to minimize impact.
- HPT® (Hydrepellent Technology®) coating provides an anti-wet treatment that keeps the liquids away from the glove.
- The porous HPT® coating with anti-wet treatment repels liquid for an unprecedented firm grip in wet or dry conditions.
- Treated with ActiFresh® to help control bacteria and odor.

Coating: Porous HPT®

Cuff Style: Knit-Wrist

Material: Acrylic; HPT®; Nylon

Lining: 7 ga Acrylic Terry

SKU	Size Group
127-N9690M	Medium
127-N9690L	Large



Ninja® Lite N9696 Coated Gloves

Features:

- Features an 18 gauge blue nylon shell for dexterity, sense of touch, and protection.
- Shell is palm/fingertips coated with polyurethane (PU).
- Sanitized with ActiFresh® to prevent odors and bacteria.

Coating: Polyurethane (PU)

Cuff Style: Knit-Wrist

Material: Nylon

Lining: 18 ga Nylon PU

SKU	Size Group
127-N9696L	Large
127-N9696XL	X-Large



Ninja® X Bi-Polymer Coated Palm Gloves

Features:

- Durable gloves with a shell blended from nylon/lycra with a proprietary bi-polymer coating.
- Comfortable gloves allow full dexterity and sense of touch.

Coating: Bi-Polymer

Cuff Style: Knit-Wrist

Material: Nylon; Lycra

Lining: Nylon with Lycra®

SKU	Size Group
127-N9674L	Large



MaxiFlex® Endurance™ MicroFoam Grip/Micro Dot Palm Coated Gloves

Features:

- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling.
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Silicone free: (34-8745) Latex free: (34-844/34-845/34-8745).
- Patented micro-foam nitrile coating offers 360° breathability.

Coating: Nitrile

Cuff Style: Knit Wrist

Material: Nitrile; Nylon with Lycra®; Seamless Knit

Lining: Nylon with Lycra®

SKU	Size Group	Style
112-34-844/L	Large	MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-844/XL	X-Large	MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-845/XL	X-Large	MicroFoam Coated Grip on Palm/Finger/Knuckle Coated and Micro Dot Palm



MaxiFlex® Ultimate™ Nitrile Coated Micro-Foam Grip Gloves

Features:

- Ideal for precision handling in dry environments.
- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Touchscreen compatible.
- Mimics the "hand at rest", reducing hand fatigue and increasing comfort.
- The micro-cup finish allows for a controlled and optimized grip.

Coating: Nitrile

Cuff Style: Knit Wrist

Material: Nitrile; Nylon; Elastane

Lining: Nylon; Elastane

SKU	Size Group
112-34-874/M	Medium
112-34-874/L	Large
112-34-874/XL	X-Large
112-34-874/XXL	2X-Large
112-34-874/XXXL	3X-Large



370B General Purpose Nitrile Coated Fingers/Palm Gloves

Features:

- Perfect for precise handling and general assembly, these durable gloves feature ultimate grip and comfort.
- Unique form-fitting, ergonomic design fits like a second skin, allowing for unmatched tactile precision.
- Elasticated wrist prevents debris from entering the glove.
- Rough-textured nitrile palm coating.
- Machine washable.

Coating: Nitrile

Cuff Style: Elasticated Wrist

Material: Nylon; Seamless Knit

Lining: Seamless Knit

SKU	Size Group
845-370BL-08	Large



381 Ultra-Lightweight Nitrile Coated Gloves

Features:

- Embossed nitrile palm finish disperses oil to increase grip and longevity in light oily environments.
- The 0.84 mm finger thickness provides an excellent level of tactility and sensitivity.
- Protects from oils, grease and abrasion

Coating: Embossed Microporous Nitrile

Cuff Style: Knit-Wrist

Material: Engineered Yarn; Microfiber; Seamless Knit

Lining: Engineered Microfiber

SKU	Size Group
845-381L-08	Large



Atlas Fit® 350 Nitrile-Coated Gloves

Features:

- Superior dexterity and flexibility.
- Surface provides tactile feel and secure grip.
- Breathable back of hand minimizes perspiration.

Coating: Nitrile

Cuff Style: Knit-Wrist

Material: Cotton; Polyester

Lining: Cotton/Polyester

SKU	Size Group
845-350L-09	Large



ATLAS® 300 Latex Coated Fingertips/Palm Gloves

Features:

- Breathable open-back design maintains a comfortable temperature.
- Seamless knit with cotton polyester liner.
- Elasticated wrist prevents dirt from entering the glove.
- Rough-textured natural rubber palm coating provides maximum grip and dexterity.

Coating: Latex

Cuff Style: Elastic Knit-Wrist

Material: Cotton/Polyester Seamless Knit

Lining: Cotton/Polyester

SKU	Size Group
845-300S-07	Small
845-300M-08	Medium
845-300L-09	Large
845-300XL-10	X-Large



KPG® PVC Coated Gloves

Features:

- Enjoy comfort and security, with coated seamless knit cotton liner gloves.
- Sturdy, PVC coating provides superior protection against abrasions, punctures and cuts.

Coating: PVC

Cuff Style: Slip-On

Material: Cotton; PVC

Lining: Seamless Cotton Knit

SKU	Size Group
845-960M-09	Medium



Cotton/Polyester Corded Double-Palm with Nap-In Finish Gloves

Features:

- Knit wrist helps prevent dirt and debris from entering the glove.
- Clute cut provides a roomy fit and straight thumb increases comfort in closed-fisted work.
- Nap-in finish offers greater durability due to its higher abrasion resistance.

Cuff Style: Knit-Wrist

Material: Cotton/Polyester; Fully Corded

SKU	Size Group
101-1060	Large



Helix® High Dexterity Cut Resistant Work Gloves

Features:

- Incredibly strong knit fibers deliver high cut resistance.
- HPPE blend shell provides 360° cut resistance.
- Touchscreen capabilities.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

Cuff Style: Knit-Wrist

Material: Cotton/Polyester; Fully Corded

SKU	Size Group
572-1074-L	Large



MaxiFlex® Cut™ Cut-Resistant Gloves

Features:

- MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort, and breathability.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life.
- Optimized grip delivered through our micro-cup finish.
- Minimal penetration (strike through) leaving only the soft liner resting against the skin.
- Made from component material which complies with Federal regulations for food contact, 21CFR, 170-199.
- Seamless knit engineered yarn.
- Silicone free.

Cuff Style: Continuous Knit

Material: Nitrile MicroFoam

SKU	Size Group
112-34-8743/M	Medium
112-34-8743/L	Large
112-34-8743/XL	X-Large



FlexTech™ Cut-Resistant Gloves

Features:

- Seamless machine knit cut resistant shell provides all-day comfort and protection.
- Sandy nitrile palm coating delivers improved grip in wet and oily applications.
- Machine washable for longer service life.

Cuff Style: Knit Wrist

Material: High Performance Fibers; Stainless Steel

SKU	Size Group
815-Y9216L	Large



8005 Series Disposable Nitrile Gloves

Features:

- Rolled cuff prevents dirt from entering the glove and allows for easy removal of the glove in case of puncture.
- Ambidextrous and uses second-skin feel to significantly reduce hand fatigue over long periods of wear.
- Single-use gloves are lightweight and latex free.

Thickness: 8 mil

Cuff Style: Rolled

Material: 100% Nitrile

SKU	Size Group
845-8005PFL	Large
845-8005PFXL	X-Large



Standard Grain Cowhide Leather Driver Gloves

Features:

- Color-coded cotton hem for easy size identification.
- Weltd seams on middle fingers for added strength.
- Keystone thumb construction provides flexibility and comfort.

Lining: Unlined

Cuff Style: Shirred Elastic Back

Material: Standard Grain Cowhide

SKU	Size Group
101-4015M	Medium
101-4015L	Large
101-4015XL	X-Large
101-4015-2XL	2X-Large



Premium Grade Grain Goatskin Drivers Gloves

Features:

- Premium grade grain goatskin leather for unique softness and flexibility.
- Shirred elastic back.
- Color-coded hem to identify size.

Lining: Unlined

Cuff Style: Shirred Elastic Back; Slip-On Open

Material: Goatskin Leather

SKU	Size Group
127-3601M	Medium



Drivers Gloves

Features:

- Provides maximum comfort and protection.

Lining: Unlined

Cuff Style: Cinched

Material: Cotton Stitching; Top Grain Cowhide Palm; Split Cowhide Back-of-Hand (BOH)

SKU	Size Group
724-1414M	Medium
724-1414L	Large
724-1414XL	X-Large



1050 General Purpose Work Gloves

Features:

- Provides 360° cut resistance.
- Flexible polyurethane palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

Cuff Style: Elastic Knit

Material: HPPE; Nylon; Polyurethane

SKU	Size Group
572-1050-M-8	Medium
572-1050-L-9	Large
572-1050-XL-10	X-Large



Helix® High-Dexterity Work Gloves

Features:

- Blend shell provides 360° cut resistance.
- Palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.
- Seamless construction for enhanced comfort and breathability.
- High dexterity and tactility.

Cuff Style: Knit

Material: Polyester

SKU	Size Group
572-1030-S	Small
572-1030-M-8	Medium



KONG® 360° IVE™ Gloves

Features:

- Lightweight, breathable, and offers full back of hand protection on the fingers, knuckles and metacarpal bones.
- Patented IVE™ full TPR.
- 13 gauge HPPE blended knit.

Cuff Style: Knit Wrist

Material: HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Foam Nitrile Coated Palm

SKU	Color	Size Group
424-INDI-KC5G-03-M	Black; Green; Yellow	Medium
424-INDI-KC5G-04-L	Black; Green; Yellow	Large
424-INDI-KC5-03-M	Black; Red; Yellow	Medium
424-INDI-KC5-04-L	Black; Red; Yellow	Large
424-INDI-KC5-05-XL	Black; Red; Yellow	X-Large



Original Gloves

Features:

- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist.
- Reinforced thumb, high dexterity fingertips and two-ply thumb reduces wear and increases protection.
- Form-fitting Tekdry® helps keep hands cool and comfortable.
- Dual-layered fingertips and thumb for reduced wear and increased protection.

Cuff Style: Hook and Loop

Material: Nylon; Synthetic Leather; Thermal Plastic Rubber (TPR); TrekDry®; Tricot

SKU	Size Group
484-MG-05-010	Large
484-MG-05-011	X-Large



FastFit® Gloves

Features:

- Versatile multipurpose glove delivers superior tactility and dexterity while performing manual tasks or working with hand tools.
- Reinforced thumb and index finger provide added durability.
- Breathable TekDry material form-fits the back of the hand for cool and comfortable extended wear.

Cuff Length: 1 in

Cuff Style: Elastic

Material: Spandex; Synthetic Leather; TrekDry®; Tricot

SKU	Size Group
484-MFF-05-009	Medium
484-MFF-05-010	Large
484-MFF-05-011	X-Large



High Heat Wool-Lined Gloves

Features:

- Good abrasion resistance.
- Lined with heat-resistant 100% wool.

Lining: Wool

Temp Range: 750° F - 900° F

Cuff Style: Gauntlet

Material: Fiberglass

SKU	Size Group
101-FG-37WL	Large



High Heat Wool-Lined Kevlar® Gloves

Features:

- Superior abrasion resistance.
- Lined with heat-resistant 100% wool.

Lining: Wool

Temp Range: 650° F - 800° F

Cuff Style: Gauntlet

Material: Kevlar®

SKU	Size Group
101-K-37WL	Large



Heatworx® 600

Features:

- Seamless 3D molded palm.
- HotShield™ palm provides dexterity and heat resistance.
- 100% Kevlar™ liner on shell and palm.
- Kevlar-blended shell for additional heat and cut resistance.
- Kevlar stitching.
- Rubberized knuckle protection.
- Heat and cut resistant material construction.
- Breathable, flexible, and 100% machine washable fabrics.

Lining: Kovenex®

Temp Range: - 600° F

Cuff Style: Gauntlet

Material: Kevlar®

SKU	Size Group
424-HW6X-02-S	Small
424-HW6X-03-M	Medium
424-HW6X-04-L	Large
424-HW6X-05-XL	X-Large
424-HW6X-06-XXL	2X-Large



Reinforced Gloves

Features:

- Hotshield® palm technology combines high dexterity with heat, cut, abrasion and shrink resistance.
- Blended Back of Hand Made with DuPont™ Kevlar®.
- TPR Knuckle Impact Protection.

Lining: Kevlar®

Temp Range: - 450° F

Cuff Style: Gauntlet

Material: Kevlar®

SKU	Size Group
424-HW4-04-L	Large
424-HW4-05-XL	X-Large



SafeGrip® SG-375 Examination Gloves

Features:

- Textured fingertips provide secure grip.
- Extended cuff for expanded protection over the wrist and forearm.
- Double chlorinated for easy donning and a comfortable feel.

Thickness: 11 mil Palm; 14.2 mil Finger

Lining: Powder-Free; Chlorinated

Material: Natural Rubber Latex

SKU	Size Group
748-SG-375-XL	X-Large; 9.5 to 10



Cowhide Leather Palm Gloves

Features:

- Durable split cowhide leather palm, index finger, fingertips and knuckle strap.

Cuff Style: Rubberized Safety

Cuff Length: 2-1/2 in

Lining: Unlined

Material: Canvas Back; Select Shoulder Leather; Split Cowhide

SKU	Size Group
101-2100	Large



1871 Multi-Task Gloves

Features:

- Reinforced thumb saddle for extended durability.
- Unlined and padded palm with wool insulated back.
- Sewn with Kevlar® thread.
- Kontour™ exclusive 3-dimensional, pre-curved fingers, and form-fitting design for ultimate fit, comfort, and dexterity.

Cuff Style: Reverse-Scalloped

Material: Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather

SKU	Size Group
607-1871-XL	X-Large



Leather Palm Gloves

Features:

- Color coded cotton hem for easy size identification.
- Double palm covers entire palm, index finger and thumb.
- Leather knuckle strap provides extra protection where you need it most.

Cuff Style: Starched Safety Cuff

Cuff Length: 2-1/2 in

Lining: Cotton

Material: Split Cowhide; Standard Shoulder Leather

SKU	Size Group
101-2000	Large



Big Jake® Premium A+ Side Split Leather Work Gloves

Features:

- Made from premium A+ grade side split cow leather.
- Sewn with super-strong, heat resistant DuPont™ Kevlar® thread.
- All styles generously cut.

Cuff Style: Rubberized Safety Cuff

Cuff Length: 2.75 in

Lining: 8 oz Jersey Palm Lining

Material: Cotton Canvas; Dupont™ Kevlar® Thread; Chrome Tanned Leather

SKU	Size Group
127-1700L	Large
127-1700XL	X-Large



TrueFit® Leather-Palm Gloves

Features:

- Soft, durable, great flexibility reducing hand fatigue during those long days at the job site.
- Reinforced thumb to protect severe stress areas.
- All fingertips covered in leather for at this wear area for added security and double stitched for extra strength.
- Full DuPont™ Kevlar® lining style available.

Cuff Style: Elastic with Hook-and-Loop

Lining: Unlined

Material: Top Grain Goatskin/Rough Side Out Goatskin Palm; Spandex Back-of-Hand (BOH)

SKU	Size Group
724-1470M	Medium
724-1470L	Large
724-1470XL	X-Large



G10 Kraken Grip™ Nitrile Gloves

Features:

- Fully textured palm and fingertips for grip when working with grease and slippery liquids.
- Raised textured pattern on fingers and palms channels away oil, grease, and solvent.
- Grip on the outside, powder-free moisture control on the inside.
- Beaded cuff to make donning easier and prevent roll down.
- Ambidextrous for time and cost saving.

Cuff Style: Beaded

Thickness: 6 mil Fingers/Palm

SKU	Size Group
412-49277	Large
412-49278	X-Large



7500 Series Nitrile Disposable Gloves

Features:

- Latex-free, 100% nitrile.
- Rolled cuff prevents dirt from entering the glove.
- Bisque grip.

Cuff Style: Rolled

Lining: Unlined

Thickness: 4 mil

SKU	Size Group
845-7500PFL	Large
845-7500PFXL	X-Large



Oil Hauler Premium Double Dip PVC Coated Gloves

Features:

- Premium grade gloves designed to withstand abuse from oils and solvents, petrochemicals and refining.
- Double dipped PVC provides double the protection.
- Jersey lining makes for a comfortable and easy wear.
- Treated with Actifresh®.

Cuff Style: Safety

Lining: Jersey

SKU	Size Group
127-6410SC	Large



Anchor Brand 7-ga Standard Weight Seamless String-Knit Gloves

Features:

- Seamless cotton/polyester knit shell is comfortable and flexible.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Reversible design allows replacing one glove at a time, rather than pairs.
- Can be used as a glove liner.

Cuff Style: Knit Wrist

Material: Cotton/Polyester

SKU	Size Group
101-6700	Large



Welding Gloves

Features:

- Heat and abrasion resistance.
- Fully Kevlar® sewn.
- Durable and flexible.

Lining: Full Sock

Cuff Style: Leather

Material: Split Cowhide

SKU	Size Group
902-4200AL	Large



Knit Gloves

Features:

- Non-coated styles are made with FDA approved materials for use in food processing applications.
- Provide comfort and warmth.
- Reversible pattern.
- Use as gloves or glove liners.

Cuff Style: Hemmed

Material: Cotton/Polyester

SKU	Size Group
127-9507LM	Large



110 Select Shoulder-Split Cowhide Stick Gloves

Features:

- Cotton sock lining for comfort.
- Thumb strap reinforcement provides extra durability.
- Kevlar® stitching provides spark and abrasion resistance.

Lining: Cotton Sock Lining

Cuff Style: Gauntlet

Material: Kevlar®; Select Shoulder-Split Cowhide Leather

SKU	Size Group
800-110L	Large



25K Premium Kidskin TIG Gloves

Features:

- Exclusive DragPatch® reinforcement offers extra abrasion resistance and insulation.
- Unlined for dexterity.
- Kevlar® stitching provides spark and abrasion resistance.

Lining: Unlined

Cuff Style: Gauntlet

Material: Kevlar®; Premium Kidskin; Premium Grain Cowhide Leather Cuff

SKU	Size Group
800-25KM	Medium
800-25KL	Large



1816 revolution® Deerskin FR Foam Fleece Lined MIG/Stick Welding Gloves

Features:

- Constructed with supple American Deerskin leather, cowhide cuff, and Kontour™ form-fitting design.
- Full sock-insulation with FR (flame resistant) foam/fleece.
- Patches, padding, and reinforcements for comfort and protection.
- Large pulse protector.
- Sewn with Dupont™ Kevlar® thread.

Lining: Full Sock-Insulation with FR Foam/Fleece

Cuff Style: Gauntlet

Material: American Deer Skin Leather; Dupont™ Kevlar® Thread; Fleece/Foam Insulation

SKU	Size Group
607-1816-L	Large

Hand Pads & Warmers



N-Ferno® Warming Packs

Features:

- All natural ingredients heat up when they make contact with oxygen.
- Seal from oxygen in resealable bag and reuse the next day.
- Stays warm up to 5 hours.

Material: Outer Material Non-Woven Fabric Polyethylene; Inner ingredients Iron Powder; Water; Activated Carbon; Vermiculite; Wood Powder; Salt

SKU
150-16990



HEAT PAX™ Warmers

Features:

- Air activated, instant warmth.

Material: Orange Woven Pack Inside Metallic Film

Type: Single Use

SKU	Length	Width	Quantity
561-1100-10R	6.1 in	4.84 in	5 pair per pack
561-1100-80D	6.1 in	4.84 in	40 pair per pack

FALL PROTECTION

Fall Protection Parts & Accessories



Concrete D-Bolt Anchors

Features:

- Versatile anchor can be installed on a vertical wall or overhead for versatility.
- Mechanical expansion allows for immediate attachment.
- Can be installed in a bottomless hole to allow for the insert to be driven flush with the surface after use.

Material: Steel

SKU	Load Cap
493-417C/	310 lb



MightEvac™ + Self-Retracting Lifelines with Tripod Bracket

Features:

- Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.
- Constructed of corrosion-resistant stainless steel and aluminum housing.

SKU	Load Cap
493-MME-GCB1-02/50FT	310 lb



Manual Rope Grabs

Features:

- In the event of a fall, rope grabs lock quickly.
- Compact design with corrosion-resistant stainless steel construction.
- Lightweight and easy to use rope grabs are a sturdy and dependable choice.

Material: Stainless Steel

Opening Size: 5/8 in; 3/4 in

Connection Type: O-Ring

SKU	Load Cap
493-8174/U	310 lb



Relief Step™ Safety Devices

Features:

- Alleviates the effects of orthostatic intolerance, also known as suspension trauma.
- Attaches to any brand full-body harness.

Material: Polyester; PVC Heat Shrinkable Tubing; Zinc Plated Steel

Connection Type: Button Snap

Used With: Any Brand Full-Body Harness

SKU	Load Cap
493-9099X/12-H5	400 lb



Twist Lock Carabiners

Features:

- Twist-lock system ensures secure closure.
- Spring-loaded keeper simplifies use.
- Rust-resistant zinc-dichromate plating.

Material: Steel

Opening Size: 1 in

SKU	Load Cap
493-17D-1/	400 lb



I-Beam Sliding Anchors

Features:

- Lightweight aluminum design moves smoothly across beam.
- Fits beams up to 1-1/4 in thick.
- Fits beam flanges from 3-1/2 in to 14 in.
- Easily adjusted with swivel D-ring for connection.

Material: Aluminum

Connection Type: D-Ring

SKU	Load Cap
865-A550000	5000 lb



Reusable Concrete Anchors

Features:

- Drill hole of 3/4 inch with 3-1/2 inch minimum depth.
- Minimum 3000 psi concrete.
- Multi-directional use.

Material: Stainless Steel; Aircraft Cable

Connection Type: Ring

SKU	Load Cap
865-A510000	5000 lb



Reusable Swivel Concrete Anchors

Features:

- Push button removal, no tools required.
- Minimum Breaking Strength (MBS) 5000 lb.
- 360 degree loading.
- Horizontal, vertical, or overhead use.
- Stainless steel construction.

Material: Stainless Steel

Connection Type: Ring

SKU	Load Cap
865-A510300	5000 lb

Harness Parts & Accessories

Harnesses



H500 Industry Standard Full-Body Harnesses

Features:

- Smart anti-tangle for hassle-free donning experience.
- Webbing flexes to accommodate movement and body contours.
- New side-adjustment straps for better ergonomic fit.
- Horizontal leg design for greater user comfort.
- Anatomically and ergonomically designed pressure-relief breathable shoulder/back padding on some models.
- User friendly resettable pull-free Lanyard keepers.
- Two clearly identifiable fall impact indicators.
- Improved visible stitch pattern.
- Lightweight aluminum quick-release buckles and highly visible protected label protection.
- Water repellent webbing.

Connection Type: Back D-Ring

Fastening Method: Mating Chest Buckles; Tongue Leg Buckles

Style: ISTP Variant; Shoulder Pads; Vest

Material: Nylon/EVA Foam Shoulder Pads; Steel Hardware

SKU	Size Group	Load Cap.
493-H5ISP311002	Universal (L/XL)	420 lb



Revolution® Arc-Rated Full Body Harnesses

Features:

- Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.
- Leather insulators under all metal hardware offer additional protection for the worker.

Connection Type: Quick-Connect

Fastening Method: Quick-Connect Leg Strap Buckles

Material: Kevlar; Nomex; Elastic; Polyester; Leather; Brass; Valeron; Nylon; Aluminum; Stainless Steel; Urethane; Evoprene

SKU	Size Group	Load Cap.
493-RKNAR-QC/UBK	Universal	400 lb



Titan™ II Non-Stretch Harnesses

Features:

- Designed for more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow while working at heights.
- Back strap increases safety by preventing roll out in the event of a fall.

Connection Type: Back D-Ring

Fastening Method: Friction Shoulder Buckles; Mating Chest Buckles; Tongue Leg Buckles

Material: Elastic; Evoprene/Nylon Label Pack; Polyester Thread/ Webbing; Stainless Steel/Steel Hardware

SKU	Size Group	Load Cap.
493-T4500/UAK	Universal (Large/X-Large)	400 lb



Revolution™ Harnesses

Features:

- Unique rotary PivotLink™ connection.
- Integrated accessory system provides connection points for belts/tools/accessories.
- Easy, one-hand adjustment cam buckles.
- Semi-flexible ErgoArmor™ back shield.
- Web finials safely organize webbing.

Connection Type: Stand-Up D-ring

Fastening Method: Quick-Connect Buckle Legs

Material: DualTech™ Webbing

SKU	Size Group	Load Cap.
493-RDT-QC/UBK	Universal	400 lb



V-FIT™ Full-Body Harnesses

Features:

- Patented RaceFLEX® buckle allows for a close comfortable full body harness fit, eliminating the need for a bulky chest strap.
- Pull-down adjustment allows for quick and easy harness adjustment to ensure proper fit.
- Dedicated attachment point for Personal Fall Limiters allows quick and easy attachment.
- Styles with shoulder padding conforms to your body, eliminating pressure points and chafing; can be removed for cleaning.
- Construction style harness has adjustable waist pad.

Connection Type: Back D-Ring

Fastening Method: Quick-Connect (QC) Chest/Tongue-Buckle Leg Straps

Material: Anodized Forged Aluminum Buckles/D-Rings

SKU	Size Group	Load Cap.
454-10194889	Standard	400 lb

Ladder Safety System Parts & Accessories



GlideLoc® Parts and Accessories

Features:

- Used with GlideLoc® Vertical Height Access Ladder System.

SKU	Material
493-FPH_14622	Galvanized Steel



Söll Vi-Go™ Vertical Cable System Fall Arresters

Features:

- Provides the ultimate in safety with continuous fall protection when climbing fixed ladders.

SKU	Material
493-FPH-VC570	Stainless Steel



Vi-Go™ Ladder Climbing Top Bracket Assemblies

SKU	Material
493-TRTB-7/	Galvanized Steel

Ladder Safety Systems



Vi-Go™ System Kits with Automatic Pass-Through

Features:

- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Easy, one-hand operation for attachment/detachment from the system.
- The Vi-Go Cable Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components.
- Uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing; travels smoothly along cable and locks instantly in the event of a fall.

Length: 30 ft

SKU	Cable Material
493-VG/30FT	Galvanized Steel

Lanyards



3130M Coiled Cable Tool Lanyards

Features:

- Constructed with PU covered aircraft cable.
- Coil design prevents snag and tangle hazards.
- Swiveling design prevents tangles and fast recoil.
- Captive eye carabiner.

Load Capacity: 5 lb

No. of Legs: Single

SKU	Length
150-19131	48 in



Squids® 3100 Tool Lanyards

Features:

- Captive eye design better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate.
- Durable, made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security.
- Locking screw-gate aluminum carabiner for easy, secure attachment to tools.

Load Capacity: 10 lb

No. of Legs: 1

SKU	Length
150-19003	42 in



Squids® Tool Lanyards

Features:

- Adjustable barrel lock for tool attachment.
- Aluminum carabiner.
- Cord stretches for full range of motion.
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread.
- Lock stitching at both ends for extra security.

Length: 35 in - 42 in

Strap Material: Tubular Nylon Webbing with Silver Mylar Reflective Thread

SKU	Load Cap
150-19002	10 lb



Squids® 3155 Elastic Hard Hat Lanyards with Clamps

Features:

- Comfortable high-stretch elastic material.
- Quick-connect clamp attaches securely to fabric.
- Hard hat not included.

Load Capacity: 2 lb

SKU	Length
150-19155	48 in



300L Rope Lifelines

Features:

- These specialized vertical rope lifelines are made, using a blend of polypropylene and high modulus polyethylene resins that produce a co-polymer fiber rope.
- 300L lifelines have a locking snap-hook on one end and loop on the other.

Load Capacity: 310 lb

SKU	Length
493-300L-Z7/50FTBL	50 ft



BackBiter™ Tie-Back Lanyards

Features:

- The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back.

Load Capacity: 310 lb

Bottom Connector: Locking Snap Hook

No. of Legs: 1

SKU	Length	Top Connector
493-913B/6FTGN	6 ft	Locking 5K Snap Hook



Falcon™ + Self-Retracting Lifelines

Features:

- Pound for pound the strongest, most durable line of Self-Retracting Lifelines.

Load Capacity: 310 lb

No. of Legs: 1

SKU
493-MFS-OGC1-02/30FT



Titan II Tubular Shock-Absorbing Lanyards

Features:

- Hi-Viz color for increased worksite safety.

Load Capacity: 310 lbs

No. of Legs: 1

SKU	Length
493-T5111-Z7/6FTAF	6 ft



V-SERIES™ Standard Shock Absorbing Lanyards

Features:

- Lightweight safety lanyards not only limit force on the body in a fall, but also on the anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection.

SKU	Load Cap
454-10191757	400 lb



TurboLite™ TurboLite™ + Edge Cables

Features:

- Can be connected at foot level and above worker.
- Helps reduce your fatigue, increase your productivity.

Load Capacity: 420 lb

Top Connector: One Pin Connector

SKU	Bottom Connector	No. of Legs
493-MTL-LEP1-61/9FT	Locking Snap Hook	1
493-MTL-LEP2-62/9FT	Locking Rebar Hook	2



Turbolite™ + Fall Limiters

Features:

- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

SKU	Top Connector	Bottom Connector	No. of Legs
493-MTL-OHW1-01/11FT	Carabiner	Locking Snap Hook	1
493-MTL-OHW1-01/6FT	Carabiner	Locking Snap Hook	1
493-MTL-OHW1-02/6FT	Carabiner	Locking Rebar Hook	1
493-MTL-OHW2-22/6FT	Carabiner with G2 Connector	Locking Rebar Hook	2
493-MTL-OHW2-28/6FT	Carabiner with G2 Connector	Locking Rebar Hook	2



THE RIGHT EQUIPMENT MAKES ALL THE DIFFERENCE



Miller TurboLite™ + Personal Fall Limiter (PFL), compact and lightweight, provides the same provides the same working capacity as a traditional shock-absorbing lanyard while instantly arresting a free fall within inches.



Turbolite™ + Scorpion Fall Limiters

Features:

- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

Bottom Connector: Locking Snap Hook

No. of Legs: 1

SKU	Top Connector
493-MTL-OHS1-01/9FT	Carabiner

Rescue Systems



DuraHoist™ Confined Space System Parts and Accessories

Features:

- Lightweight, high-strength aluminum construction for easy handling and long service life.
- Miller® DuraHoist™ Confined Space Systems provide safe, lightweight, portable and fixed base solutions for a variety of confined space applications, including confined space entry, rescue, positioning and personnel/material handling.
- Provides three independent swivel tie-off points for fall arrest anchorage, three-stage/four-position telescoping design and horizontal lifeline capabilities.

SKU	Used With
493-DH-20SS/	DH-1; DH-2



6 FT Bantam Compact Self Retracting Lifelines

Features:

- Lightweight and compact construction with 6ft Dyneema/Polyester web working length.
- Impact Resistant Nylon Housing with swivel top.
- Durable labels and shock pack cover to aid inspection.

Length: 6 ft

Material: Webbing; High Impact Nylon

SKU	Hook Material
865-R431006-R	Swivel Top with Aluminum Carabiner
865-R431006-SR	Swivel Top with Steel Carabiner



Max Patrol™ Self Retracting Lifelines

Features:

- Galvanized steel cable lifeline with swivel snap hook.
- Carry handle allows for easier transport.
- Recessed labels and durable shock pack cover to aid inspection.

Material: Galvanized Steel Cable; ThermoPlastic

Includes: Swivel Top with Steel Carabiner

SKU	Type	Length
865-R410020	Class 1	20 ft
865-R410030	Class 1	30 ft
865-R410030LE	Class 2	30 ft

CLOTHING PROTECTION

Coveralls & Overalls



Tyvek® 400 Coveralls

Features:

- Offers inherent barrier against particles down to 1.0 micron in size.
- Protection built into the fabric itself, no films or laminates to abrade or wear away.
- Comfort fit design enables a greater range of movement while stretching and bending with reinforcement in high stress areas.
- Additional sizes available

Resistance: Hazardous Aerosols/Dry Particles; Non-Hazardous Light Liquid Splash

Material: Tyvek® 400

SKU	Size Group	Style
251-TY120S-L	Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-XL	X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-2XL	2X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY120S-4XL	4X-Large	Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap
251-TY127S-XL	X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY127S-2XL	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap
251-TY122S-2XL	2X-Large	Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap

Rainwear



3-Pc Rainsuits

Features:

- Jacket is vented back for breathability, duo-layer front closer to prevent wet, two front patch pockets for storage, and a corduroy collar for comfort.
- Removable hood with drawstring.
- Adjustable suspenders for overalls with triangular buckles for perfect fit and single snap fly.

Material: PVC Over Polyester

SKU	Size Group
101-9000-L	Large
101-9000-XL	X-Large
101-9000-2XL	2X-Large

FOOT PROTECTION

Boots & Shoes



Chesapeake Rubber Boots

Features:

- Energy-absorbing Bay-Loc outsole.
- 100% waterproof.
- Dunlop pull tab for easy on/off.
- Additional sizes available

SKU	Size Group	Height	Material
Steel Toe/Pull-On/Knee Boots			
868-8677600.08	Unisex 8	14 in Boot; 1/2 in Heel	PVC; Steel Toe
868-8677600.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC; Steel Toe
Plain Toe/Pull-On/Knee Boots			
868-8677500.09	Unisex 9	14 in Boot; 1/2 in Heel	PVC
868-8677500.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC



The most trusted name in safety

Superior protection and comfort start with Tyvek® 400

Built from flash spun high-density polyethylene, DuPont™ Tyvek® 400 provides an ideal balance of protection, durability and comfort like no other limited-use fabric. The nonwoven structure provides an inherent barrier to particles down to 1.0 micron— with no films or laminates to abrade or wear off.

Designed for abatement, maintenance, spray painting and cleanup jobs, Tyvek® 400 delivers consistent performance that helps keep workers comfortable and safe shift after shift.

- Inherent barrier protection
- Designed for durability and breathability
- Ergonomic fit for enhanced comfort and mobility
- Hood, stormflap and elastic closures for full-body coverage
- Latex-free construction



Scan to find the
right coverage
with Tyvek® 400



Chest Waders

Features:

- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Chest high durable heavy PVC upper with non-absorbent lining provides excellent flexibility and comfort.
- Additional sizes available

Material: PVC; Nylon Suspenders; Steel Toe

Lining: Non-Absorbent Cotton

SKU	Size Group	Height
868-8606700.09	Men's 9	16 in Boot; 33 in Inseam; 53 in Overall
868-8606700.10	Men's 10	16 in Boot; 34 in Inseam; 53 in Overall
868-8606700.11	Men's 11	16 in Boot; 34 in Inseam; 53 in Overall
868-8606700.12	Men's 12	16 in Boot; 35 in Inseam; 53 in Overall



Hip Waders

Features:

- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Hip high lightweight PVC upper with non absorbent lining provides excellent flexibility and comfort.
- Additional sizes available.

Material: Polyblend; PVC; Steel Toe/Midsole

Lining: Non-Absorbent Cotton

SKU	Size Group	Height
868-8605600.09	Men's 9	16 in Boot; 32 in Overall
868-8605600.10	Men's 10	16 in Boot; 32 in Overall
868-8605600.11	Men's 11	16 in Boot; 32 in Overall
868-8605600.12	Men's 12	16 in Boot; 32 in Overall



Hazmax Steel Toe/Midsole Rubber Boots

Features:

- Specially formulated PVC allow protects you from some of the worst chemicals around.
- Steel toe, steel midsole, and steel shank Ultragrip® Sipe outsole provides superior, slip resistance and protection.
- Additional sizes available

Material: PVC; Steel Toe/Midsole

SKU	Size Group	Height
868-8701200.11	Men's 11	16 in Boot; 1/2 in Heel
868-8701200.14	Men's 14	16 in Boot; 1/2 in Heel



PolyGoliath Rubber Boots

Features:

- Polyblend compound offers superior resistance to fats, oils, and chemicals.
- Power Lug outsole powered by a multi tread design provides exceptional comfort and slip resistance.
- Additional sizes available.

Material: Polyblend; PVC; Steel Toe/Midsole

Resistance: Compression; Impact; Oil-Resistant Sole; Waterproof

SKU	Size Group	Height
868-8968200.09	Men's 9	16 in Boot; 1/2 in Heel
868-8968200.10	Men's 10	16 in Boot; 1/2 in Heel
868-8968200.11	Men's 11	16 in Boot; 1/2 in Heel



Purofort® Thermo+ Rubber Boots

Features:

- SRC rated, dirt-repellent outsole for perfect grip.
- Slip-resistant for protection under cold conditions.
- Additional sizes available.

Material: Polyurethane; Purofort®; Steel

SKU	Size Group	Height
868-E662843.10	Men's 10	16 in Boot; 1/2 in Heel
868-E662843.11	Men's 11	16 in Boot; 1/2 in Heel



White Rubber Boots

Features:

- Slip-resistant Safety-Loc outsole for superior traction on slippery surfaces.
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines.
- Additional sizes available.

Material: PVC

SKU	Size Group	Height
868-8101100.07	Men's 7	16 in Boot; 1/2 in Heel
868-8101100.08	Men's 8	16 in Boot; 1/2 in Heel
868-8101100.10	Men's 10	16 in Boot; 1/2 in Heel
868-8101100.11	Men's 11	16 in Boot; 1/2 in Heel



Overshoes

Features:

- FLEX-O-THANE construction provides added cold weather flexibility and durability.
- 4-way cleated outsole is self cleaning with excellent slip resistance.
- Additional sizes available.

Material: Flex-O-Thane; PVC

Height: 17 in

SKU	Size Group
868-8603000.XL	X-Large; Men's Boot Size 12 to 13
868-8603000.2X	2X-Large; Men's Boot Size 14 to 15



CT™ Economy Knee Boots

Features:

- Boot height increases with shoe sizes, assuring a better fit and greater comfort.
- Unique, tapered design won't catch on the back of your calf while walking.
- EVA foot form insole provides unsurpassed comfort for all-day wear.
- Contour heel cup reduces heel slippage.
- Unique, Trac10™ sole design ensures excellent traction.
- Additional sizes available.

Material: PVC

SKU	Size Group
922-18821-080	8
922-18821-090	9
922-18821-100	10
922-18821-110	11
922-18821-120	12

SERVUS



XTP™ XTRA TRACTION Boots

Features:

- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable.
- Outsole perimeter is formulated for tough, long-wearing support.
- Centersole is dual compounded for cushioning, long wear and traction on slick surfaces.
- Steel shank is longer, wider, and thicker for outstanding arch support.
- Removable FOOT FORM™ contour cushion insoles provide all-day comfort and support.
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards.
- Additional sizes available.

Material: PVC

Lining: FOOT FORM™ Insoles

SKU	Size Group
922-75109-080	8
922-75109-090	9
922-75109-100	10

DUPONT
Tyvek



Tyvek® 400 Shoe & Boot Covers

Features:

- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away.
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size.
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.

SKU	Size Group	Material	Type	Fastening Method
251-FC450S	One Size Fits Most	Tyvek® 400 FC	5 in H Shoe Cover w/Serged Seams	Elastic Opening; Elastic Heel/Sole/Toe
251-FC454S	One Size Fits Most	Tyvek® 400 FC	18 in H Boot Cover w/Serged Seams	Elastic Opening
251-TY450S	One Size Fits Most	Tyvek® 400	5 in H Shoe Cover w/Serged Seams	Elastic Opening
251-TY454S	One Size Fits Most	Tyvek® 400	18 in H Boot Cover w/Serged Seams	Elastic Opening
251-TY454S-XL-SR	X-Large	Tyvek® 400; Tyvek® 400 FC Sole	18 in H Boot Cover w/Serged Seams; Skid Resistant	Elastic Opening; Elastic Ankles

Footwear Covers



Spats

Features:

- Elastic top with 2 buckles on back of leg.
- Metal reinforced boot.
- Sold per pair.
- Velcro fasteners that ensure a secure fit for various shoe sizes.

Material: Leather

Fastening Method: Buckles; Velcro

SKU	Size Group
902-Q-15	Universal

KLEENGUARD™



A40 Liquid and Particle Protection Boot Covers

Features:

- Protect your boots from damage—convenient boot covers are designed with an elastic top for a comfortable fit.
- Made from breathable, microporous film laminate.

Fastening Method: Elastic Top

SKU	Size Group	Material
412-44495	X-Large	Microporous Film Laminate

HEAT STRESS PROTECTION

Activity Drinks



G Series 02 Perform® Thirst Quencher Instant Powders

Features:

- Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.
- Carbohydrates help stimulate rapid fluid absorption and fuel the active body.

SKU	Package Yield	Capacity Vol.	Flavor
308-03944	2.5 gal	21 oz	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush
308-03970	2.5 gal	21 oz	Orange
308-33677	2.5 gal	21 oz	Glacier Freeze



G Series 02 Perform® Thirst Quencher Ready-to-Drink Cans

Features:

- The most scientifically researched and game-tested way to replace electrolytes lost in sweat.

Capacity Vol.: 11.6 fl oz

SKU	Flavor
308-00901	Lemon-Lime
308-00902	Orange
308-30903	Fruit Punch



G Zero Powder Sticks

Features:

- Gatorade® G Zero in convenient single serve sticks.
- Sugar-free G Zero packs are designed for those on the go, simply add to a 20 oz bottle of water.
- Gatorade® G Zero is an ideal electrolyte solution for those interested in maintaining a ketosis state.

SKU	Package Yield	Capacity Vol.	Flavor
308-04458	16.9 oz	0.10 oz	Glacier Cherry
308-04490	16.9 oz	0.10 oz	Orange
308-04457	16.9 oz	0.10 oz	Glacier Freeze
308-04713	16.9 oz	0.10 oz	Fruit Punch
308-04712	16.9 oz	0.10 oz	Grape



Liquid Concentrates

Features:

- Drink mixes have a blend of electrolytes and carbohydrates to help speed hydration and restore energy.
- Caffeine-free.
- Mix with water per instructions.

Package Yield: 6 gal

Capacity Vol.: 1 gal

SKU	Flavor
308-33977	Fruit Punch
308-33305	Fierce Grape
308-03955	Orange



WHY IS SODIUM NEEDED IN YOUR WORKFORCE'S REHYDRATION?

IT HELPS MAINTAIN A DESIRE TO DRINK.

Sodium promotes fluid balance and whole-body retention to help replace what is lost in sweat, and is an important trigger for thirst, encouraging continued voluntary fluid intake.^{1, 2, 3, 4, 5, 6}

Power Fact

Taste is one of the most important factors in determining how much an individual will drink and how complete their rehydration is.

1. Murray R and Stofan R, In: Sports Drinks: Basic Science and Practical Aspects, pp. 197-223, 2001; 2. Nose, H, et al. J Appl Physiol 65:325-331, 1988; 3. Sawka, MN, et al. Med Sci Sports and Exerc 39:377-390, 2007; 4. Wemple, RD, et al. Int J Sport Nutr 7:104-16, 1997; 5. Wilk, B., and Bar-Or, O. J Appl Physiol 80:1112-1117, 1996; 6. Clapp, AJ, et al. Am Ind Hyg Assoc J 61:692-699, 2000.



Powder Sticks

Features:

- Powdered mix contains the same electrolyte formula found in the original Gatorade.
- Take these convenient packets with you anywhere

SKU	Package Yield	Capacity Vol.	Flavor
308-04702	16.9 oz	1.23 oz	Fruit Punch
308-04701	16.9 oz	1.23 oz	Orange
308-04700	16.9 oz	1.23 oz	Lemon Lime



Qwik Stik® ZERO Sugar

Features:

- Ideal for diabetics and carb-conscious consumers.

SKU	Package Yield	Capacity Vol.	Flavor
690-159060099	20 oz	0.11 oz	ZERO Sugar Strawberry Lemonade
690-159060100	20 oz	0.11 oz	ZERO Sugar Orange
690-159060101	20 oz	0.11 oz	ZERO Sugar Mixed Berry
690-159060102	20 oz	0.11 oz	ZERO Sugar Fruit Punch
690-159060103	20 oz	0.11 oz	ZERO Sugar Lemonade
690-159060106	20 oz	0.11 oz	ZERO Sugar Lemon-Lime
690-159060107	20 oz	0.11 oz	ZERO Sugar Grape
690-159060119	20 oz	0.11 oz	Fruit Punch; Mixed Berry; Orange; Strawberry Lemonade



Squeeze® Freezer Pops

Features:

- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Cherry; Grape; Lemon-Lime; Mixed Berry; Orange

SKU	Package Yield	Capacity Vol.
690-159060962	3 oz	3 oz



Squeeze® ZERO Freezer Pops

Features:

- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew but without the sugar.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

Flavor: Dragon Fruit; Mixed Berry; Orange; Punch; Watermelon

SKU	Package Yield	Capacity Vol.
690-159200231	3 oz	3 oz

Bandanas



Cooling Towels

Features:

- Just add water.
- Towel temperature drops 15 to 20 degrees in 1 to 2 min.
- Absorbs up to 12 times its dry weight.
- Reusable.

Length: 27 in

Size Group: 17 in x 27 in

SKU	Material
118-91000	PVA Poly Vinyl Alcohol



Chill-Its® 6602 Evaporative Cooling Towels

Features:

- Super-evaporative PVA material to absorb water to then allow it to evaporate slowly for instant, long-lasting cooling relief.
- Can last up to 4 hours, simply re-wet to increase cooling duration.
- Run the PVA cooling towel under water for one minute or until saturated, wring out excess water and twirl or snap in the air for no-drip cooling.

Length: 29-1/2 in

Size Group: One Size

SKU	Material
150-12420	PVA



Chill-Its® 6603 Evaporative Cooling Bands

Features:

- Advanced PVA cooling technology.
- Super-evaporative, feels significantly cooler than ambient air.
- Activates fast and easy - run under cold water for one minute.
- Use as a neck wrap by pulling end of wrap through slit.
- Wear for hours or for quick relief.
- Simply re-wet to reactivate.
- Machine washable.

Closure Type: Slot

Length: 29-1/2 in

Size Group: One Size

SKU	Material
150-12418	PVA



Chill-Its® 6700 Evaporative Cooling Bandanas

Features:

- Activated polymers bring cooling power where you need it most.
- Activate by soaking in water for 2-5 minutes.
- Remains hydrated for up to 4 hours.
- Re-usable: just soak in water to re-activate.
- Bandana/headband - tie closure.

Closure Type: Tie

Length: 36.5 in

Size Group: One Size

SKU	Material	Color
150-12303	Cotton	Stars/Stripes
150-12305	Cotton	Red Western
150-12307	Cotton	Solid Blue



MiraCool® Cooling Towel

Features:

- Lightweight super absorbent material holds water without weighing you down.
- Instant cooling relief, just add water; reusable, easy to charge.
- Machine washable.

Length: 29.5 in

Size Group: One Size

SKU	Material
561-931-BL	Poly Vinyl Acetat



MiraCool® Neck Bandanas

Features:

- Provide a great way for workers to reduce heat stress in outdoor and other high-heat environments.
- Soak the MiraCool® bandana in cold water for 30 minutes, and the cooling crystals activate, staying hydrated for several days.
- Works without freezing or ice.

Closure Type: Tie

Length: 34.75 in

Size Group: One Size

SKU	Material
561-940-018	100% Cotton; MiraCool Crystals

Hydration Packs



Squeeze Bottles

Features:

- The fast-cap design provides quick hydration, while the high-flow valve prevents liquid loss.

Material: Plastic

SKU	Capacity Vol.
308-50313SM	20 oz.

Sweat Bands




Headgear Sweatbands

Features:

- Individually packaged.
- Hook & loop closure allows the fit onto most major brand headgear.
- Sweat absorbent air cushioned layer lined with 100% fleece cotton.

Strap Type: Hook and Loop

SKU	Material
101-SB320V	Fleece Cotton



Leather Sweatbands

Features:

- Individually packaged.
- Snaps on any headgear.
- Absorbent air cushioned layer lined with 100% fleece cotton.

SKU	Material
101-SB700	Cowhide



Chill-Its® 6609 Hard Hat Sweatband Liners

Features:

- Prevents sweat from dripping into eyes.
- Four-snap button closures securely attach to forehead of suspension.
- Low-profile for no-bulk wear with hard hats.
- Machine washable.

SKU	Material
150-12440	Cotton Terry Cloth



Comfort Enhancing Sweatbands

Features:

- Welding helmet sweat bands.
- Circulating air evaporates sweatband moisture for cooling effect.

SKU	Material	Used With
280-FM44T	Terry Cloth	Primair FM 300 headgear
280-FM67	Soft Grain Leather	Welding and Faceshield Headgear



Sweatbands

Features:

- Highly absorbent fabric.
- Can easily be removed, cleaned, and replaced.

Used With: E1 E2 and P2 Series Helmets

Strap Type: SuperEight™ Swing Strap

SKU	Material
280-FM44RTV	Terry Cloth



Cloth Sweatbands

Features:

- Great for absorbing moisture and keeping your head dry.
- Designed to add padding and comfort to the forehead area.

Used With: SC-6 and SC-16 Hard Hats

SKU	Material
138-14958	Terry Cloth



Custom Terri-Band Sweatbands

Features:

- Sturdy sweatbands are washable for repeated use.
- Works to protect eyes and face from sweat and drips.
- Easily snaps into all MSA industrial helmets.

Used With: All MSA Helmets

SKU	Material	Strap Type
454-10068911	Terry Cloth	Snap
454-696688	Terry Cloth	Clip-On



Cellulose Sweatbands

Features:

- Anti-mold treated.
- Sustainable manufacturing.
- No harmful dyes.

Strap Type: Elastic

SKU	Material
561-SBX-100	Cellulose



Disposable Pre-Moistened Cellulose Sweatbands

Features:

- Absorbent cellulose headbands provide a convenient disposable option for busy workers.
- Headbands provide cooling relief during hot tasks.
- Easy to use; simply dip in cold water, squeeze out and wear.

Strap Type: Rubber Band

SKU	Quantity	Material
561-SBR25	25 Sweatbands per Pack	Cellulose
561-SBR100	100 Sweatbands per Pack	Cellulose



MiraCool® Headbands

Features:

- Stays hydrated for several days.
- Works without freezing or ice.
- Reusable.

SKU	Material
561-954-018	Cotton



Original Disposable Sweatbands

Features:

- Ultra thin yet absorbent.
- Won't tear, break, flake or become dry and brittle.
- Contains no chemicals.
- Never requires hydration to soften.

SKU	Quantity	Material
561-SB100	100 Sweatbands per Pack	Viscose Cellulose
561-SB25	25 Sweatbands per Pack	Viscose Cellulose



Terry Toppers® Clip-On Hard Hat Sweatbands

Features:

- Designed with single napped cotton terry on one side plus a middle layer durable foam sponge.
- Installs in an instant with insulated metal stays.
- One size fits almost every hard hat.
- Machine washable.

SKU	Material
561-880-01	Terry Cloth



Terry Toppers® Snap On Hard Hat Sweatbands

Features:

- Easily attaches to hard hat suspension with snaps.
- Soft material made to absorb and wick away sweat.
- Machine washable.

Material: Terry Cloth

SKU	Color	Quantity
561-870-15	Beige	Single Pack
561-870-01	Navy	Single Pack
561-870B20-01	Navy	20 Sweatbands per Pack

FIRST AID SAFETY

Antiseptics



Respirator Cleaning Pads

Features:

- Individually foil-packaged, non-woven cloths saturated with 70% Isopropanol.

Quantity: 100 Pads per Box

SKU
037-1001

Eye Wash and Showers



Eye and Skin Flush Emergency Station/ Replacement Twin Bottles

Features:

- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Bottles of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.

Hose Material: Plastic

SKU
579-24-102



Eye Flush Bottles

Features:

- Bottle of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Plastic squeeze bottle and nozzle help create a fluid stream to direct solution into the affected areas.

Hose Material: Plastic

SKU
579-24-101



AquaGuard Gravity-Flow Eye Wash Units

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads.
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit).
- Water flow is activated by pulling down on bright yellow eye wash tray.
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow.
- Waste water is directed into drain opening in tank basin, 3 ft.
- Long drain hose in basin directs discharge into floor drain, storage tank or other receptor.
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface.

Hose Length: 3 ft

SKU
333-G1540

BY PIP



Tank-Style Eyewash Station Cleaning Kits

Features:

- For use with all tank-type, eyewash stations.
- Use prior to refilling to remove contamination to interior tank walls.

SKU
203-32-000518-0000



Eye Wash Saline Concentrates

Features:

- Buffered saline eyewash.
- Sterile and pH-balanced solution is more hygienically reliable than conventional tap water which may contain contaminants.
- Simple to use -- just mix with clean, potable water (10:1 ratio).
- For use with Fendall Porta Stream® Eyewash systems.

SKU	Capacity Vol.
203-32-000509-0000	70 oz
203-32-000513-0000-H5	180 oz

BY PIP



Eyewash Wall Stations

Features:

- Mounts to wall with provided screws.
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency.
- Holds factory-sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency.

SKU	Style
203-32-000460-0000	Single Bottle of 16 oz
203-32-000465-0000	2 Bottles of 16 oz
203-32-000461-0000	Single Bottle of 32 oz
714-32-000462-0000-H5	2 Bottles of 32 oz



Personal Eye Wash Solutions

Features:

- Designed for flushing nuisance particles such as pollen, dust, sawdust, smoke as well as for immediate treatment.
- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care.
- Blow-fill-seal bottles with extended-flow nozzles are tamper resistant, yet easily removed in an emergency.
- Deliver drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle.

SKU	Capacity Vol.
203-32-000454-0000-H5	16 oz
203-32-000455-0000-H5	32 oz

BY PIP



Personal Eyewash Products

Features:

- Easy open top.
- User-controlled volume delivery.
- Quality assured manufacturing.

SKU	Capacity Vol.
203-32-000451-0000	1 oz
203-32-000452-0000	4 oz
203-32-000445-0000	8 oz



Dust Covers

Features:

- Protects eyewash basin from dirt, dust and debris.
- Attaches to the eyewash activation handle or pull strap.
- Cover and activation handle or pull strap are detached in one motion.

SKU
203-32-001015-0000



Fendall Porta Stream® II Reflective Jackets

Features:

- Protective cover helps maintain fluid temperature.
- Use in environments of high solar energy.
- Flap and pull strap are removed in one quick and easy motion.

Flow: 15 GPM

SKU
203-32-000532-0000

BY PIP



Pure Flow 1000® Emergency Eyewash Stations

Features:

- Delivers Eyesaline® Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module.
- Constant fluid flow rate and stream height for 15 minutes.
- Highly visible green color provides easy identification in an emergency situation.
- Sure-grip handle provides instant, simple activation.
- Integral drain valve allows easy draining of reservoir after use.
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal.
- Provision for locking device.
- Cover keeps dirt and trash from collecting in the basin and nozzle.
- Upon activation, the dust cover rotates downward, exposing the nozzles and collection basin.

Flow: 0.4 gpm

SKU
203-32-001000-0000



Universal Eyewash Stands

Features:

- Viable alternative to wall mounting.
- Constructed of lightweight, sturdy steel tubing.

SKU
203-32-001065-0000

BY PIP



Universal Eyewash Station Mobile Cart

Features:

- Use with all portable devices.
- Provides quick, easy portability for self-contained, gravity-fed emergency eyewash devices.

SKU

203-32-001060-0000

First Aid Kits



10 Person First Aid Kits

Features:

- 10 person first aid kit.
- ANSI Standard compliant.
- Durable plastic case.
- Water resistant gasket.

Length: 5.5 in

Width: 8.75 in

Height: 3 in

SKU

101-10-9-FAKP



25 Person First Aid Kits

Features:

- 25 Person First Aid Kits.

Height: 3 in

SKU	Case Material	Length	Width	ANSI Standard
101-25-3-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2003
101-25-9-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2009
101-25-3-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2003
101-25-9-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2009



Bloodborne Pathogen Kits

Features:

- Blood borne pathogen hazardous waste kits include blood spill clean-up tools.
- Kit has a wall mounted bracket and increased mobility case.

Length: 10 in

Width: 8.5 in

Height: 4 in

SKU	Case Material
101-BBPK-1-12	Plastic



10 Person ANSI First Aid Kits

Features:

- Neat, orderly interior packaging makes content easy to locate and use.
- Weatherproof.

Length: 5 in

Width: 3 in

Height: 8 in

SKU	Case Material
579-6060	Weatherproof Plastic



25 Person ANSI Plus First Aid Kits

Features:

- Neat, orderly interior packaging makes contents easy to locate and use.
- Weatherproof gasket keeps contents free from dust and moisture.
- Carry-handle or is wall mountable.

Length: 7 in

Width: 3 in

Height: 10 in

SKU	Case Material
579-6430	Weatherproof Plastic



25 Person First Aid Kits

Features:

- General purpose first aid kits to treat common workplace injuries and illnesses.
- Kits contain bandages, antiseptics, and other supplies that treat non-critical conditions.
- Kit fills subject to change.

Length: 3 in

Width: 10 in

Height: 7 in

SKU	Case Material
899-740ANSI	Plastic

Insect Repellents & Sunscreens



50 Person ANSI First Aid Kits

Features:

- Kit has 50 units that come with a weatherproof plastic case.
- OSHA compliant box is wall-mountable.

Length: 9.38 in

Width: 9.38 in

Height: 3 in

SKU	Case Material
579-6088	Weatherproof Plastic



SunX30 Sunscreen Lotion Packets

Features:

- Contains aloe vera gel & Vitamin E and broad spectrum sunscreen with UVA/UVB protection.
- FDA rated water & sweat resistant with max allowed duration time (80 minutes).
- PABA free & oil free.

SKU	Capacity Vol.
579-18-350	1/4 oz



Deep Woods® Insect Repellent V

Features:

- Formulated with 25% DEET provides up to 8 hours of protection against mosquitoes.

Insect Type: Ticks; Mosquitoes; Black Flies; Sand Flies; Chiggers; Gnats; Fleas; No-see-ums

SKU	Capacity Vol.
889-334689	6 oz

Ointments



BURN JEL® Burn Care Ointments

Features:

- Dissipates heat and protects injuries from infection.
- Thick gels cool and soothe minor burns.

Active Compound: Lidocaine

Size: 5.1 in x 7.6 in

SKU	Capacity
899-66622	1.8 oz

Pain Relievers



Medi-Lyte® Electrolyte Replenishers

Features:

- Relief from heat stress, fatigue and muscle cramping due to minerals lost to heat and perspiration.
- Unit dose, tamper-evident dual layer foil packets.

Quantity: 500 Tablets per Box

SKU	Active Compound	Flavor
899-03013	Calcium; Potassium; Magnesium	Unflavored

FIRE, GAS & WATER PROTECTION

Detectors



Clip Single-Gas Detectors

Features:

- One button operation.
- Operates up to two years use without calibration, sensor replacement, or battery recharging/replacement.
- Wide angle flash which alerts simultaneously with audible and vibrating alarm.
- Automatic logging of the 35 most recent gas events.
- Compatible with IntelliDoX, Fleet Manager II Software.

Gas Type: Hydrogen Sulfide

Temp. Range: -40° F - 122° F

Sound Level: 95 dBA

Display Type: LCD

Power Source: Lithium Battery

Run Time: 2 Years

SKU	Sensor Type
126-BWC2-H	Surecell™

LOCKING DEVICES

Lock Boxes

Master Lock



Group Lock Boxes

Features:

- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

Length: 9-1/4 in

Height: 6 in

SKU	Material	Width
470-498A	Steel	3-3/4 in

Master Lock



Grip Tight™ Circuit Breaker Lockouts

Features:

- Secure and simple mounting for a solid lockout.
- Grips tight with simple thumb turn and clamping handle.
- Accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

Width: - 3/4 in

Length: 3 in

SKU	No. of Padlocks
470-493B	1

LOCKING DEVICES

Lockouts & Hasps

BRADY



Electrical Lockout Tagout Kits

Features:

- Safely power down faster when you power up your lockout tagout readiness with one convenient, easily accessible and portable kit.
- Extremely portable — toolbox keeps padlocks and devices at the ready and goes where you go.
- All components specially designed for electrical lockout scenarios, including non-conductive nylon-body padlocks.

SKU	No. of Padlocks
262-153670	3



Portable Lockout Kits

Features:

- Kit includes padlocks and electrical focused high-use products.
- Supplies store securely in a rugged toolbox to help keep important lockout devices and padlocks together.
- For added individual worker convenience, padlocks are supplied keyed alike.

Width: 25/32 in Body -

Shackle Length: 1-1/4 in

Depicted Text: Danger Do Not Operate; Danger Locked Out Do Not Remove

SKU	No. of Padlocks
470-1457E410KA	4

**Master
Lock**

Safety Series™ Do Not Operate I.D. Tags

Features:

- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy-duty construction withstands up to 80 lbs. of pullout force (Meets OSHA Requirements).
- Prevents accidental removal.
- Customize with name, department, expected completion.
- 7/16" diameter brass grommet accepts all safety padlocks.

Width: - 3-1/8 in

Includes: (12) Tags; (12) Ties

Used With: Padlocks

Depicted Text: Danger; Do Not Operate

SKU
470-497A

Padlocks & Cables

**AMERICAN
LOCK**

Solid Aluminum Padlocks

Features:


- Highly corrosion resistant.
- Laser engravable.

Shackle Diam: 1/4 in

Shackle Inner Width: 3/4 in

Shackle Material: Case Hardened Boron Alloy Steel

SKU	Code Format	Shackle Length
045-A1106RED	5-Pin Tumbler Rekeyable Cylinder	1-1/2 in

CCL
Security Products®

Sesame® Keyless Padlocks

Features:

- All-brass internal mechanisms for non-corrosive durability.
- You set the combination

Shackle Diam: 5/16 in

Shackle Inner Width: 1 in

Shackle Material: Hardened Steel

Code Format: 4 Dials with 10000 Possible Numeric Combinations

SKU	Shackle Length
197-K436	1 in
197-K437	2-1/4 in

**Master
Lock**

No. 140 Solid Brass Padlocks

Features:

- Select style and strength—this lock with a solid brass lock body is stylish and sturdy.
- Hardened steel shackle for extra cut resistance.
- 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Shackle Diam: 1/4 in

Shackle Inner Width: 13/16 in

Shackle Material: Hardened Steel

SKU	Shackle Length
470-140D	7/8 in

**Master
Lock**



No. 1500 Combination Padlocks

Features:

- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.
- 3-digit dialing and 1,500 combinations for maximum security.

Shackle Diam: 9/32 in

Shackle Inner Width: 13/16 in

Shackle Material: Hardened Steel

Code Format: 3 Step Dial

SKU	Shackle Length
470-1500	3/4 in

**Master
Lock**



No. 178 Solid Brass Combination Padlocks

Features:


- Set-your-own combination convenience and security.
- 4 digit dialing allows for thousands of possible combinations.

Shackle Diam: 5/16 in

Shackle Inner Width: 1 in

Shackle Material: Hardened Steel

SKU	Shackle Length
470-178BLK	1 in



No. 175 Combination Brass Padlocks

Features:

- Set-your-own combination convenience.
- Resettable to any of 10,000 personalized combinations.

Shackle Diam: 5/16 in

Shackle Inner Width: 1 in

Shackle Material: Hardened Steel

Code Format: 4 Step Dial

SKU	Shackle Length
470-175DLH	2-1/4 in



Zenex™ Thermoplastic Safety Lockout Padlocks

Features:

- Durable, lightweight, non-conductive Thermoplastic lock body.
- Customize on-site with permanent, write-on labels.
- Compliance with "One Employee, One Lock, One Key" directive.
- High security, reserved-for-safety cylinder.
- Key retaining, ensures that padlock is not left unlocked.
- 6-pin tumbler for Keyed Alike (KA), Keyed Different (KD), and Master Keyed (MK) styles.
- Choose from 1-3/4 inch (406 and 410) or 3 inch (411) body heights.

Shackle Inner Width: 25/32 in

Shackle Material: Metal

SKU
470-410RED

SAFETY STORAGE

Safety Cans



Red Oily Waste Cans

Features:

- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.
- Raised flow-through base dissipates heat.
- Trilingual safety label.

Dia.: 13-15/16 in

Height: 18-1/4 in

Material: 24-gauge Premium Coated Steel

SKU	Capacity Vol.
400-09300	10 gal



Type I Steel Safety Cans

Features:

- Color coding avoids accidents.
- Self-closing lid controls spills.
- Leakproof, auto-venting lid prevents explosion.
- Cans up to 1 quart feature a trigger-release handle, while larger capacities have a swinging handle to greatly ease carrying of heavier loads.

Material: 24-ga Galvanized Steel

SKU	Capacity Vol.	Type	Dia.	Height	Includes
400-7110100	1 gal	Gas	9.5 in	11.5 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7125100	2.5 gal	Gas	11.75 in	11.5 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7150100	5 gal	Gas	11.75 in	16.875 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7150110	5 gal	Gas	11.75 in	16.875 in	Poly Funnel; Stainless Steel Flame Arrestor; Swinging Handle
400-7150210	5 gal	Diesel	11.75 in	16.875 in	Poly Funnel; Stainless Steel Flame Arrestor; Swinging Handle



Type II AccuFlow™ Safety Cans

Features:

- Color coding avoids accidents.
- Stainless steel flame arrester prevents flashback ignition.
- Easy-to-use Safe-Squeeze® trigger for controlled pouring.
- Two-openings, one for targeted pouring, one with ergonomically designed lift-lever for easy filling.

Dia.: 11.75 in

Height: 17.5 in

Hose O.D.: 1 in

Material: 24 ga Galvanized Steel

SKU	Capacity Vol.
400-7250130	5 gal

Safety Storage Cabinets



Sure-Grip® EX Flammable Safety Cabinets

Features:

- 18-gauge thick double-wall, welded steel with 1-1/2-in of insulating air space.
- Adjustable, patented SpillsSlope® galvanized steel shelves direct spills to back and bottom of 2-in leakproof sump.
- 3-point stainless steel bullet latching system.
- U-Loc™ handle with two keys—accepts optional padlock.
- Trilingual warning with Haz-Alert™ reflective labels.
- Includes dual vents with flame arresters, adjustable leveling feet, and grounding connector.

Height: 65 in

Material: 18 ga Steel

SKU	Capacities	Depth	Width
400-894500	45 gal	18 in	43 in
400-896000	60 gal	34 in	34 in

TRAFFIC SAFETY

Safety Cones



DW Series Traffic Cones

Features:

- Made from injection-molded PVC with a wide body design.

Material: PVC

SKU	Color	Height
831-03-500-05	Orange; Black Base	18 in
831-03-500-10	Orange; Black Base; Reflective Collar	28 in
831-03-500-07	Orange; Black Base	28 in



PVC Traffic Cones

Features:

- Brightly colored for high visibility.
- Ultraviolet stabilized color provides maximum resistance to fading.
- Wide-body design with rugged base.
- High-density base creates low center of gravity for maximum stability.

Material: PVC

Width: 12 in

SKU	Color	Height
831-03-500-21	Orange; Black	18 in



Triangle Warning Kit

Features:

- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the fluorescent plastic is bright and provides effective warning, even in daytime.
- A convenient living hinge box allows for quick and compact storage.

Material: Acrylic; Steel; ABS; Polypropylene

Width: 18 in

SKU	Color	Height
831-95-03-009	Red; Hi-Viz Orange	18 in



W Series Traffic Cones


Features:

- Injection molded PVC.
- Wide body design.
- Colored base.
- Available with reflective collars.
- MASH Approved.

Material: PVC

SKU	Color	Height
831-03-500-100	Orange with Reflective Collar	28 in

Safety Fences



Safety Fences

Features:

- Convenient, highly visible safety fencing.
- Durable safety fences are UV stabilized.

SKU	Height	Length
831-03-900	4 ft	50 ft

Safety Flags & Pennants



Pennants

Features:

- Durable, weather-resistant vinyl pennant is a reliable choice for drawing attention to demarcated areas.
- Superior tensile strength.

Length: 100 ft (String)

Material: Vinyl

SKU	Color
831-03-400	Red

Safety Guards & Protectors



General Purpose Utility Wheel Chocks

Features:


- Weather-resistant, lightweight polyurethane construction.
- Resistant to oils, fuels, and solvents.
- High-visibility orange color.

Height: 6.25 in

Length: 8.5 in

Material: Urethane

SKU	Outside Dia.
916-UC1700	27 in to 35 in



General-Purpose Rubber Wheel Chocks

Features:

- Highly durable rubber construction.
- Resistant to weather elements.
- Either side can be positioned against the tire.
- Ideal for small vehicles and trailers.

Height: 5.5 in

Material: Rubber

SKU	Length
916-RC450-S	10 in
916-RC815	10.5 in



EZ Grab Delineator Post

Features:

- Post is made from 100% impact-resistant polyethylene material.
- EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
- The sturdy rubber base ensures that the post stays put.
- Each post comes with two high intensity reflective bands.

Height: 45 in

Material: Polyethylene; Rubber

SKU	Outside Dia.
831-03-734RBC	3 in



Wheel Chocks

Features:

- Provides maximum durability and skid protection.
- Constructed to withstand extreme weather conditions.
- Includes zinc-plated eyebolt.

Height: 6 in

Length: 10 in

Material: Rubber

SKU	Outside Dia.
831-2048WC	8 in

Safety Hats



Baseball Style Bump Caps

Features:

- Polyester twill ball cap protects against bumps and scrapes.
- Includes polyurethane bump cap insert.

Size Group: 6-7/8 to 7-5/8 in

SKU	Material	Color
561-v410-b03	Polyester Twill; Polyethylene	Navy

Safety Signs



Quadra Flex™ Roll-Up Utility Work Ahead Signs

Features:

- Fluorescent color provides maximum visibility.
- Lexan Polycarbonate pockets on all corners.
- Fiberglass Ribsets are included and are ready for use.
- Ribs are coated to prevent splinters and fraying.
- Overlays available for changeable message signs.

Width: 48 in

Height: 48 in

SKU	Depicted Text	Color
831-07-800-4046-L	Utility Work Ahead	Fluorescent Orange



Safety Paddles

Features:

- Letter size 8 inches for 24 inch paddles or 6 inches for 18 inch paddles.
- Extremely durable ABS material or 0.080 aluminum with scratch resistant paint finish.

Length: 9 in Polygrip Handle

Dia.: 18 in

SKU	Depicted Text	Color
831-03-851	STOP/SLOW	White Letters on Red; Black Letters on Orange



Heavy Duty Lockout Tags

Features:

- Constructed of heavy duty polyester, durable tag offers completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures.
- Tags accept pencil, pen and marker (pen and marker can be completely erased using isopropyl alcohol, allowing for repeated use).
- Heavy duty construction holds up to 80 lbs of pull force, preventing accidental removal.
- 3/8 inch diameter heavy-duty brass grommet accepts most padlock shackles.

Height: 5.75 in

Material: Polyester

SKU	Width
262-65520	3 in



Lockout Tags

Features:

- Two-sided tag with warning messages and graphics.
- Both sides have lines for writing additional information.
- Write-on surface allows for authorized signatures, dates and other special instructions.
- 3/8 inch diameter brass eyelet will accept most pad-lock shackles.

Height: 5.75 in

Material: Economy Polyester; Not Laminated

SKU	Width
262-66050	3 in



Do Not Operate Safety Tags, Spanish/English

Features:

- Heavy Duty English/Spanish Safety Tags feature durable polyester laminate to resist water, grease and extreme temperatures.
- The heavy duty construction withstands over 50 lbs. (23kg) of pull force to meet and comply with the OSHA lockout/tagout standard.
- The 7/16 in (11mm) diameter brass grommet accepts all safety padlocks.
- Tags are customizable with name, department and expected completion date.

Height: 5-3/4 in

Material: Polyester Laminate

SKU	Width
470-497AX	3-1/8 in

Safety Tapes



Taffeta Flagging Tapes

Features:

- Thicker mil thickness with heavy embossing.
- 10°F temperature resistance.

Width: 1-3/16 in

Length: 150 ft

Thickness: 4.5 mil

Material: PVC

SKU	Color
764-TF0G	Fluorescent Orange

Safety Vests



GloWear® Safety Vests

Material: Polyester Mesh

SKU	Size Group	Closure Type	Color
150-20040	One Size	Hook and Loop	Lime
150-21023	Small/Medium	Hook and Loop	Lime
150-21053	Small/Medium	Zipper	Lime
150-21045	Large/X-Large	Zipper	Orange
150-21055	Large/X-Large	Zipper	Lime
150-21295	Large/X-Large	Zipper	Lime
150-21057	2X-Large/3X-Large	Zipper	Lime



SV6 Type R Class 2 Two Tone Surveyor Mesh Safety Vests

Features:

- Two-tone, contrasting trim on reflective stripes make workers much more noticeable in low light and broad daylight.
- Very functional pocket configuration so you can carry the tools you need to do your job.

Color: Hi-Vis Green

Material: 100% Polyester Mesh

SKU	Size Group	Closure Type
292-SV6-2ZGM-XL	X-Large	Zipper Front

SPILL CONTROL SAFETY

Sorbent Kits



SPC Allwik® Drum Spill Kits

Features:

- Allwik for oil, water based and chemical spills.
- Tough, secure and highly visible, this top quality screw topped over pack drum meets UN and DOT specifications.
- For large spill response.
- For oil, water based and chemical spills.

Absorption: 41 gal

SKU	Width
655-SKA55	24 in



SPC® Economy Portable Spill Kits

Features:

- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Absorption: 5 gal

SKU	Width	Length
655-SKA-PP	16 in	20 in

Sorbents



Oil-Only Sorbent Pads

Features:

- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 17 in

Width: 15 in

SKU	Absorption
103-AB-BP0100	20.5 gal



Universal Sorbent Pads

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 17 in

Width: 15 in

SKU	Absorption
103-AB-BPU500	17 gal
103-AB-BPU100	20.5 gal
103-AB-BPU200	34 gal



Universal Sorbent Rolls

Features:

- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 150 ft

Width: 30 in

SKU	Absorption
103-AB-BRU120	38 gal



Industrial Absorbents

Features:

- Absorbs fuels, organic chemicals, paints, glycol and more.
- Nontoxic.

Absorption: 12 gal

SKU
671-SS-2-60



FULL PROTECTION. FULL BRIM.



V-Gard H2® Full Brim Safety Helmet.

The new V-Gard H2 Full Brim Safety Helmet is the Type II hard hat you've been asking for, offering top and lateral impact protection with a full brim design. From MSA, the leader in head protection. Learn more at <http://msasafety.com/vgard-h2-full-brim>





TRACK RESERVE
— TRACK ASSETS. KEEP READY. —

Website: <https://trackreserve.com>

Email: contact@trackreserve.com